

## Emerge ANSI • CE • CSA •



RUBBER  
NOSEPIECE



READER  
OPTION

Soft nosepiece provides comfort for extended use // Rx options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable // Custom imprinting available

### Black Frame | 2 Variations

- SB7950SF ●● 5.0 IR Filter
- SB7960SF ●● 3.0 IR Filter

### Black Frame | 3 Variations

- SB7910DRX ●●● Clear
- SB7910D15 ●● Clear +1.5 Mag
- SB7910D20 ●● Clear +2.0 Mag

### Translucent Gray Frame | 3 Variations

- SG7910DRX ●●● Clear
- SG7910D15 ●● Clear +1.5 Mag
- SG7910D20 ●● Clear +2.0 Mag



**i** Frame must be presented to your optometrist in order to be fitted with prescription lenses.

Part No.	Lens Marking	Frame Marking	General Specifications	Materials
SB7950SF	P + W5	P Z87 + / P c SEI Z94.3	Weight: 30 gm	Lens: polycarbonate
SB7960SF	P + W3	P Z87 + / P c SEI Z94.3	PD: 68 mm	Frame: nylon
SB7910DRX	P + U6	P Z87 -2+ / P c SEI Z94.3	Bridge: 13 mm	Temples: polycarbonate
SB7910D15	P + U6	+1.50 P Z87 -2+	Lens base: 6 curve	Hinge: polycarbonate
SB7910D20	P + U6	+2.00 P Z87 -2+	Lens size diagonal: 58 mm	Screw: stainless steel
SG7910DRX	P + U6	P Z87 -2+ / P c SEI Z94.3	Lens size vertical: 42.5 mm	Nosepiece: polyvinyl chloride (PVC)
SG7910D15	P + U6	+1.50 P Z87 -2+	Lens thickness: 2.2 mm	
SG7910D20	P + U6	+2.00 P Z87 -2+	Overall length (lens - tip): 163 mm	
			Overall width (hinge - hinge): 135 mm	
			Closest point between temple tips: 83 mm	
			Closest point between lens: 17.7 mm	
<b>Lens Marking Symbols</b>		<b>Frame Marking Symbols</b>		
P: Manufacturer's mark		+1.50: magnification of +1.5		
+: High impact		+2.00: magnification of +2.0		
W: Welding filter		P: Manufacturer's mark		
<b>UV Filter Transmittance</b>		Z87: ANSI standard for eye and face protection devices		
UG: .01% max effective far UV • .1% max near UV		- 2: Rx		
		+: High impact		
		c SEI Z94.3: CAN/CSA standard for eye and face protection devices		