

Emerge® Plus ANSI • CSA •










Rubber temple tips // Soft nosepiece provides comfort for extended use // Custom imprinting available



Full Readers

Translucent Gray Frame | 7 Variations

	SG9810R15 ••	Clear	+1.5 Mag
	SG9810R20 ••	Clear	+2.0 Mag
	SG9810R25 ••	Clear	+2.5 Mag
	SG9810R30 ••	Clear	+3.0 Mag
	SG9820R15 •	Gray	+1.5 Mag
	SG9820R20 •	Gray	+2.0 Mag
	SG9820R25 •	Gray	+2.5 Mag



Top Insert Readers

Translucent Gray Frame | 2 Variations

	SG9810TR15 ••	Clear	+1.5 Mag
	SG9810TR20 ••	Clear	+2.0 Mag



i The top insert reader for the EmERGE Plus is strategically placed for applications in which user is frequently looking up.

Part No.	Lens Marking	Frame Marking	General Specifications	Materials
SG9810R15	P Z87 + U6	+1.50 P Z87 - 2 + / P c SEI Z94.3	Weight: 31.3 gm	Lens: polycarbonate
SG9810R20	P Z87 + U6	+2.00 P Z87 - 2 + / P c SEI Z94.3	Bridge: 10.6 mm	Frame: nylon
SG9810R25	P Z87 + U6	+2.50 P Z87 - 2 + / P c SEI Z94.3	Lens base: 6 curve	Temples: polycarbonate
SG9810R30	P Z87 + U6	+3.00 P Z87 - 2 + / P c SEI Z94.3	Lens size diagonal: 54.6 mm	Temple tips: thermoplastic rubbers (TPR)
SG9820R15	P Z87 + U6 L2.5	+1.50 P Z87 - 2 +	Lens size vertical: 42.5 mm	Hinge: polycarbonate
SG9820R20	P Z87 + U6 L2.5	+2.00 P Z87 - 2 +	Lens thickness: 2.2 mm	Screw: stainless steel
SG9820R25	P Z87 + U6 L2.5	+2.50 P Z87 - 2 +	Overall length (lens - tip): 160 mm	Nosepiece: thermoplastic rubbers (TPR)
SG9810TR15	P Z87 + U6	+1.50 P Z87 - 2 + / P c SEI Z94.3	Overall width (hinge - hinge): 129 mm	
SG9810TR20	P Z87 + U6	+2.00 P Z87 - 2 + / P c SEI Z94.3	Closest point between temple tips: 88 mm	
SG9810TR25	P Z87 + U6	+2.50 P Z87 - 2 + / P c SEI Z94.3		

Lens Marking Symbols

P: Manufacturer's mark
Z87: ANSI standard for eye and face protection devices
+: High impact

UV Filter Transmittance

U6: .01% max effective far UV • .1% max near UV

Visible Light Filters

L2.5: 29% max visible light

Frame Marking Symbols

+1.50: magnification of +1.5
+2.00: magnification of +2.0
+2.50: magnification of +2.5
+3.00: magnification of +3.0

P: Manufacturer's mark
Z87: ANSI standard for eye and face protection devices

- 2: Rx

+: High impact

c SEI Z94.3: CAN/CSA standard for eye and face protection devices