

# SAFETY DATA SHEET



Date Issued : 10/19/2020

SDS No :11730056

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT DESCRIPTION:** ZAP-O XTRA PT25X 20GM  
**PRODUCT CODE:** 11730056

### MANUFACTURER

Pacer Technology  
 3281 E. Guasti Road, Suite 260  
 Ontario, CA 91761

**Emergency Contact:** Chemtrec

**Emergency Phone:** (800) 424-9300

**Customer Service:** (909) 987-0550

## 2. HAZARDS IDENTIFICATION

### GHS CLASSIFICATIONS

#### Health:

Not Classified

#### Physical:

Not Classified

### GHS LABEL

Note: If this product is a consumer product it is labeled in accordance with the Consumer Product Safety Commission regulations and not OSHA regulations. The requirements for the labeling of consumer products take precedence over OSHA labeling so the actual product label will not contain the OSHA label elements shown below on this SDS.

**HAZARDS NOT OTHERWISE CLASSIFIED:** Skin contact through clothing may cause burns. Bonds skin and eyes instantly. Do not get in eyes, in mouth, or on skin.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
2-Methoxyethyl 2-cyanoacrylate	70 - 98	27816-23-5
Hydroquinone	≤ 0.1	123-31-9

## 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with large quantities of water for 15 minutes, while holding the eyelids apart. Remove contact lenses if easy to do so. Continue rinsing. Get medical attention if irritation or bonding occurs.

**SKIN:** Flush skin with water for several minutes. If bonded, immerse bonded areas in warm, soapy water for several minutes. Peel or roll skin or bonded material apart. Get medical attention if irritation occurs. Remove and launder clothing before re-use.

**INGESTION:** Flush lips with warm water to release lips if bonded. Ingestion is unlikely, though the product may stick in the mouth. Over a period of 1-2 days, the product will be loosened by saliva. Avoid swallowing the product. Get medical attention if symptoms occur.

**INHALATION:** Remove victim to fresh air. Get medical attention if symptoms of exposure persist.

### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** Bonds eyelids immediately.

**SKIN:** Large quantities may react with skin and cause skin burns. May be harmful if swallowed.

# SAFETY DATA SHEET



Date Issued : 10/19/2020

SDS No : 11730056

## 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Use dry chemical extinguisher or flush with large amounts of water.

**FIRE FIGHTING PROCEDURES:** Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways.

**FIRE FIGHTING EQUIPMENT:** Wear an approved, positive pressure, self-contained breathing apparatus and full protective clothing. Cool exposed intact containers with water spray. Contain water used in fire fighting from entering sewers or natural waterways.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Collect material with absorbent rags (not paper towels) or wash the material down with water to solidify and scrape solid off surface. Rinse spill area with water.

### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Prevent the contamination of drains, surface or subterranean waters, and the ground.

**GENERAL PROCEDURES:** Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate decontaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

## 7. HANDLING AND STORAGE

**HANDLING:** Never use pressure to empty the containers. They are not pressure-resistant containers. In the application area, smoking, eating, and drinking must be prohibited. Follow legislation on occupational health and safety. Keep the product in containers made of a material identical to the original.

**STORAGE:** Store according to local legislation. Observe indications on the label. Store containers between 5 and 35C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidizing agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)			
EXPOSURE LIMITS			
Chemical Name	Type		mg/m <sup>3</sup>
	OSHA PEL	TWA	ppm
Hydroquinone			2

**ENGINEERING CONTROLS:** Use with adequate general or local exhaust ventilation to minimize exposure levels.

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Chemical safety goggles are recommended where splashing is possible.

**SKIN:** Impervious gloves such as nitrile gloves are suggested to prevent skin contact. Contact your glove supplier for selection assistance.

**RESPIRATORY:** In operations where the occupational exposure limits are exceeded, and approved respirator with applicable

# SAFETY DATA SHEET



Date Issued : 10/19/2020

SDS No : 11730056

cartridges or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

**PROTECTIVE CLOTHING:** Impervious clothing is required to prevent skin contact and contamination of personal clothing. An eye wash facility and safety shower should be available in work area.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**ODOR:** Characteristic odor

**APPEARANCE:** Liquid

**COLOR:** Transparent, colorless liquid

**pH:** No data available

**PERCENT VOLATILE:** No data available

**FLASH POINT AND METHOD:** 631 C (1167.8 F)

**FLAMMABLE LIMITS:** No data available

**AUTOIGNITION TEMPERATURE:** No data available

**VAPOR PRESSURE:** No data available

**VAPOR DENSITY:** No data available

**BOILING POINT:** 75 C (167 F)

**FREEZING POINT:** No data available

**MELTING POINT:** No data available

**POUR POINT:** No data available

**THERMAL DECOMPOSITION:** No data available

**SOLUBILITY IN WATER:** Polymerizes in presence of water

**EVAPORATION RATE:** No data available

**DENSITY:** No data available

**SPECIFIC GRAVITY:** 1.1

**VISCOSITY:** No data available

**MOLECULAR WEIGHT:** No data available

## 10. STABILITY AND REACTIVITY

**REACTIVITY:** Rapid exothermic polymerization will occur in presence of incompatible materials.

**STABILITY:** Stable under the recommended handling and storage conditions.

**CONDITIONS TO AVOID:** Keep away from heat and open flames. Avoid high humidity.

**POSSIBILITY OF HAZARDOUS REACTIONS:** Polymerization may occur in contact with incompatible materials. The polymerization is an exothermic reaction and may cause thermal burns. At high temperatures can occur pyrolysis and dehydrogenation.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition will produce oxides of carbon and thick black smoke.

**INCOMPATIBLE MATERIALS:** Oxidizing agents, acids, and bases.

## 11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY**

# SAFETY DATA SHEET



Date Issued : 10/19/2020

SDS No : 11730056

Chemical Name	ORAL LD <sub>50</sub>	DERMAL LD <sub>50</sub>
2-Methoxyethyl 2-cyanoacrylate	> 5000 mg/kg	> 2000 mg/kg
Hydroquinone	367.3 mg/kg	> 2000 mg/kg

**NOTES:** There is no tested data available on the product. Repeated or prolonged contact with the product can cause the elimination of oil from the skin, giving rise to non-allergic contact dermatitis and absorption of the product through the skin. Splatters in the eyes can cause irritation and reversible damage.

**SKIN CORROSION/IRRITATION:** Product will bond to the skin. Contact may cause irritation with redness and itching. Prolonged contact may cause burning.

**SERIOUS EYE DAMAGE/IRRITATION:** Based on available data, the classification criteria are not met.

**RESPIRATORY OR SKIN SENSITISATION:** Based on available data, the classification criteria are not met.

**GERM CELL MUTAGENICITY:** Hydroquinone: positive with metabolic activation and negative without metabolic activation in an Invitromammalian chromosome aberration test. Positive in mammalian germ cell cytogenetic assay.

## CARCINOGENICITY

**IARC:** Group 3 - Not classifiable as to its carcinogenicity to humans: 1,4-dihydroxybenzene,hydroquinone,quinol (CAS 123-31-9); methyl 2-methylprop-2-enoate,methyl 2-methylpropanate,methyl methacrylate (CAS 80-62-6)

**NTP:** This product does not contain substances listed in the National Toxicology Program (NTP) Report on Carcinogens (RoC).

**NOTES:** None of the components of this product are listed as carcinogens by OSHA, IARC, NTP, or OSHA.

**REPRODUCTIVE TOXICITY:** None of the components are considered a reproductive hazard.

**STOT-SINGLE EXPOSURE:** Based on available data, the classification criteria are not met.

**STOT-REPEATED EXPOSURE:** No conclusive data for classification.

**ASPIRATION HAZARD:** Inhalation of mists or vapors may cause respiratory tract irritation with coughing, headache, and giddiness.

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** This product is expected to be harmful to the aquatic environment. Release to the environment should be avoided.

### ECOTOXICOLOGICAL INFORMATION:

Hydroquinone: 96 hr LC<sub>50</sub> Rainbow trout: 0.638 mg/L, 48 hr EC<sub>50</sub> Daphnia magna: 0.134 mg/L, 48 hr NOEC Daphnia magna: 0.095 mg/L, 21 day NOEC Daphnia magna: 0.0057 mg/L

**BIOACCUMULATION/ACCUMULATION:** No data available

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of in accordance with all local, state, and federal regulations.

**RCRA/EPA WASTE INFORMATION:** Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation. Follow the provisions of the Resource Conservation and Recovery Act (RCRA) and the Resource Conservation and Recovery Act Information (RCRAInfo) regarding waste management.

## 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** NOT REGULATED

**AIR (ICAO/IATA)**

# SAFETY DATA SHEET



Date Issued : 10/19/2020

SDS No : 11730056

**SHIPPING NAME:** ID8000, CONSUMER COMMODITY, 9 (PKG LESS THAN OR EQUAL TO 30 kg G); or UN3334, AVIATION REGULATED LIQUID, N.O.S (METHOXY-ETHYL CYANOACRYLATE), 9, III (LTD QTY, IP VOL LESS THAN OR EQUAL TO 5.0 L, OP WGT LESS THAN OR EQUAL TO 30 kg G) \*

## VESSEL (IMO/IMDG)

**SHIPPING NAME:** NOT REGULATED

**COMMENTS:** \* This product may be shipped as EXCEPTED QUANTITIES OF CLASS 9, UN3334 (IP VOL LESS THAN OR EQUAL TO 0.03 L, OP VOL LESS THAN OR EQUAL TO 1.0 L)

The transport information provided in this section only applies to the material formulation/itself, and is not specific to any package/configuration. This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the transporting organizations to follow all applicable laws, regulations, and rules relating to the transportation of the material.

## 15. REGULATORY INFORMATION

### UNITED STATES

#### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

##### 302/304 EMERGENCY PLANNING

**EMERGENCY PLAN:** Hydroquinone (500 lbs)

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

Chemical Name	CAS
2-Methoxyethyl 2-cyanoacrylate	27816-23-5
Hydroquinone	123-31-9

**TSCA STATUS:** All components are listed on or are exempt from listing on the Toxic Substances Control Act.

**CALIFORNIA PROPOSITION 65:** No California Proposition 65 ingredients are known to be in this product.

## 16. OTHER INFORMATION

**APPROVED BY:** Pacer Technology Regulatory Affairs Department


**PREPARED BY:** Pacer Technology Regulatory Affairs Department

**Date Prepared:** 10/19/2020

### HMIS RATING

HEALTH	<input type="checkbox"/>	1
FLAMMABILITY	<input type="checkbox"/>	1
PHYSICAL HAZARD	<input type="checkbox"/>	0
PERSONAL PROTECTION	<input type="checkbox"/>	

### NFPA CODES



**MANUFACTURER DISCLAIMER:** To the best of our knowledge, the information contained herein is accurate. However, Pacer Technology does not assume any liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.