



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

## SAFETY DATA SHEET

# KODAK PROFESSIONAL POLYMAX RT Developer and Replenisher

### SECTION 1: IDENTIFICATION

#### 1.1. Product identifier

▼ **Trade name:** KODAK PROFESSIONAL POLYMAX RT Developer and Replenisher  
Obtain special instructions before use.

**Product no.:** 8250425

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture:** Photographic processing chemical (developer) for black and white paper.

▼ **Uses advised against :** None known.

#### 1.3. Details of the supplier of the safety data sheet

**Company and address:** **Photo Systems Inc.**  
7190 Huron River Drive  
MI 48130 Dexter  
USA  
Tel: +1 (734) 424-9625  
Fax: +1-734-580-2199  
www.photosys.com

For further information about this product email EHS-Questions @photosys.com

**Manufacturer:** **Photo Systems Inc.**  
7190 Huron River Drive  
MI 48130 Dexter  
USA  
Tel: +1 (734) 424-9625  
Fax: +1-734-580-2199  
www.photosys.com

**Contact person:** Jake Bolt  
**E-mail:** jake@photosys.com  
**SDS date:** 1/23/2024  
**SDS Version:** 4.0  
**Date of previous version:** 11/9/2023 (3.0)

#### 1.4. Emergency telephone number

Contact the poison control at 1-800-222-1222 (24/7) or use the webPOISONCONTROL® (triage.webpoisoncontrol.org) to get specific guidance for your case



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

See also section 4 "First aid measures".

## SECTION 2: HAZARD(S) IDENTIFICATION

### OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### 2.1. ▼ Classification of the substance or mixture

Skin Sens. 1; H317, May cause an allergic skin reaction.

Eye Irrit. 2; H319, Causes serious eye irritation.

Muta. 2; H341, Suspected of causing genetic defects.

Carc. 2; H351, Suspected of causing cancer.

Repr. 2; H361fd, Suspected of damaging fertility. Suspected of damaging the unborn child.

#### 2.2. Label elements

##### ▼ Hazard pictogram(s):



##### ▼ Signal word:

Warning

##### ▼ Hazard statement(s):

May cause an allergic skin reaction. (H317)

Causes serious eye irritation. (H319)

Suspected of causing genetic defects. (H341)

Suspected of causing cancer. (H351)

Suspected of damaging fertility. Suspected of damaging the unborn child. (H361fd)

##### Precautionary statement(s):

###### General:

If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

###### ▼ Prevention:

Obtain special instructions before use. (P201)

Avoid breathing mist/vapour. (P261)

Wash hands thoroughly after handling. (P264)

Wear protective gloves/protective clothing/eye protection/face protection. (P280)

###### ▼ Response:

IF ON SKIN: Wash with plenty of water and soap. (P302+P352)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

IF exposed or concerned: Get medical advice/attention. (P308+P313)

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Take off contaminated clothing and wash it before reuse. (P362+P364)

###### Storage:

Store locked up. (P405)



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

**Disposal:** Dispose of contents/container in accordance with local regulation (P501)

**Additional labelling:** Not applicable.

**2.3. Other hazards**

▼ **Additional warnings:** This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
Potassium hydroxide 45%	CAS No.: 1310-58-3	10-15%	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1, H314 Eye Dam. 1, H318	
Disodium disulphite	CAS No.: 7681-57-4	5-10%	Acute Tox. 3, H301 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319	
Potassium Carbonate Liquid 47%	CAS No.: 584-08-7	5-10%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
Dissolvine H-40	CAS No.: 139-89-9	3-5%	Acute Tox. 4, H302 Eye Dam. 1, H318	
hydroquinone	CAS No.: 123-31-9	1-3%	Acute Tox. 4, H302 Skin Sens. 1B, H317 Eye Dam. 1, H318 Muta. 2, H341 Carc. 2, H351	
sodium bromide	CAS No.: 7647-15-6	<1%		
Dimezone S	CAS No.: 13047-13-7	<0.25%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	

Where the concentration of an ingredient is expressed as a range the exact concentration has been withheld as a trade secret.



See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

-

## SECTION 4: FIRST-AID MEASURES

### 4.1. ▼ Description of first aid measures

#### General information:

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her. Get medical attention if symptoms occur.

#### Skin contact:

Immediately flush skin with plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur or in case of eczema or other skin disorders.

#### ▼ Eye contact:

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### Ingestion:

Never give anything by mouth to an unconscious person. No NOT induce vomiting. Rinse mouth. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Get medical attention immediately.

#### Burns:

Not applicable.

### 4.2. ▼ Most important symptoms and effects, both acute and delayed

Most important known symptoms and effects are described in the labeling (see Section 2.2 and in Section 11.)

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

No unusual fire or explosion hazards noted

**5.2. ▼ Special hazards arising from the substance or mixture**

During fire, gases hazardous to health may be formed. Hazardous decomposition products are carbon and sulfur oxides.

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**6.1. ▼ Personal precautions, protective equipment and emergency procedures**

Keep unnecessary personnel away. Use personnel protective equipment and clothing recommended in Section 8.

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

**6.2. Environmental precautions**

Prevent product from entering drains, water courses or onto the ground.

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See Section 8 "Exposure controls/personal protection" for information on personal protection.

See Section 13 "Disposal considerations" on handling of waste.

---

## SECTION 7: HANDLING AND STORAGE

---

**7.1. Precautions for safe handling**

Obtain special instructions before use. do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. Do not taste or swallow. Avoid contact with skin and clothing. Avoid prolonged exposure. When using, Do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.

Avoid direct contact with the product.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

**Recommended storage material:** Keep only in original packaging.

**Storage temperature:** Dry, cool and well ventilated

**Incompatible materials:** Strong oxidizing agents  
Strong acids

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. ▼ Control parameters

Occupational Exposure Limits

Potassium hydroxide 45%

Long term exposure limit (ACGIH TLV) (mg/m<sup>3</sup>): 2

hydroquinone

Long term exposure limit (OSHA Table Z-1) (mg/m<sup>3</sup>): 2

Long term exposure limit (ACGIH TLV) (mg/m<sup>3</sup>): 1

Ceiling value (NIOSH REL) (mg/m<sup>3</sup>): 2 [15-min]

Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

### 8.2. ▼ Exposure controls

Good ventilations (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits.

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

**General recommendations:** Smoking, drinking and consumption of food is not allowed in the work area.

**Exposure scenarios:** There are no exposure scenarios implemented for this product.

**Exposure limits:** Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

**Appropriate technical measures:** Do not recirculate outlet air that contain the substances. The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.


**▼ Hygiene measures:** In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

**Measures to avoid environmental exposure:** Keep damming materials near the workplace. If possible, collect spillage during work.


**Individual protection measures, such as personal protective equipment**

**Generally:** Use only protective equipment with a recognized certification mark, e.g. the UL mark.


**▼ Respiratory Equipment:**

Type	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				
organic vapor/P95	P95			


**Skin protection:**

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

**Hand protection:**

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

**Eye protection:**

Type	Standards	
Wear vapor-tight chemical goggle and a face shield.		

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

**Physical state:** Liquid  
**Colour:** Tan  
**Odour:** None  
**Odour threshold (ppm):** Not applicable  
**▼ pH:** 10.8  
**▼ Density (g/cm<sup>3</sup>):** Testing not relevant or not possible due to the nature of the product.  
 -



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

**Relative density:** 1.23  
**Kinematic viscosity:** No data available

### Phase changes

**Melting point (°F):** Not applicable - product is a liquid  
**Softening point/range (waxes and pastes) (°F):** Does not apply to liquids.  
**▼ Boiling point (°F):** 212  
**Boiling point (°C):** 100  
**▼ Vapour pressure:** 18 mmHg  
**Relative vapour density:** 0.6  
**Decomposition temperature (°F):** No data available  
**Evaporation rate (n-butylacetate = 100):** No data available

### Data on fire and explosion hazards

**▼ Flash point (°F):** Not applicable  
**▼ Flammability (°F):** Not applicable  
**Auto-ignition temperature (°F):** No data available  
**▼ Explosion limits (% v/v):** Not applicable

### Solubility

**Solubility in water:** Completely soluble  
**n-octanol/water coefficient (LogKow):** No data available  
**Solubility in fat (g/L):** No data available

### 9.2. Other information

**Dust explosion class:** St0 (No explosion)  
**Evaporation rate (n-butylacetate = 100):** No data available  
**Other physical and chemical parameters:** No data available.  
**▼ Oxidizing properties:** Not applicable

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. ▼ Reactivity

This product is stable and non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

### 10.4. ▼ Conditions to avoid

Contact with incompatible materials.





Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

**10.5. ▼ Incompatible materials**

Acids. Strong oxidizing agents. Contact with strong acids may liberate sulphur dioxide.

**10.6. ▼ Hazardous decomposition products**

Hazardous decomposition products are carbon oxides and sulphur oxides.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

---

**11.1. Information on toxicological effects**

**Acute toxicity**

Based on available data, the classification criteria are not met.

**▼ Skin corrosion/irritation**

Prolonged skin contact may cause temporary irritation.

**▼ Serious eye damage/irritation**

Causes serious eye irritation.

**▼ Respiratory sensitisation**

Not a respiratory sensitizer.

**▼ Skin sensitisation**

May cause an allergic reaction.

**Germ cell mutagenicity**

Suspected of causing genetic defects.

**▼ Carcinogenicity**

Suspected of causing cancer.

Group 3: The agent is not classifiable as to its carcinogenicity to humans This category is used most commonly when the evidence of carcinogenicity in humans is inadequate, the evidence of carcinogenicity in experimental animals is limited (or inadequate), and the mechanistic evidence is limited (or inadequate).

**▼ Reproductive toxicity**

Suspected of damaging fertility or the unborn child.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**▼ Long term effects**

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

**Other information**

hydroquinone has been classified by IARC as a group 3 carcinogen.

---

**SECTION 12: ECOLOGICAL INFORMATION**

---



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

**12.1. ▼ Toxicity**

Very toxic to aquatic life with long lasting effects. (Hydroquinone (Cas 123-31-9)  
 This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**12.2. Persistence and degradability**

Readily biodegradable

**12.3. Bioaccumulative potential**

Partial coefficient n-octanol/water (log/Kow) for Hydroquinone 0.59

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. ▼ Other adverse effects**

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

Waste Treatment Methods: Product waste material must be disposed of in accordance with the national and local regulations. handle uncleaned containers like the product itself.

**RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)**

None of the components are listed

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
DOT	-	Not regulated as dangerous goods entry		-	No	See below for additional information.
IMDG	-	Not regulated as dangerous goods entry		-	No	See below for additional information.
IATA	-	Not regulated as dangerous goods entry		-	No	See below for additional information.

\* Packing group



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

\*\* Environmental hazards

▼ **Additional information**

Not dangerous goods according to DOT, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15: REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.2. U.S. Federal regulations**

**TSCA (the non-confidential portion):**

Potassium hydroxide 45% is listed  
Disodium disulphite is listed  
Potassium Carbonate Liquid 47% is listed  
Dissolvine H-40 is listed  
hydroquinone is listed  
sodium bromide is listed  
Dimezone S is listed

**Clean Air Act:**

hydroquinone is regulated as a hazardous air pollutant (HAPS)

**EPCRA Section 302:**

hydroquinone is regulated with a Treshold Planning Quantity (TPQ) of: 500/10000 pounds

**EPCRA Section 304:**

hydroquinone is regulated with a Reportable Quantity (RQ) of: 100 pounds

**EPCRA section 313:**

hydroquinone is listed

**CERCLA:**

Potassium hydroxide 45% is regulated with a Reportable Quantity (RQ) of: 1000 pounds  
hydroquinone is regulated with a Reportable Quantity (RQ) of: 100 pounds

▼ **State regulations**

**California / Prop. 65:**

None of the components are listed

▼ **Massachusetts / Right To Know Act:**

Potassium hydroxide 45% is listed  
Disodium disulphite is listed

▼ **New Jersey / Right To Know Act:**

Potassium hydroxide 45% / Substance number: 1571  
Potassium hydroxide 45% is on the Special Health Hazard Substance List

—  
Disodium disulphite / Substance number: 1708  
Disodium disulphite is on the Special Health Hazard Substance List

—  
hydroquinone / Substance number: 1019

—  
sodium bromide / Substance number:



**New York / Right To Know Act:**

—  
 Potassium hydroxide 45% is listed  
 Potassium hydroxide 45% is regulated with a Reportable Quantity (RQ) of: 1000 pounds  
 Potassium hydroxide 45% is regulated with a Treshold Reporting Quantity (TRQ) of: 100 pounds

—  
 Disodium disulphite is listed  
 Disodium disulphite is regulated with a Treshold Reporting Quantity (TRQ) of: 0 pounds

—  
 hydroquinone is listed  
 hydroquinone is regulated with a Reportable Quantity (RQ) of: 1 pounds  
 hydroquinone is regulated with a Treshold Reporting Quantity (TRQ) of: 0 pounds  
 hydroquinone is regulated with a Treshold Planning Quantity (TPQ) of: 500\*/10000 pounds  
 \*Quantity applies if the substance is present in the form of a fine powder (particle size less than 100 microns), molten or in solution, or reacts with water.

**▼ Pennsylvania / Right To Know Act:**

—  
 Potassium hydroxide 45% is listed  
 Potassium hydroxide 45% is hazardous to the environment (E)

—  
 Disodium disulphite is listed

—  
 hydroquinone is listed  
 hydroquinone is hazardous to the environment (E)

—  
 sodium bromide is listed

—

**NFPA**

Health hazard: 3  
Fire hazard: 0  
Instability hazard: 0

**15.4. Restrictions for application**

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

**15.5. Demands for specific education**

No specific requirements.

**15.6. Additional information**

Not applicable.

**15.7. Chemical safety assessment**

No

**15.8. Sources**

OSHA Hazard Communication Standard (29 CFR 1910.1200)



## SECTION 16: OTHER INFORMATION

### ▼ Full text of H-phrases as mentioned in section 3

- H290, May be corrosive to metals.
- H301, Toxic if swallowed.
- H302, Harmful if swallowed.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H335, May cause respiratory irritation.
- H341, Suspected of causing genetic defects.
- H351, Suspected of causing cancer.

### The full text of identified uses as mentioned in section 1

None known.

### Abbreviations and acronyms

- ACGIH = American Conference of Governmental Industrial Hygienists
- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CERCLA = Comprehensive Environmental Response Compensation and Liability Act
- DOT = Department of Transportation
- EINECS = European Inventory of Existing Commercial chemical Substances
- EPCRA = Emergency Planning and Community Right-To-Know Act
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- HCIS = Hazardous Chemical Information System
- HNOC = Hazards Not Otherwise Classified
- IARC = International Agency for Research on Cancer
- IATA = International Air Transport Association
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- NFPA = National Fire Protection Association
- NIOSH = National Institute for Occupational Safety and Health
- OECD = Organisation for Economic Co-operation and Development
- OSHA = Occupational Safety and Health Administration
- PBT = Persistent, Bioaccumulative and Toxic
- RCRA = Resource Conservation and Recovery Act
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RRN = REACH Registration Number
- SARA = Superfund Amendments and Reauthorization Act
- SCL = A specific concentration limit.
- STEL = Short-term exposure limits



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012)

---

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TSCA = The Toxic Substances Control Act

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

### **Additional information**

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

### **The safety data sheet is validated by**

Validated by Photo Systems Inc./cf

### **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

**DISCLAIMER:** The information contained in this Safety Data Sheet is correct to the best of our knowledge and experience at the time of publication. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. It is the user's responsibility to assure the proper use, storage and disposal of these materials to ensure the safety and health of the user and to protect the environment.

Country-language: US-en