

Product Data Sheet

MaxiCut® Ultra™ 44-3745

Colour – Coating	Black
Colour – Liner	Blue
Design	Palm coated knitwrist
Coating	NBR (Nitrile Butadiene Rubber)
Coating texture	Micro-Foam for Controlled Grip
Liner	UHMWPE-Glass-Nylon, Spandex
Palm thickness	1.00 mm



Dimensions

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Total glove length (+/-10 mm)	200	210	220	230	240	245	250
Wrist length (mm)	60	65	70	70	75	80	85
Wrist width (mm)	65	72	74	76	78	80	82
Palm width (+/-3 mm)	82	86	96	98	100	103	106
Over lock colour	Blue	Red	Orange	White	Yellow	Black	Green



Product Data Sheet

MaxiCut® Ultra™ 44-3745

EN test Results

Test	Notified Body	Result/Pass
EN 420: 2003 + A1: 2009	SATRA UK	Yes
EN 388: 2003	SATRA UK	4542
EN 14362-2: 2003		Passed

If a glove due to its design and construction falls outside the scope of EN 420 in terms of hand size dimensions then this glove is classified as "fit for special purpose".

ANSI test Results

Test	Notified Body	Result/Pass
ANSI/ISEA 105 (2016) (A1-A9)	ATG accredited laboratory	A3

Typical Performance Values

EN 420 Dexterity	Level 5
EN 420 pH value	6.90
EN 388:2003 A. Abrasion Resistance	> 8000 Cycles
EN 388:2003 B. Cut Resistance	> 20.0 index
EN 388:2003 C. Tear Resistance	> 75 newtons
EN 388:2003 D. Puncture Resistance	> 60 newtons
EN 14362-2:2003 Azo Colourants	No amines detected (<30'mg/kg)

HandCare®

Skin Health Alliance Dermatologically Accredited	Yes
REACH compliant	Yes
Standard 100 by OEKO-TEX® (08.BH.57867)	Certified
Washable	40°
Sanitized®	Yes



Product Data Sheet

MaxiCut® Ultra™ 44-3745



Special features

Silicone free	Yes
---------------	-----

Packaging

Pairs per poly bag	12
Poly bags per carton	6
Carton count	72
Carton dimensions (mm)	500 x 295 x 200

Weight

Size Range	Size 6 (XS)	Size 7 (S)	Size 8 (M)	Size 9 (L)	Size 10 (XL)	Size 11 (XXL)	Size 12 (XXXL)
Glove weight / Pair (+/- 6 gram)	40	46	50	54	58	62	64
Gross Weight (Kg)	4	3.75	4.5	5	5.5	5.65	5.8
Carton Weight (Kg)	1	1	1	1	1	1	1
Net Weight (Kg)	3	2.75	3.5	4	4.5	4.65	4.8

Issue date: 16.06.2014

