

Presenting you the Prospect Farms 'Awaken Tincture - Regular Strength'



WELLNESS IS ROOTED IN TRUST AND AUTHENTICITY

A Comprehensive Guide to Certificates of Analysis (COAs)

TABLE OF CONTENTS

| Prospect Farms: Seed-to-Store Process | Page 3 |
|--|---------|
| Lab Analysis: A Comprehensive Summary | Page 4 |
| Lab Analysis COA: Flower | Page 5 |
| Lab Analysis COA: Full-Spectrum Hemp Extract | Page 9 |
| Lab Analysis COA: Product | Page 14 |

Our Seed to Store Promise: Transparent Lab Analysis

Prospect Farms' commitment to traceability and sustainable agriculture practices ensures every facet of the process, from farming to manufacturing, is done with the utmost care and transparency. From seed-to-store, everything happens right here on our farm in Prospect, Maine.



| HEMP FLOWER | |
|--|------|
| Cannabinoid Profile & Potency | PASS |
| Pathogenic Bacterial Contaminants | PASS |
| Mycotoxin Testing | PASS |
| Terpenes Profile | PASS |
| | |
| HEMP EXTRACT | |
| Cannabinoid Profile & Potency | PASS |
| Heavy Metal Analysis | PASS |
| Microbiological Contaminants | PASS |
| Pathogenic Bacterial Contaminants | PASS |
| Mycotoxin Testing | PASS |
| Pesticide Analysis | PASS |
| Terpenes Profile | PASS |
| Analysis of Volatile Organic Compounds | PASS |
| FINAL PRODUCT | |
| Cannabinoid Profile & Potency | PASS |
| Terpenes Profile (if applicable) | PASS |
| | |

A HOLISTIC APPROACH TO WELLNESS


At Prospect Farms we believe wellness is rooted in trust and authenticity, so from our farming practices to the ingredients included in each of our products, we have nothing to hide. Quality Full-Spectrum CBD starts as a seed not on the shelf. That is why we genetically select each and every seed that goes into our nutrient-rich soil in Prospect, Maine. We follow strict organic farming practices including the use of regenerative cover crops to ensure a healthy, natural environment for each and every hemp plant. We hand-harvest, slow dry, and carefully process the hemp plants all on our farm to ensure the quality preservation of true fullspectrum CBD. Transparency isn't a buzz word, it's an ideology we live by daily.

TESTED, TRUSTED & TRANSPARENT

Rigorous quality control is required in every aspect of the supply chain. We are the farm. We are the processor. We are the manufacturing support to bring to market truly clean, green skincare. Because of this, we are among the few who are able to meticulously validate each and every step from Seed to Store. Through peer-leading, 3rd party, ISO-accredited labs, we use leading-edge technology to test each and every batch to ensure your products are receiving the highest standard of care and validation.

LAB ANALYSIS

TRULY transparent means we test upwards of <u>14 times</u> across a broad spectrum of lab analysis to support TRUE quality. We ensure your product is free from mycotoxins, heavy metals, microbiological contaminants, bacterial contaminants, pesticides, and residual solvents (volatile organic compounds). Truly clean means non-detectable and transcends industry norms to establish a new quality standard for the industry.



| | Certificate of Analysis Summary | | | | |
|---|--|---------------------------|-------------------------|--|--|
| | Laboratory Certificate: ProVerde Laboratories | | | | |
| - | Manufacturing Date: 6/21 | Expiration Date: 6/23 | Lab Analysis Date: 6/21 | | |
| | Manufacturer Country: USA | Hemp License State: Maine | UPC: 850014532017 | | |
| | All results collected in accordance with the requirements of ISO/IEC 17025:2017. | | | | |
| | | | | | |



| Brand | Prospect Farms |
|----------|-------------------|
| Product | Awaken |
| Ritual | Morning |
| Strength | Regular Strength |
| Volume | 30 ML / 1.0 FL OZ |


| Cannabinoid Analysis | STATUS |
|----------------------|--------|
| Total THC* | PASS |
| Total CBD | PASS |

*Less than 0.3% in Dry weight basis measurement for Federal Compliancy

| HEMP FLOWER | STATUS |
|-----------------------------------|--------|
| Cannabinoid Profile & Potency | PASS |
| Pathogenic Bacterial Contaminants | PASS |
| Mycotoxin Testing | PASS |
| Terpenes Profile | PASS |

| HEMP EXTRACT | STATUS |
|--|--------|
| Cannabinoid Profile & Potency | PASS |
| Heavy Metal Analysis | PASS |
| Microbiological Contaminants | PASS |
| Pathogenic Bacterial Contaminants | PASS |
| Mycotoxin Testing | PASS |
| Pesticide Analysis | PASS |
| Terpenes Profile | PASS |
| Analysis of Volatile Organic Compounds | PASS |

| FINAL PRODUCT | STATUS |
|----------------------------------|--------|
| Cannabinoid Profile & Potency | PASS |
| Terpenes Profile (if applicable) | PASS |



CN: Cannabinoid Profile & Potency [WI-10-17 & WI-10-17-01] Analyst: JSG Test Date: 11/3/2019 The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

68783-CN

| Weight % | Concentration (mg/g) | | | |
|----------|--|--|--|--|
| 0.03 | 0.27 | | | |
| ND | ND | | | |
| 0.25 | 2.52 | - | | |
| ND | ND | | | |
| ND | ND | | | |
| 0.02 | 0.20 | | | |
| ND | ND | | | |
| 0.17 | 1.65 | • | | |
| 5.84 | 58.39 | | | |
| 0.10 | 1.00 | | | |
| ND | ND | | | |
| ND | ND | | | |
| 6.40 | 64.04 | 0% | Cannabinoids (wt%) | 5.8% |
| 0.17 | 1.72 | | | |
| 5.37 | 53.74 | | | |
| | 0.03 ND 0.25 ND ND 0.02 ND 0.17 5.84 0.10 ND ND ND 6.40 0.17 | 0.03 0.27 ND ND 0.25 2.52 ND ND ND ND 0.02 0.20 ND ND 0.02 0.20 ND ND 0.17 1.65 5.84 58.39 0.10 1.00 ND ND ND ND 0.10 1.00 ND ND 0.17 1.72 | 0.03 0.27 ND ND 0.25 2.52 ND ND ND ND 0.02 0.20 ND ND 0.02 0.20 ND ND 0.17 1.65 5.84 58.39 0.10 1.00 ND ND ND ND 0.10 1.00 ND ND 0.10 1.00 ND ND 0.10 1.00 ND ND 0.10 1.00 ND ND ND ND 0.17 1.72 | 0.03 0.27 ND ND 0.25 2.52 ND ND ND ND 0.02 0.20 ND ND 0.02 0.20 ND ND 0.17 1.65 5.84 58.39 0.10 1.00 ND ND ND ND 0.10 1.00 ND ND 0.10 1.00 ND ND 0.17 1.72 |

Ratio of Total CBD to THC 31.3:1

Limit of Quantitation (LOQ) = 0.007 wt%

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: $Max THC = (0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LOD), which is half of LOQ.

| MB2: Pathogenic Bacterial Contaminants [WI-10-10] | Analyst: LabAdmin | Test Date: 10/29/2019 |
|---|----------------------------------|--------------------------------|
| This test method was performed in accordance with the requirements of ISO/IEC 17025 report. Reports may not be reproduced except in their entirety. | . These results relate only to t | he test article listed in this |

68783-MB2


| Test ID | Analysis | Results | Units | Limits* | Status |
|------------|----------------|----------|-------|--------------|--------|
| 68783-ECPT | E. coli (O157) | Negative | NA | Non Detected | PASS |
| 68783-SPT | Salmonella | Negative | NA | Non Detected | PASS |

Note: All recorded pathogenic bacteria tests passed.

| TP: Terpenes Profile [WI-10-27] | Analyst: JR | Test Date: 10/30/2019 |
|---------------------------------|-------------|-----------------------|
|---------------------------------|-------------|-----------------------|

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations. All values are semiquantitative estimates based on recorded peak areas relative to terpene calibration data.

68783-TP



END OF REPORT



The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

68782-CN

| ID | Weight % | Concentration (mg/g) | | | |
|---------|----------|----------------------|----|--------------------|-------|
| D9-THC | 0.06 | 0.60 | | | |
| THCV | ND | ND | | | |
| CBD | 0.57 | 5.73 | • | | |
| CBDV | ND | ND | | | |
| CBG | 0.11 | 1.09 | | | |
| CBC | 0.05 | 0.55 | | | |
| CBN | ND | ND | | | |
| THCA | 0.46 | 4.63 | • | | |
| CBDA | 14.96 | 149.61 | | | |
| CBGA | 0.43 | 4.28 | | | |
| D8-THC | ND | ND | | | |
| exo-THC | ND | ND | | | |
| Total | 16.65 | 166.48 | 0% | Cannabinoids (wt%) | 15.0% |
| Max THC | 0.47 | 4.66 | | | |
| Max CBD | 13.69 | 136.93 | | | |

Ratio of Total CBD to THC 29.4:1


Limit of Quantitation (LOQ) = 0.007 wt%

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LOD), which is half of LOQ.


| | • | EC 17025. These resu | lts relate only to the t | est article listed in this |
|------------|---|----------------------------------|-------------------------------|-------------------------------------|
| | | | | |
| Date | Results | MDL | Limits | Status* |
| 10/31/2019 | < MDL | 2 ppb | < 20 ppb | PASS |
| 10/31/2019 | < MDL | 3 ppb | < 20 ppb | PASS |
| | | | | |
| | | | | |
| | oduced except in their er Date 10/31/2019 | Date Results 10/31/2019 < MDL | DateResultsMDL10/31/2019< MDL | DateResultsMDLLimits10/31/2019< MDL |

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations. All values are semiquantitative estimates based on recorded peak areas relative to terpene calibration data.

68782-TP



END OF REPORT



The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected

for certified reference standards at known concentrations.

93682-CN

| JJ002-CIV | | | | | |
|-----------|----------|----------------------|----|-------------------------------|------------|
| ID | Weight % | Concentration (mg/g) | | | |
| D9-THC | 2.58 | 25.8 | • | | |
| THCV | ND | ND | | | |
| CBD | 71.4 | 714 | | | |
| CBDV | 0.444 | 4.44 | | | |
| CBG | 1.28 | 12.8 | | | |
| CBC | 4.09 | 40.9 | | | |
| CBN | ND | ND | | | |
| THCA | ND | ND | | | |
| CBDA | 0.0502 | 0.502 | | | |
| CBGA | ND | ND | | | |
| D8-THC | ND | ND | | | |
| exo-THC | ND | ND | | | |
| Total | 79.9 | 799 | 0% | Cannabinoids (wt%) | 71.4% |
| Max THC | 2.58 | 25.8 | | Limit of Quantitation (LOQ) = | 0.0450 wt% |
| Max CBD | 71.5 | 715 | | Limit of Detection (LOD) = | 0.0150 wt% |
| | | | | | |

Ratio of Total CBD to THC 27.7:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: MAX THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND=None detected above the limits of detection (LOD), which is one third of Limit of Quantification (LOQ). For values reported as "<LOQ", the estimated value is included in the calculated Total.

| HM: Heavy Metal Analysis [WI-10-13] | Analyst: CJS | Test Date: 4/13/2021 |
|-------------------------------------|--------------|----------------------|
| | | |

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

| 93682-HM | | | | Use Lim | its ² (μ g/kg) | |
|----------|---------|----------------------------------|------|---------|--------------------------------|--------|
| Symbol | Metal | Conc. ¹ (μ g/kg) | RL | All | Ingestion | Status |
| As | Arsenic | ND | 50.0 | 200 | 1,500 | PASS |
| Cd | Cadmium | ND | 50.0 | 200 | 500 | PASS |
| Hg | Mercury | ND | 50.0 | 100 | 1,500 | PASS |
| Pb | Lead | ND | 50.0 | 500 | 1,000 | PASS |

1) ND = None detected above the indicated Reporting Limit (RL)

2) MA Dept. of Public Health: Protocol for MMJ and MIPS, Exhibit 4(a) for all products.

3) USP exposure limits based on daily oral dosing of 1g of concentrate for a 110 lb person.

| MB1: Microbiological Contaminants [WI-10-09] | Analyst: MM | Test Date: 4/6/2021 |
|--|-------------|---------------------|
|--|-------------|---------------------|

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

93682-MB1

| Symbol | Analysis | Results | Units | Limits* | Status |
|--------|---|---------|-------|--------------|--------|
| AC | Total Aerobic Bacterial Count | <100 | CFU/g | 10,000 CFU/g | PASS |
| CC | Total Coliform Bacterial Count | <100 | CFU/g | 100 CFU/g | PASS |
| EB | Total Bile Tolerant Gram Negative Count | <100 | CFU/g | 100 CFU/g | PASS |
| YM | Total Yeast & Mold | <100 | CFU/g | 1,000 CFU/g | PASS |

Recommended limits established by the American Herbal Pharmacopoeia (AHP) monograph for Cannabis Inflorescence [2013], for consumable botanical products, including processed and unprocessed cannabis materials, and solvent-based extracts. Note: All recorded Microbiological tests are within the established limits.

| MD2. I anogenic Daciental Contaminants [WI-10-10] Analysi. WIM Test Date. 4/7/20 | MB2: Pathogenic Bacterial Contaminants [WI-10-10] | Analyst: MM | Test Date: 4/7/202 |
|---|---|-------------|--------------------|
|---|---|-------------|--------------------|

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

93682-MB2

| Test ID | Analysis | Results | Units | Limits* | Status |
|------------|----------------|----------|-------|--------------|--------|
| 93682-ECPT | E. coli (O157) | Negative | NA | Non Detected | PASS |
| 93682-SPT | Salmonella | Negative | NA | Non Detected | PASS |

Note: All recorded pathogenic bacteria tests passed.

| MY: Mycotoxin Testing [WI-10-05] | Analyst: SLC | Test Date: 4/13/2021 |
|----------------------------------|--------------|----------------------|
| | | |

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

93682-MY

| Test ID | Date | Results | MDL | Limits | Status* | |
|------------------|-----------|---------|-------|----------|---------|--|
| Total Aflatoxin | 4/13/2021 | < MDL | 2 ppb | < 20 ppb | PASS | |
| Total Ochratoxin | 4/13/2021 | < MDL | 3 ppb | < 20 ppb | PASS | |

| PST: Pesticide Analysis [WI-10-11] | Analyst: CJS | Test Date: 4/28/2021 |
|------------------------------------|--------------|----------------------|
| | | |

The client sample was analyzed for pesticides using Liquid Chromatography with Mass Spectrometric detection (LC/MS/MS). The method used for sample prep was based on the European method for pesticide analysis (EN 15662).

93682-PST

| Analyte | CAS | Result | Units | LLD | Limits (ppb) | Status |
|--------------------|-------------|--------|-------|------|--------------|--------|
| Abamectin | 71751-41-2 | ND | ppb | 0.20 | 10 | PASS |
| Spinosad | 168316-95-8 | ND | ppb | 0.10 | 10 | PASS |
| Pyrethrin | 8003-34-7 | ND | ppb | 0.10 | 10 | PASS |
| Trifloxystrobin | 141517-21-7 | ND | ppb | 0.10 | 100 | PASS |
| Spirotetramat | 203313-25-1 | ND | ppb | 0.10 | 100 | PASS |
| Spiromesifen | 283594-90-1 | ND | ppb | 0.10 | 100 | PASS |
| Piperonyl butoxide | 51-03-6 | ND | ppb | 0.10 | 3000 | PASS |
| Paclobutrazol | 76738-62-0 | ND | ppb | 0.10 | 10 | PASS |
| Myclobutanil | 88671-89-0 | ND | ppb | 0.10 | 100 | PASS |
| Imidacloprid | 138261-41-3 | ND | ppb | 0.10 | 5000 | PASS |
| Imazalil | 35554-44-0 | ND | ppb | 0.10 | 10 | PASS |
| Fenoxycarb | 72490-01-8 | ND | ppb | 0.10 | 10 | PASS |
| Etoxazole | 153233-91-1 | ND | ppb | 0.10 | 100 | PASS |
| Dichlorvos | 62-73-7 | ND | ppb | 3.00 | 10 | PASS |
| Cyfluthrin | 68359-37-5 | ND | ppb | 0.50 | 2000 | PASS |
| Bifenthrin | 82657-04-3 | ND | ppb | 0.20 | 3000 | PASS |
| Bifenazate | 149877-41-8 | ND | ppb | 0.10 | 100 | PASS |
| Azoxystrobin | 131860-33-8 | ND | ppb | 0.10 | 100 | PASS |

* Testing limits established by the Massachusetts Department of Public Health, Protocol for Sampling and Analysis of Finished Medical Marijuana Products and Marijuana-Infused Products for Massachusetts Registered Medical Marijuana Dispensaries, Exhibit 5. ND indicates "none detected" above the lower limit of detection (LLD). Analytes marked with (*) indicate analytes for which no recovery was observed for a pre-spiked matrix sample due to matrix interference.

TP: Terpenes Profile [WI-10-27]Analyst: LCTest Date: 4/17/2021

Client sample analysis was performed using full evaporative technique (FET) headspace sample delivery and gas chromatographic (GC) compound separation. A combination of flame ionization detection (FID) and/or mass spectrometric (MS) detection with mass spectral confirmation against the National Institute of Standards and Technology (NIST) Mass Spectral Database, Revision 2017 were used. Chromatographic and/or mass spectral data were processed by quantitatively comparing the analytical peak areas against calibration curves prepared from certified reference standards.

93682-TP

| Compound | CAS | Conc. (wt%) | Conc. (ppm) | Qualitative Profile |
|----------------------|------------|--|----------------------------|---------------------|
| alpha-pinene | 80-56-8 | 0.304 | 3,040 | |
| camphene | 79-92-5 | 0.0105 | 105 | |
| sabinene* | 3387-41-5 | ND | ND | |
| beta-myrcene | 123-35-3 | 0.308 | 3,080 | |
| beta-pinene | 127-91-3 | 0.0798 | 798 | |
| alpha-phellandrene | 99-83-2 | ND | ND | |
| delta-3-carene | 13466-78-9 | 0.0014 | 14.4 | |
| alpha-terpinene | 99-86-5 | 0.0019 | 18.6 | |
| alpha-ocimene | 502-99-8 | 0.0014 | 13.6 | |
| D-limonene | 138-86-3 | 0.0743 | 743 | |
| p-cymene | 99-87-6 | ND | ND | |
| cis-beta-ocimene | 3338-55-4 | 0.0070 | 69.5 | |
| eucalyptol | 470-82-6 | 0.0139 | 139 | |
| gamma-terpinene | 99-85-4 | 0.0030 | 29.9 | |
| terpinolene | 586-62-9 | 0.0019 | 19.3 | |
| linalool | 78-70-6 | 0.0434 | 434 | |
| L-fenchone* | 7787-20-4 | 0.0052 | 52.3 | |
| isopulegol | 89-79-2 | ND | ND | |
| menthol* | 89-78-1 | <rl< th=""><th><rl< th=""><th></th></rl<></th></rl<> | <rl< th=""><th></th></rl<> | |
| geraniol | 106-24-1 | ND | ND | |
| beta-caryophyllene | 87-44-5 | 0.551 | 5,510 | |
| alpha-humulene | 6753-98-6 | 0.122 | 1,220 | |
| cis-nerolidol | 3790-78-1 | ND | ND | |
| trans-nerolidol | 40716-66-3 | ND | ND | |
| guaiol | 489-86-1 | 0.0279 | 279 | |
| caryophyllene oxide | 1139-30-6 | 0.0060 | 60.3 | |
| alpha-bisabolol | 23089-26-1 | 0.0288 | 288 | |
| Total Terpene: 1.6 y | v+0/ | | wt% 0 | .00 0.50 1.00 |

Total Terpene: 1.6 wt%

* Certified reference standard not available for this compound. Concentration is estimated using the response factor from alpha-pinene. ND = None Detected. RL = Reporting Limit of 5 ppm.

| VC: Analysis of Volatile Organic Compounds [WI-10-28] | Analyst: CJS | Test Date: 8/6/2021 |
|---|--------------|---------------------|
| | | |

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations. Certificate has been re-issued with results from retesting of residual solvents.

93682-VC (retest)

| Compound | CAS | Amount ¹ | Limit ² | RL | Status |
|--------------|----------|---------------------|--------------------|-----|--------|
| Propane | 74-98-6 | ND | 1,000 ppm | 100 | PASS |
| Isobutane | 75-28-5 | ND | 1,000 ppm | 100 | PASS |
| Butane | 106-97-8 | ND | 1,000 ppm | 100 | PASS |
| Methanol | 67-56-1 | ND | 3,000 ppm | 100 | PASS |
| Pentane | 109-66-0 | ND | 5,000 ppm | 100 | PASS |
| Ethanol | 64-17-5 | ND | 5,000 ppm | 100 | PASS |
| Acetone | 67-64-1 | ND | 5,000 ppm | 100 | PASS |
| Isopropanol | 67-63-0 | ND | 5,000 ppm | 100 | PASS |
| Acetonitrile | 75-05-8 | ND | 410 ppm | 100 | PASS |
| Hexane | 110-54-3 | ND | 290 ppm | 100 | PASS |
| Heptane | 142-82-5 | ND | 5,000 ppm | 100 | PASS |

1) ND = Not detected at a level greater than the Reporting Limit (RL).

2) In ppm, based on USP recommended limits for residual solvents, adopted by the Massachusetts Department of Public Health for cannabis concentrates and extracts on 3/31/16. Butane/Propane limits are based on limits established for state of Colorado.

(*) For ethanol, as many formulations contain flavorings based on ethanol extracts of natural products, no status has been assigned.

END OF REPORT



The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

| 95527-CIV | | | | | | |
|-----------|-----------------|-----------------------|----|--|------------|--|
| ID | Weight % | Concentration (mg/mL) | | | | |
| D9-THC | 0.0714 | 0.638 | | | | |
| THCV | ND | ND | | | | |
| CBD | 2.55 | 22.8 | | | | |
| CBDV | 0.0146 | 0.131 | | | | |
| CBG | 0.0411 | 0.367 | | | | |
| CBC | 0.199 | 1.78 | | | | |
| CBN | ND | ND | | | | |
| THCA | ND | ND | | | | |
| CBDA | ND | ND | | | | |
| CBGA | ND | ND | | | | |
| D8-THC | ND | ND | | | | |
| exo-THC | ND | ND | | | | |
| Total | 2.88 | 25.7 | 0% | Cannabinoids (wt%) | 2.55% | |
| Max THC | 0.0714 | 0.638 | | Limit of Quantitation (LOQ) = 0.0117 wt9 | | |
| Max CBD | 2.55 | 22.8 | | Limit of Detection (LOD) = 0 | 0.0039 wt% | |
| | DD / TITC AFA 4 | | | | | |

Ratio of Total CBD to THC 35.8:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: MAX THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND=None detected above the limits of detection (LOD), which is one third of Limit of Quantification (LOQ). For values reported as "<LOQ", the estimated value is included in the calculated Total.

END OF REPORT

95527-CN

420 Fortune Blvd • Milford, MA 01757 • 617-221-3356 www.ProVerdeLabs.com