



BONDI SE7123TC

IP65 LED architectural GU10 (ADJUSTABLE) wall luminaire, with selectable GU10 TC lamp included

Application

A decorative residential exterior or interior solution

Design Specifications

- Machined 316L stainless steel or cast aluminium body, powder coated finish (black, silver)
- 240V termination
- Clear tempered glass cover
- GU10 lamp base with GU10L350TC, lamp included
- SAL lamp options: GU10L550TC, GU10LR750 (excluding stainless steel fitting), GU10LA750 (excluding stainless steel fitting). See Lamp section for detail



Technical Specification


Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI	Beam Angle (°)
SE7123TC/SLS	240	4	360/400/380	3000/4000/6000	80	50
SE7123TC/BK	240	4	360/400/380	3000/4000/6000	80	50
SE7123SL GU10	240	4	360/400/380	3000/4000/6000	80	50

Model No.	Diameter (mm)	Dim (mm)	Body Colour
SE7123TC/SLS	63	79(W) x 189(H)	STAINLESS STEEL
SE7123TC/BK	63	79(W) x 189(H)	BLACK
SE7123SL GU10	63	79(W) x 189(H)	SILVER

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

SE7123 GU10





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

**For more
information
please
scan me**

