



CLEAR SPHERICAL LG125 - 8W

8 watt dimmable LED filament clear spherical lamp

Application

Energy efficient Deco LED lamp solutions, B22 or E27 bases

Design Specifications

- Clear glass diffuser, B22 or E27 bases
- High efficiency LED filament and colour rendering, CRI > 80
- Integral trailing edge dimmable LED driver
- 320° beam angle
- Colour temperature 2700K / 5000K
- 1:1 size to traditional spherical lamp, dimmable, suits most spherical lamp fittings, double insulation

Performance

Dimmable - **YES**

Dimmer Type - **Trailing edge**



-
-
-
-
-
-
-
-
-
- WARM WHITE 2700K**
- DAYLIGHT 5000K**

Technical Specification


Model No.	Description	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
LG125/27B22D/C	LED G125LAMP 8W B22 WW CLR DIM	240	8	950	2700	80
LG125/27E27D/C	LED G125LAMP 8W E27 WW CLR DIM	240	8	950	2700	80
LG125/50B22D/C	LED G125LAMP 8W B22 DL CLR DIM	240	8	1000	5000	80
LG125/50E27D/C	LED G125LAMP 8W E27 DL CLR DIM	240	8	1000	5000	80

Model No.	Beam Angle (°)	Dimmable	Dimensions (mm)	Base Type
LG125/27B22D/C	320	YES	173(L) x 125(W)	B22
LG125/27E27D/C	320	YES	175(L) x 125(W)	E27
LG125/50B22D/C	320	YES	173(L) x 125(W)	B22
LG125/50E27D/C	320	YES	175(L) x 125(W)	E27


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

LG125 BC



LG125 E27



Product Images

