





COOPER II SE7182TC -12W

Decorative 12 watt round profile IP65 architectural LED wall mount luminaire

Application

A decorative architectural solution for residential & commercial interior or exterior spaces

Design Specifications

- Stylish eyelid design
- Convenient TC selectable colour temperature, 3000K/4000K/5700K
- Durable black powder coated finish
- Integral non-dimmable control gear, 12 watt
- Robust die-cast aluminium body profile
- High efficiency SMD LED























Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	ССТ (К)	CRI	Diameter (mm)
SE7182TC/BK	240	12	900/1100/1000	3000/4000/5700	80	250

Model No.	Dim (mm)	Body Colour
SE7182TC/BK	250(W) x 74(H)	Black


Optional use off-set mounting legs provided in all packs for installation on uneven wall surfaces

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".






Dimensions



Photometric Data







Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

For more information please scan me



NSW/ACT: 02 9723 3099 QLD: 07 3879 5999

VIC/TAS/SA/NT: 03 9532 3168

WA: 08 9248 7458

