



DISCUS SL2111 - 12/25W

Dimmable Super Slim LED Oyster, 12, 18, 25 watt

Application

A perfect choice for apartments or commercial spaces

Design Specifications

- Super slim disc shaped polycarbonate body, standard colour silver, optional white
- Simple twist lock installation mechanism
- Quality opal polycarbonate diffuser
- High efficiency SMD LED chips, CRI > 80, CCT 4000K
- Integral constant current trailing edge dimmable LED driver

Performance

Dimmable - **YES**

Dimmer Type - **TRAILING EDGE**



Technical Specification


Model No.	Description	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
SL2111/25CW/SL	LED OYSTER 12W 250mm 4K OPAL	240	12	1180	4000	80
SL2111/30CW/SL	LED OYSTER 18W 300mm 4K OPAL	240	18	1700	4000	80
SL2111/40CW/SL	LED OYSTER 25W 400mm 4K OPAL	240	25	2300	4000	80

Model No.	Body Colour	Dimensions (mm)	Diameter (mm)
SL2111/25CW/SL	SILVER	48(H)	250
SL2111/30CW/SL	SILVER	48(H)	300
SL2111/40CW/SL	SILVER	63(H)	400

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions





Photometric Data

Unit: cd C0/C180 _____ C90/C270 _____

SL2111/25CW/SL at 4000K

SL2111/40CW/SL at 4000K

