



ECOSTAR S9048TC - 12W

Dimmable 12 watt LED downlight with selectable CCT

Application

Ideal for any residential or commercial interior space

Design Specifications


- Durable die-cast aluminium body profile
- Stylish powder coat or optional Black (S9041 BK RING), Satin Nickel (S9041 SN RING) or Silver (S9041 SL RING) trims
- High output LED optics with selectable CCT 3000 / 4000 / 5000K
- Multi-faceted reflector system, standard beam distribution 55 degree
- Constant current trailing edge dimmable LED driver with flex and plug
- IC - 4 classification



Performance

- Dimmable - **YES**
- Dimmer Type - **Trailing edge, optional 1-10V, DALI / DSI**

Technical Specification

| Product | Model No. | Input Voltage (V/AC) | Power (W) | Lumens (lm) | CCT (K) | Beam Angle (°) |
|-------------------------------------------------------------------------------------|-------------------|----------------------|-----------|----------------|----------------|----------------|
|  | S9048TC/WH | 240 | 12 | 1000/1200/1100 | 3000/4000/5000 | 55 |


| Dimmable | CRI | Body Colour | Cut Out (mm) | Diameter (mm) | Dim (mm) |
|----------|-----|-------------|--------------|---------------|----------|
| YES | 80 | WHITE | 90 | 103 | 57(H) |

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions

S9048



THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY
MATCH THE
ECO GEM SFI
DOWNLIGHT
WITH THIS
SDD400SFI
DIMMER.**



**DIM with
FLICKER
CONTROL**

For related
products
please
scan me

