



DISCUS SERIES III LED HIGHBAY

21531 – 100W

21532 – 150W

Before first using your new product, it is most important that you read and follow these instructions, even if you feel you are quite familiar with this type of product. Keep this document for future reference.

THIS FITTING MUST BE INSTALLED BY A QUALIFIED ELECTRICIAN

For your safety, please read this instruction manual carefully before installation.

- Ensure the power is OFF before the installation.
- Installation must follow Regulations and local building codes. If you are not familiar with these codes and requirements, consult a qualified electrician.
- Do not install in a position where the product can be easily accessed by children or infirm persons.
- Choose a height and area which will ensure that the product will be clear of all activity such as forklifts, pallets, machinery and any other preventable impacts.
- This unit is non dimmable.
- Suitable for indoor or outdoor use.
- If the supply cord is damaged, Do Not use Highbay – please dispose accordingly to local government guidelines.

Contents:

*WARNING - DO NOT install without correct components. This product has been tested with the prescribed components only, Installation or substitute with inferior components will void warranty. Please Check all components are present before installation – if any item is missing or damaged please contact manufacturer for replacement item.



1 x Highbay – with attached Flex and Plug



1 x Hanging Hook – with Safety Screw (Primary) and locking nut.



1 x Safety Screw (Secondary).



1 x Safety Lanyard

Warning:

- Installation of this product must adhere to any relevant Council, State, Government and BCA regulations.
- It is not recommended to install the product where it could be subjected to impact.
- This product is not designed to be used in ambient temperatures above 50° Celsius. Doing so will result in shortened life.

Customise your highbay.

Additional accessories available to purchase:

- 21534/07 DISCUS-III 60° PC LENS (IK08)
- 21535/07 DISCUS-III 90° PC LENS (IK08)
- 21536/06 DISCUS-III SURFACE MOUNT BRACKET

Fitting:	Aluminium Heatsink, Steel bracket, Stainless Steel Mounting Hook, Stainless Steel Safety Cable
Insulation Class:	Class I (Earthed)
Colour Temperature:	5000K (Natural White)
Lumens:	15000lm (21531), 20,000lm (21532)
Rating:	240V 50Hz, 100W (21531), 150W (21532)
Ingress Protection:	IP65 (excluding supply socket)
Impact Rating:	IK07 (Glass Lens Only)
Weight:	2.7kg (21531), (21532)
Dimensions:	203mm x Ø280mm
Beam Angle:	120° (Glass Lens Only)
Maximum mounting height:	20m
Ta:	50°C



DISCUS SERIES III LED HIGHBAY

21531 – 100W

21532 – 150W

THIS FITTING MUST BE INSTALLED BY A QUALIFIED ELECTRICIAN

Installation:

*Note: ceiling mount with mounting chain/cable (not supplied) needs to be installed prior to fitting of Highbay. Chain/Cable must be fastened and have a load rating of 30kg minimum.

1. Ensure power is off at electrician installed socket where product is to be plugged.
2. Remove Product form packaging and assess all components are present. Dispose of packaging thoughtfully and to local government regulations
3. Insert Hook (C) into Mounting Point (B) on Highbay(A), secure till Hook (C) moves not further. (Fig 1)
4. Adjust Locking Nut (D) firmly Secure Hook (C) to Highbay (A).
5. Insert Secondary Safety Screw(E) into small hole under Hook(B). Secure firmly using Phillips type screw driver. (Fig 2)
6. Unravel Safety Lanyard (G) and place through spacers on Highbay (A).
7. Clip one Carabiner of Safety Lanyard (G) around onto itself as pictured. (Fig3)
8. Loosen Primary Safety Screw (F) on Hook (C). Attach Hook and Safety Lanyard onto mounting Chain/Cable (not supplied).
9. Tighten Primary Safety Screw (F) to secure Highbay inplace.
10. Once safely secured, plug into power outlet.
11. Cable tie (not supplied) any loose Highbay flex cable to the mounting chain.
12. Turn power on.

Fig 1.




Fig 2.



Fig 3.



1 x Safety Lanyard



1 x Safety Lanyard (G)

Primary Safety Screw (F)





DISCUS SERIES III LED HIGHBAY

21531 – 100W

21532 – 150W

Warranty

Brilliant Lighting warrants this product against defects in manufacture and workmanship for a period of 5 years from date of purchase. Warranty does not include damage or loss arising from incorrect installation, operation or maintenance of this product, damage caused through modification, or incorrect installation.

This Warranty is only for product replacement and does not include associated costs such as labour, transport or specialised access equipment.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if goods fail to be of acceptable quality and the failure does not amount to a major failure.

Any claim under this warranty must be made within 5 years of the date of purchase of the product.

Refer to our website brilliantlighting.com.au for terms and conditions and warranty claims

WARRANTY REGISTRATION

Register your product, to ensure you protect your purchase with hassle free warranty and technical support. Ask our experts for advice and learn about new products before they are released.

Scan the QR code to register your product to be part of our Customer Care Program.

