



## FLEXI STREAMLINE 24V RGB 5M KIT FLBP24V5M/RGB - 6W/M


Versatile, COB RGB LED, 5m strip kit, 6W/m, IP20, strip width 10mm.

### Application

Ideal for residential features

### Design Specifications

- 5 metre strip kit includes COB strip with self-adhesive tape, plug and play driver
- Beam distribution 140°
- Streamline RGB COB LED technology, providing a smooth lighting profile
- Dimming, light level, colour and mode selection is via the supplied remote control.
- Heat sink required for system performance, LED channel options refer this section - [LED channel options \(quick link\)](#)
- Cutable every 125mm NOTE: when cutting LED strip kits greater than 50% of the kit length, it is always important to calculate the remaining LED load to reconfirm its compatibility with the existing driver, as driver changes may be required with moderate reduction in loads



### Performance

- Dimmable - **YES**
- Dimmer Type - **RGB Controller**



### Technical Specification


Product	Model No.	Input Voltage (V/AC)	Watts per metre (W/m)	Beam Angle (°)	LEDs Per Metre	Cutting Interval
	FLBP24V5M/RGB	240	6	140	336	125

Body Colour	Dim (mm)
RGB	5000(L) x 10(W) x 2(H)



RGB WAVELENGTHS R:620-625, G:515-520, B:465-470nm

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

A purple speech bubble with a white question mark and the text 'DID YOU KNOW?' in white, bold, sans-serif font.

**DID  
YOU  
KNOW?**

What is the importance of EMC? Electro magnetic Compatibility, defines the use of different electronic devices (such as electrical appliances, medical equipment, LEDs and drivers etc) to operate without interference with other devices. This is a mandatory label (and testing) requirement for Australian Lighting equipment covered by AS/NZS CISPR 15. ACMA also recognise equivalent standards CISPR 15 and EN 55015. If you are unsure, ask your supplier for EMC compliance.

