



GEO S9342 - 8W

8 watt, LED inground IP67 luminaire, IK09 rated

Application

Decorative accent solution, ideal for gardens and decorative pathways

Design Specifications

- 316L stainless steel face cover and allen screws, die-cast aluminium body
- Clear tempered glass diffuser, high output LED optics
- High performance multifaceted reflector
- Integral non-dimmable LED driver, IP68 PG11 PVC cable gland, silicon gasket
- PVC installation canister included, pre-wired 3 core rubber flex, 450mm
- IP67 , IK09 performance, maximum load capacity 3000 kg

Performance

- Dimmable - **NO**



Technical Specification

| Product | Model No. | Input Voltage (V/AC) | Power (W) | Lumens (lm) | CCT (K) | CRI |
|---------|-----------|----------------------|-----------|-------------|---------|-----|
| | S9342WW | 240 | 8 | 400 | 3000 | 80 |
| | S9342CW | 240 | 8 | 450 | 4000 | 80 |

| Beam Angle (°) | Diameter (mm) | Dim (mm) | Body Colour |
|----------------|---------------|----------|-----------------|
| 24 | 116 | 150(H) | STAINLESS STEEL |
| 24 | 116 | 150(H) | STAINLESS STEEL |

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions

S9342




Ø 75 mm

Ø 116 mm



Ø 70 mm

Ø 102 mm



H 150 mm



Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

**For more
information
please
scan me**

