



GLOW SL7362 - 4W

4 watt, IP67 LED inground luminaire, IK08 rated

Application

Decorative residential exterior solution, ideal for decks and pathways

Design Specifications

- Durable 304 stainless steel body
- Clear tempered glass diffuser
- Frosted optical LED lens
- High output LED chips, 12V DC constant voltage driver required
- 1 m 2 core rubber flex, IP67 nickel plated copper cable gland, PVC installation cannister included
- Suitable SAL LED drivers, PLUTO 15DV, PLUTO 30DV, PLUTO 50DV



Technical Specification

Model No.	Input Voltage (V/DC)	Power (W)	Lumens (lm)	CCT (K)	CRI	Beam Angle (°)
SL7362WW/SLS	12	4	300	3000	80	15
SL7362DL/SLS	12	4	300	6000	80	15


Model No.	Dim (mm)	Body Colour
SL7362WW/SLS	53(W) x 100(H)	STAINLESS STEEL
SL7362DL/SLS	53(W) x 100(H)	STAINLESS STEEL

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions

SL7362





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

**For more
information
please
scan me**

