





HAMPTONS SE8002

IP67 LED deck light kits

Application

Decorative exterior feature lighting

Design Specifications

- Durable 316 stainless steel face and aluminium body
- Frosted polycarbonate diffuser Ø35 mm x H26 mm round deck lights
- 6 x 0.6W deck light head with 3.5 m PVC flex & 2 pin quick connect plug
- 6 m rubber flex with 6 x 2 pin quick connect sockets
- 1 x IP65 10VA driver, non-dimmable
- SE8002P extension kit contents include: 1 x Ø35 x H26 mm, 316 stainless steel face round deck light, 1 x 3.5 m PVC flex with 2 pin quick connect plug, 1 x 1.1 m extension cable, maximum of 10 connected heads per (kit) driver.









3000K

Performance

• Dimmable - NO

Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	CCT (K)	CRI	Diameter (mm)
A T	SE8002WW	240	3.6	3000	80	35
200	SE8002P/WW	240	0.6	3000	80	35
	SE8002NDL	240	3.6	5000	80	35
, and	SE8002P/NDL	240	0.6	5000	80	35






Dim (mm)	Body Colour
35(W) x 26(H)	STAINLESS STEEL

^{*} Power shown is TOTAL luminaire power (W).

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions







Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

For more information please scan me



NSW/ACT: 02 9723 3099 QLD: 07 3879 5999

VIC/TAS/SA/NT: 03 9532 3168

WA: 08 9248 7458

