





### **NEW BONDI SL7222TC**

IP65 GU10 architectural wall luminaire (UP/DOWN), with GU10 selectable TC lamps included

## **Application**

A decorative residential exterior or interior solution

### **Design Specifications**

- Aluminium body and powder coat black or silver or anodised silver finish
- Clear tempered glass cover
- GU10 lamp base, selectable TC lamp, GU10L350TC included.
- SAL lamp options GU10L550TC, GU10LR750, GU10LA750
- Up and down light distribution























# **Technical Specification**

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	ССТ (К)	Beam Angle (°)	Diameter (mm)
SL7222GU AS	240	8	360/400/380	3000/4000/6000	50	63
SL7222TC/BK	240	8	360/400/380	3000/4000/6000	50	63
SL7222TC/SL	240	8	360/400/380	3000/4000/6000	50	63






Model No.	Dim (mm)	Body Colour
SL7222GU AS	104(W) x 187(H)	ANODISED SILVER
SL7222TC/BK	104(W) x 187(H)	BLACK
SL7222TC/SL	104(W) x 187(H)	SILVER

Note: Optical performance (lumens lm) shown are PER LAMP

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

# **Dimensions**

#### SL7222







Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

For more information please scan me



NSW/ACT: 02 9723 3099 QLD: 07 3879 5999

VIC/TAS/SA/NT: 03 9532 3168

WA: 08 9248 7458

