



OPAL DIMMABLE LG9 - 8W

8 watt dimmable LED filament GLS style lamps

Application

Energy efficient LED lamp solutions, 8 watt models

Design Specifications

- Opal polycarbonate diffuser, BC or E27 lamp bases
- High efficiency LED filament and colour rendering CRI > 80
- Integral trailing edge dimmable LED driver
- 320° beam angle
- Colour temperature 2700K / 5000K
- 1:1 size to traditional GLS / A55 lamp base and shape, dimmable and suits most GLS / A55 luminaires, double insulation

Performance

Dimmable - **YES**

Dimmer Type - **Trailing edge**



-
-
-
-
-
-
-
-
- WARM WHITE 2700K**
- DAYLIGHT 5000K**

Technical Specification

Model No.	Description	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
LG9/27B22D	LED LAMP 8W BC WW 900lm DIM.	240	8	900	2700	80
LG9/27E27D	LED LAMP 8W ES WW 900lm DIM.	240	8	900	2700	80
LG9/50B22D	LED LAMP 8W BC ND 950lm DIM.	240	8	950	5000	80
LG9/50E27D	LED LAMP 8W ES ND 950lm DIM.	240	8	950	5000	80


Model No.	Beam Angle (°)	Dimmable	Dimensions (mm)	Base Type
LG9/27B22D	320	YES	105(L) x 60(W)	B22
LG9/27E27D	320	YES	106(L) x 60(W)	E27
LG9/50B22D	320	YES	105(L) x 60(W)	B22
LG9/50E27D	320	YES	106(L) x 60(W)	E27

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".




Dimensions

LG9 E27



LG9 B22



Product Images

