



R SERIES LR50/D - 5W

5 watt LED directional and dimmable reflector lamps

Application

Energy efficient LED lamp solutions, E14 lamp base

Design Specifications

- 120 degree beam distribution
- Mirror reflector, glass body profile
- High efficiency filament LED
- Integral dimmable LED driver
- CCT choice of 2700K / 6000K, CRI 80
- 1:1 size to traditional R lamp, suits most R shape lamp fittings, double insulated

Performance

- Dimmable - **YES**
- Dimmer Type - **Trailing Edge**



-
-
-
-
-
-
-
-
-



Technical Specification


Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	LR50WW/D	240	5	300	2700	80
	LR50DL/D	240	5	400	6000	80

Beam Angle (°)	Dimmable	Diameter (mm)	Height (mm)	Base Type
120	YES	50	86	E14
120	YES	50	86	E14

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions



THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY
MATCH THE
UNIFIT SFI
DOWNLIGHT
WITH THIS
SDD400SFI
DIMMER.**



**DIM with
FLICKER
CONTROL**

For related
products
please
scan me

