



STAR SPOT II S9363 - 7W

Compact design LED 7 watt downlight IP54

Application

Ideal for any residential feature lighting, home theatre, restaurants or commercial interior spaces

Design Specifications

- 55mm diameter trim face, low profile design, 50mm cut-out
- Available in White or Black finish
- Durable aluminium body profile
- CCT 3000K, 470 lumens, CRI>80
- High output COB LED chip design, 30 degree beam distribution
- Designed with a dimmable remote driver, complete with flex and plug

Performance

Dimmable - YES Dimmer Type - Trailing Edge

Technical Specification

Model No.	Input Voltage (V/AC)		Power (W)	r	Lumens (lm)	ССТ (К)	Beam Angle (°)	Dimmable
S9363WW/WH	240		7		470	3000	30	YES
S9363WW/BK	240		7		470	3000	30	YES
Model No.	CRI	Body Colour		Cι	ıt Out (mm)	Dian	neter (mm)	Dim (mm)
S9363WW/WH	80	WHITE			50	55		53(H)
S9363WW/BK	80	BLACK			50		55	53(H)

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".















Dimensions







THE SFI SYSTEM ELIMINATES LED FLICKERING.

SIMPLY MATCH THE ECOGEM SFI DOWNLIGHT WITH THIS SDD400SFI DIMMER.





For related products please scan me





NSW/ACT: 02 9723 3099 QLD: 07 3879 5999 VIC/TAS/SA/NT: 03 9532 3168 WA: 08 9248 7458