





STAR SPOT II S9363 - 7W


Compact design LED 7 watt downlight IP54

Application

Ideal for any residential feature lighting, home theatre, restaurants or commercial interior spaces

Design Specifications

- 55mm diameter trim face, low profile design, 50mm cut-out
- Available in White or Black finish
- Durable aluminium body profile
- CCT 3000K, 470 lumens, CRI>80
- High output LED performance, 30 degree beam distribution
- Designed with a dimmable remote driver, complete with flex and plug













Performance

- Dimmable YES
- Dimmer Type **Trailing Edge**

Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	Beam Angle (°)
	S9363WW/WH	240	7	470	3000	30
	S9363WW/BK	240	7	470	3000	30


Dimmable	e CRI	Body Colour	Cut Out (mm)	Diameter (mm)	Dim (mm)
YES	80	WHITE	50	55	53(H)
YES	80	BLACK	50	55	53(H)


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".





Dimensions








THE SFI SYSTEM ELIMINATES LED FLICKERING.

SIMPLY MATCH THE ECOGEM SFI DOWNLIGHT WITH THIS SDD400SFI DIMMER.







DIM with FLICKER CONTROL

For related products please scan me



NSW/ACT: 02 9723 3099 QLD: 07 3879 5999 VIC/TAS/SA/NT: 03 9532 3168 WA: 08 9248 7458

