



## UNI LED S9656 - 25W

Round profile IP54 LED downlights

### Application

Ideal for commercial interior spaces such as foyers and office areas

### Design Specifications

- Durable die-cast aluminium body profile with a round trim profile
- Stylish white powder coat finish
- High output COB LED chip
- Multi-faceted reflector system
- Remote constant current LED driver for easy installation, with flex and plug
- Optional dropped glass (model RG)

### Performance

Dimmable - **OPTIONAL**

Dimmer Type - **Trailing edge, 1-10V, DALI / DSI**



### Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	Beam Angle (°)	Dimmable
S9656WW WH	240	25	2200	3000	90	OPTIONAL
S9656WW BK	240	25	2200	3000	90	OPTIONAL
S9656WW WH RG	240	25	2200	3000	90	OPTIONAL
S9656CW WH	240	25	2300	4000	90	OPTIONAL
S9656CW BK	240	25	2300	4000	90	OPTIONAL
S9656CW WH RG	240	25	2300	4000	90	OPTIONAL


Model No.	CRI	Body Colour	Cut Out (mm)	Diameter (mm)	Dim (mm)
S9656WW WH	80	WHITE	172	195	77(H)
S9656WW BK	80	BLACK	172	195	77(H)
S9656WW WH RG	80	WHITE	172	195	77(H)
S9656CW WH	80	WHITE	172	195	77(H)
S9656CW BK	80	BLACK	172	195	77(H)
S9656CW WH RG	80	WHITE	172	195	77(H)

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

## Dimensions




### Dimensions



## Photometric Data

Unit: cd C0/C180 \_\_\_\_\_ C90/C270 \_\_\_\_\_

### S9656WW at 3000K



# THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY  
MATCH THE  
ECO GEM SFI  
DOWNLIGHT  
WITH THIS  
SDD400SFI  
DIMMER.**



**DIM with  
FLICKER  
CONTROL**

For related  
products  
please  
scan me

