



# wherever adventure takes you

NEW Engel Aerator Rechargeable Pump 14

Engel OEM, Custom and ASI Program

High Performance Coolers/Accessories

Cooler/Dry Boxes and Live Bait Coolers/Accessories

Engel Cooler and Freezer Ice Packs 27

Soft-Sided Coolers 29

Backpack Coolers 32

Tumblers/Drinkware 34

Fridge/Freezers and Accessories 36

Apparel 46

Pro Staff 48



## engel rechargeable aerator pro pump now available in XL size

- Available in regular and XL sizes, in white or tan
- USB-C Rechargeable lithium-ion battery powered
- Water resistant

- Marine grade salt water and weather resistant stainless steel hardware
- Electro-magnetic pumps no gears or spinning motors



Both sizes now available in tan ENG-AP3-T and AP4-T



AP4 provides

1.5 x the battery life 48 hr battery life 36 hr battery life AP4 provides 2 x air capacity 3.0 STL/MINUTE 1.5 STL/MINUTE AP4 has 3 x the 2 YEAR WARRANTY **BOTH PUMPS** come 2 YEAR WARRANTY AP4 better for larger 2.5" large weighted diffuser 1" Cylinder Stone

**ENG-AP4 XL PUMP** 



Designed to switch seamlessly onto any brand of bait box or bucket, but of course works best with an Engel Live Bait Cooler



**ENG-AP3 PUMP** 

## never buy batteries again!

FEATURES FOUR SPEED

and intermittent settings

WATER RESISTANT - SEALED WITH **INTERNAL GASKET** 

protecting battery and electronics

RECHARGEABLE LITHIUM-ION

battery powered

STANDARD USB C PORT

for charging, sealed shut with a double gasket

ROTATIONAL PARTS, GEARS OR COGS

so there's nearly nothing to seize or break

MARINE GRADE SALT WATER RESISTANT

stainless steel hardware

2 X ELECTRO-MAGNETIC PUMPS WITH NO

#### **ENGEL**®

### **OEM Program your logo on anything!**

Engel products make great corporate gifts and promotional items. Our customized products are available three different ways:

#### Our original equipment manufacturer (OEM) program for boat manufacturers.

In our OEM program, we work with boat manufacturers to get the perfect fit and color of cooler and then apply the logo. This ensures that there is no waste of space and reinforces the manufacturer's branding.

#### Custom branding for corporations.

Engel's custom branding services allow you to give amazing corporate gifts to your employees or clients. The products available for custom branding include our hard and soft coolers, dry boxes and drink-ware. For drinkware, branding can be printed directly onto the stainless steel products or they can be coated in a wide range of colors with the branding on top.

#### Promotional items for ASI/PPAI distributors.

Call 561-743-7419 and quote your ASI number when requesting information.

#### ASI Supplier # 52499





COOLER/DRY BOX CUSTOMIZED WITH

Vinyl Decal | Clearback Vinyl Decal

BUY ONE. PLANT ONE.





# OEM CUSTOM DECORATION/BRANDING

We will work closely with you to customize and decorate our products with your logo.

#### **GREAT FOR:**

- Staff appreciation gifts
- VIP client gifts
- Goodie bag giveaways
- Incentives/prizes


Our customized drinkware and coolers make the perfect giveaway.

#### ROTOMOLDED COOLER CUSTOMIZATION

Custom graphics are applied using a heat and burnishing process, or a chemical transfer method.

It's Like a Traveling Advertisement





# the original and still the best rotomolded cooler

When we first created the innovative rotomolded cooler, we refined every detail for maximum performance, endurance and utility.



#### TRUHOLD LID

Reinforced non-skid lid for greater traction, stability and strength whether standing or sitting. Also available, the Engel non-skid cooler pads – easy to apply, easy to clean



#### **ANVIL HINGE**

Integrated full-length, self-stopping rear hinge for maximum strength



#### **UNITY LATCH SYSTEM**

Recessed marine-grade, adjustable draw latches with stainless steel hardware

ENGELCOOLERS.COM

10





#### **DUOLOCK SECURITY HOLES**

Dual padlock holes allow you to lock the cooler shut for bear resistance



#### I-BEAM LID INSERTS™

Unique, durable I-Beam inserts allow for maximum weight-bearing strength and prevent lid warping



#### **ARCTICVAULT GASKET**

Unique freezer style airtight, food-grade silicone gasket keeps lid sealed



#### QUADRA-GRIP TIE-DOWN POINTS

Fits webbing, turn buckle, and other traditional tie-down systems as well as standard crimped security cable to prevent theft



#### SINGLEFORM HARDSHELL

Rugged roto-molded polyethylene shell. Easy-to-clean, stain resistant



#### **CORNERSTONE FEET**

Non-skid, non-marking feet keep cooler in place while keeping your deck clean





## cooler sizes and specs

Whether you're traveling light with the Engel 25, or on the adventure of a lifetime with the Engel 320, there's a cooler to fit your every journey. With over 55 years of legendary cooler technology plus an incredible selection of accessories, Engel has thought of every angle.



WHITE	TAN
HAZE GREY	SEAFOAM
ARCTIC BLUE	ICED MANGO

ENG25 AVAILABLE IN:

	ENG25					
inside	outside*	dry weight	quarts	ice capacity	max cans	
L: 14.5"	L: 20.75"	17 lb	21	20 lbs	18*	
W: 9.25"	W: 14.5"					
H: 9.25"	H: 14"					


<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice



ENG35					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 19.5"	L: 25.5"	22 lb	35	40 lbs	36*
W: 9.75"	W: 15"				
H: 9.75"	Н: 15.25"				

\*outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice









ICED MANGO

ENG45 low profile						
inside	outside*	dry weight	quarts	ice capacity	max cans	
L: 21.5"	L: 27"	26 lb	48	45 lbs	40*	
W: 13.5"	W: 18"					
H: 9.5"	H: 14"					

<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice





**ENG35** AVAILABLE IN:

ENG50					
inside	outside	dry weight	quarts	ice capacity	max cans
L: 18"	L: 24.25"	24 lb	48	55 lbs	50
W: 11.75"	W: 17.5"				
H: 13.25"	H: 18.25"				

<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice

dry weight

26 lb

inside

L: 24"

W: 12"

H: 12"

outside\*

L: 29.5"

H: 16.5"

W: 17"

ENG65 AVA	ILABLE IN:
WHITE	TAN
HAZE GREY	SEAFOAM
ARCTIC BLUE	ICED MANGO

COASTAL WHITE

ENG85 AVAILABLE IN:

WHITE

**COASTAL WHITE** 

ICED MANGO

max	cans
70*	

<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice

ENG65

quarts

ice capacity

85 lbs



ENG80					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 28.25"		32 lb	74	100 lbs	75*
W: 11.25"	W: 16.5"				
Н: 13"	H: 17.5"				

<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice



ENG80 AVAILABLE IN:

COASTAI WHITE






<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice



	ENG123					
inside	outside*	dry weight	quarts	ice capacity	max cans	
L: 35.25"	L: 42"	42 lb	108	120 lbs	100*	
W: 13"	W: 18.75"					
H: 13.5"	H: 18"					

<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice



ENG123 AVAILABLE IN:



## cooler sizes and specs

EN165					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 41"	L: 47.5"	58 lb	167	205 lbs	204*
W: 13.5"	W: 19.25"				
Н: 17.5"	Н: 22.75"				

<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice

#### ENG165 AVAILABLE IN:





WHITE

ENG240					
inside	outside	dry weight	quarts	ice capacity	max cans
	L: 52.5"	67 lb	230	305 lbs	274*
W: 17.25"					
H: 16.75"					

<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice

#### ENG240 AVAILABLE IN:



ENG320					
inside	outside*	dry weight	-	ice capacity	max cans
L: 55.5"	L: 62.5"	92.25 lb	293	456 lbs	375*
W: 16.5"	W: 22.75"				
	H: 22.75"				

<sup>\*</sup>outside dimensions measured at top of cooler \*can capacity calculated on a 2:1 ratio with ice

#### ENG320 AVAILABLE IN:





Eng320 in Haze Grey has Stainless Steel Latches





**SEAFOAM** | Available in 25, 35, 50, 65, 80 and 123

**PINK** | Available in 35

**ICED MANGO** | Available in 25, 35, 45, 50, 65, 80, 85 and 123

**ARCTIC BLUE** | Available in 25, 35, 50, 65, 80 and 123

**DESERT TAN** | Available in 25, 35, 50, 65, 80, 85 and 123

**COASTAL WHITE** | Available in 35, 50, 65, 80 and 85

**WHITE** | Available in 25, 35, 45, 50, 65, 80, 85, 123, 165, 240 and 320

**HAZE GREY** | Available in 25, 35, 50, 65, 80, 123, 320

# a coser ook at our high performance coolers

#### FLICK DRAIN PLUG

Unique, recessed, one twist opening drain plug with lanyard hole.



#### PITCHED COOLER FLOOR

Allows water to self-drain completely, without tipping the cooler to empty it.



#### **UNITY LATCH SYSTEM**

Recessed, marine-grade, adjustable draw latches with stainless steel backing plates & screws.




#### **CORNERSTONE FEET**

Non-skid, non-marking feet help keep your cooler in place and elevate the it off the deck for easier cleaning.



#### **ARCTICVAULT GASKET**

Air-tight food-grade silicone gasket keeps lid closed more securely, keeping the cold in.



#### I-BEAM LID INSERTS™

Durable I-Beam inserts for maximum weight-bearing strength, prevents lid warping.





#### **DUOLOCK SECURITY HOLES**


DuoLock Security provides dual padlock holes for locking your cooler shut and making it Bear Resistant.






#### **BUILT-IN DURABLE ROPE HANDLES**

with ergonomic plastic hand grips for easy and convenient transporting.



#### **ANVIL HINGE**

Full length, integrated, self-stopping rear hinge for maximum strength.



#### ADDITIONAL SOLID HAND GRIP

for more support, stability and ease-of-carry.

#### QUADRA-GRIP TIE-DOWN POINTS

Slots for crimped locking cables to better secure the cooler, providing multiple tie-down options.



## IGBC CERTIFIED BEAR RESISTANT CONTAINER

molded on rear outside of the cooler.



#### INTEGRATED LID

LATCH KEEPER

Opening in handle makes for easier, faster access. The depression built into the bottom half of the cooler allows you to conveniently open your lid.



#### STAINLESS STEEL INSERTS

While so many other coolers lack structural integrity, Engel's screws are attached to stainless steel inserts for superior durability and reinforcement.



#### OPEN BEER HERE

Engel latch keeper doubles as a bottle opener. Yes, we thought of everything!





#### **COOLER SEAT CUSHIONS**

Made of white, marine grade vinyl with 2-inches of padding. Attaches to cooler lid using marine grade snaps - included. Available for ENG25 - ENG320





#### TAN TEAK PATTERN EVA COOLER TOPPER

ENGEL

GREY OR TAN. Available for ENG25. 35, 45, 50, 65, 80, 85, 123



#### **COOLER SLIDER**

Cooler Slides for easier access under boat seats. Available for ENG35, ENG65, and ENG80.



#### **COOLER TIE-DOWN NYLON WEB STRAPS**



#### STAINLESS STEEL LATCH

Stainless steel replacement latch now you can choose between rubber or marine grade stainless steel.



#### **ROD HOLDERS**

Safely attached a rod holder almost anywhere.



#### **DIVIDERS**

Divider slots for optional plastic dividers - allows user to separate ice from other contents. Also makes a convenient cutting board. Made of King StarBoard®. Smaller coolers with 2 latches take one divider. Larger coolers with 3 latches can take 2 dividers.



#### HANGING WIRE BASKETS

For efficient storage, Engel's hanging wire baskets are a great addition to any fishing trip or outdoor adventure. Available for all hard coolers up to ENG165







## cooler/dry box colors | specifications With four different sizes (7.5, 13, 19 and 30 quart) and eleven colors to choose from, mix and match the right Cooler/Dry Box to suit your needs. ENGEL ENGEL ENGEL

H: 11.5"

H: 14.5"

UC7 COOLER/DRY BOX					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 10.5"	L: 12.25"	2.5 lb	7.5	5 lbs	8
W: 6.25"					
H: 7.25" H: 10"					

UC19 COOLER/DRY BOX					
inside	outside*	dry weight	quarts	ice capacity	max cans
	L: 16.5"	5.5 lb	19	25 lbs	32
W: 8"	W: 11"				
H: 10"	Н: 13"				

UC13 COOLER/DRY BOX					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 12"	L: 15"	3.5 lb	13	12 lbs	18
W: 7"	W: 10"				
Н: 8.5"	H: 11"				

<sup>\*</sup>outside dimensions measured at top of cooler

UC30 COOLER/DRY BOX					
inside	outside*	dry weight	1	ice capacity	max cans
L: 16.5"	L: 19.5"	7 lb	30	45 lbs	48
W: 9.5"	W: 12.5"				

#### **COOLER/DRY BOXES** AVAILABLE IN 12 colors:









ARCTIC BLUE **SEAFOAM** 









GRASSLAND

BLACK









#### **ENGEL LIVE BAIT COOLER**

available in HIGH VIZ ORANGE OR WHITE in 7.5, 13, 19 and 30 qt sizes

LIVE BAIT COOLERS
AVAILABLE IN:





TE HIGH VIZ ORANGE

## ENGEL LIVE BAIT COOLER WITH ROD HOLDERS

available in WHITE in 30 qt size only

LIVE BAIT COOLER WITH RODHOLDERS AVAILABLE IN:



#### LIVE BAIT COOLER ACCESSORIES | PARTS









#### **BAIT NET**

Pull net feature makes fetching your bait and changing water a breeze...and it's designed to withstand wear and corrosion.

## NEW LITHIUM-ION RECHARGEABLE PUMP

Fits all Live Bait Coolers and Bait Buckets. See page 4 for more info.

#### 2 SPEED AIR PUMP

The 2-speed Engel 2x2 Air Pump runs on 2 D-Cell batteries (not included) or 12V DC adapter. Run on high speed when your cooler is full of bait. Switch the pump down to low speed and conserve battery power later in the day.

#### 110 V AC ADAPTER FOR 2 SPEED AIR PUMP

Use optional adapter to plug your live bait cooler into a wall socket to keep it running, and your bait alive, overnight.





## **ENGEL ICE cooler packs**



11" x 8.75" x 2"

**ENGICE-CL** 9.5" x 7.5" x 1.25"

Engel Ice Cooler packs change phase at 32°F, efficiently keeping food and drinks cold without the risk of freezing. The active ingredients are non-toxic and housed in a rugged container designed to provide maximum surface area to increase the efficiency at which they cool.

AVAILABLE IN 2.5Ib & 5Ib PACKS

32°F REFRIGERATOR TEMPERATURE

RUGGED UV STABILIZED COLOR CONTAINER

NON-TOXIC | REUSABLE

MAXIMUM SURFACE AREA FOR FASTER COOLING

LEAK-PROOF ULTRA SONIC SPIN WELDED CAP

LIMITED LIFETIME WARRANTY

MADE IN THE USA!

## **ENGEL ICE freezer packs**



**ENGICE-FL** 11" x 8.75" x 2"

9.5" x 7.5" x 1.25"

Engel Ice Freexzer Packs change phase at 5°F, efficiently keeping frozen food and drinks frozen.

Engel Freezer Packs will maintain freezing temperatures for hours or even days. When finished using, simply recharge in your household freezer until needed again. Freezing takes about 6-8 hours.

AVAILABLE IN 2.5Ib & 5Ib PACKS

5°F REFRIGERATOR TEMPERATURE

RUGGED UV STABILIZED COLOR CONTAINER

NON-TOXIC | REUSABLE

MAXIMUM SURFACE AREA FOR FASTER COOLING

LEAK-PROOF ULTRA SONIC SPIN WELDED CAP

LIMITED LIFETIME WARRANTY

MADE IN THE USA!







## **HD SERIES** soft-sided cooler

ENGEL'S soft-sided coolers are entirely welded, while comparable bags are sewn. By welding all seams, warm air is kept out, with no water leaks. They boast an outer shell composed of durable 840 denier, which provides maximum strength and abrasion resistance. The front and back side are laminated with a Thermal Plastic Urethane (TPU) film, adding another layer of strength and puncture resistance.

WATERPROOF ZIPPER



#### **3 WAYS TO CARRY**



**TOTE HANDLES** 



ADJUSTABLE ERGONOMIC SHOULDER STRAP



SIDE GRAB HANDLE







PATENT PENDING VACUUM VALVE TECHNOLOGY

removes the unwanted air from around the insulation

HD30-LG RED

**ENGELCOOLERS.COM** 





HD20-LG RED



HD20-ORANGE



HD20-GSF



HD30 Soft-Sided					
inside	outside	dry weight	quarts	ice capacity	max cans
L: 18.5"	L: 20.5"	5.25 lb	32	35 lbs	48*
W: 7.5"	W: 9.5"				
H: 15"	H: 17"				

HD20 Soft-Sided					
inside	outside	dry weight	quarts	ice capacity	max cans
L: 15.5"	L: 17.5"	4.5 lb	22	20 lbs	24*
W: 7.5"	W: 9.5"				
H: 13"	Н: 15"				

introducing our revolutionary new roll-top backpack cooler

We've retooled the Backpack Cooler, adding innovations, increasing functionality and making it just all around more cool.

#### **ROLL TOP WIDE MOUTH**

For easy access, rolls closed, seals watertight and buckles into a grab handles







H: 20.25"

1 INCH OF FOAM **INSULATION** 

For light-weight, high performance cooling



DP23 DaLKµaLK LUVIEI						
inside	outside	quarts				
L: 19"	L: 12.25"	25				
W: 10.5"	W: 6.25"					

H: 18"

**SOLID BASE FOR EXTRA STABILITY** 

**MESH SIDE POCKETS** 

integrated bottle opener, d-rings and side straps for extra utility

LIGHT GREY/RED **BP25-LG RED** 

**ENGELCOOLERS.COM** 

this backpack cooler's got your back

BACK GRAB HANDLE

SIDE GRAB HANDLES 5

**SHOULDER STRAPS WITH CHEST STRAPS** 

Comfortable padded shoulder straps with chest strap for longer hauls and foam padded back for extra comfort

PS ger fort

PADDED BACK SUPPORT

for long wearing comfort

**ONE-WAY VACUUM VALVE** 

allows for removal of air around insulation with a vacuum cleaner for improved performance

ALSO AVAILABLE IN



DARK GREY/ORANGE

**BP25-ORANGE** 

LIGHT GREY/SEAFOAM

BP25-GSF









SEE PAGES 6-7 FOR MORE INFO





# FRIDGE L. FRIDGE freezers

With over 50 years of proven reliability, Engel portable fridge/freezers have been keeping the cold in season after season. We started off a wave of innovation with these units and they just keep getting better thanks to our commitment to the latest advancements in cooling technology.

#### **ADJUSTABLE TO MEET YOUR NEEDS**

Whether you're looking to keep ice cream frozen or keep your latest catch refrigerated, Engel fridge/freezers offer full adjustability. Just crank up the dial and you're in control of whatever amount of refrigeration you need.

#### THE SMART FRIDGE/FREEZER

Most Engel fridge/freezers automatically switch back and forth between AC and DC power (will always prioritize to draw from AC when available) – a big plus for sailors and boaters wanting to move from battery power to shore power. It's handy too, for travelers using on-the-road battery, who also want to plug their Engel in when they get back home.

#### **EFFICIENT FROM THE START**

Unlike traditional compressor motors, Engel's swing motor doesn't demand a huge power draw at start-up. This keeps your battery power lasting longer – and that means more hours of reliable cold retention.

#### **Focus on Your Adventure**

When you're in between power sources, you don't want to be concerned about ice melting or game spoiling – and with an Engel Fridge/Freezer, you won't have to be. Whether you're out overnight and the truck's not running or you're underway and the genset's idle, Engel's tight seal and quality insulation keep in the cold so you can keep focused on your adventure.





PORTABLE/TOP LOADING



**BUILT IN/FRONT LOADING** 



ENGEL

**BUILT IN/DRAWER TYPE** 

# **platinum series** fridge freezers

The Platinum Series Portable Fridge / Freezer models feature a user friendly digital control with LED display as featured in the Australian 60th Anniversary model, along with built in battery monitor.

AC/DC Compatible

#### MT45F-U1CD-P

#### 12/24V DC 110V/120V AC Combination Fridge and Freezer

volume		OOW	er cons	umptior	n pov	ver source	9
43 Quart	-	Variable from 0.7 - 2.5 Amps			12V/24V DC 110V/120V AC		
interna	l dim	ens	ions	extern	al dimer	sions	net weight
L 15.4"	W 10	.8''	H 16.4"	L 25.5"	W 14.3"	H 20"	52.9 lbs
Dimensi	ons e)	clu	de handle	es (1.5" i	each)		

#### MT45F-U1-P

#### 12/24V DC 110V/120V AC Fridge/Freezer

volume	e pov	ver cons	umptior	n pov	er sourc	е
43 Quar		able from - 2.5 Amp			/24V DC //120V AC	
interna	l dimens	ions	extern	al dimen	sions	net weight
L 15.4"	W 10.8"	H 16.4"	L 25.5"	W 14.3"	H 20"	52.9 lbs
Dimens	ions exclu	ide handl	es (1.5"	each)		

#### MT35F-U1-P

#### 12V/24V DC 110V/120V AC Fridge/Freezer

volume	power cons	sumption	power source	
34 Quart	Variable from 0.7 - 2.5 Am		12V/24V DC 110V/120V AC	
interna	l dimensions	external dir	nensions	net weight
L 15.4"	W 10.8" H 12.4"	L 25.5" W 14	.3" H 16"	46.3 lbs
Dimensi	ons exclude handl	.es (1.5" each)		





## what makes our fridge/freezers so reliable?

## SAWAFUJI SWING MOTOR

At the core of every new Engel fridge/ freezer is the F-Series Engel Swing Motor Compressor. This innovative model of efficiency gives you the refrigeration you need without draining your batteries of all their power. In fact, the F-Series Swing Motor is 40% more efficient than traditional compressors, drawing just a fraction of an amp once they're in use!

So how do we do it? With just one moving part and electro-magnetic piston action, the F-Series Engel Swing Motor uses minimal power at start-up. The piston moves a fraction of an inch and gradually gains speed – delivering efficiency at its best. Compare this to the enormous start-up power draw of a traditional compressor and you'll never want to go back to the old ways ever again.

But the innovations don't stop there. The Engel Swing motor is spring-mounted in a steel cocoon. It's vibration-resistant, maintenance-free, and capable of unaffected operation at inclines of up to 30-degrees. And because every Engel fridge/freezer is designed with airtight seals and thermally efficient insulation, the cold generated by the compressor is never wasted.

When it comes to reliable refrigeration, Engel's thought through every angle.



PERMANENT MAGNET

COIL

RESONANCE Spring

YOKE



## portable top loading fridge/freezer specs





#### 12V/24V DC 110V/120V AC Fridge/Freezer

volume	power co	nsumption	power source		
16 Quart	Shows Var 0.6 - 2.8 A		12V/24V DC 110V/120V AC		
internal (	limensions	external (	dimensions	net weight	
L 11.5" V	V 8" H 10"	L 21.2" \	N 12" H 14.2"	37 lbs	



#### MT60F-U1-C

#### 12V/24V DC 110V/120V AC Fridge/Freezer

	volume	power	consump	otion	power s	ource
		Variable 0.7 - 3.6			12V/24V 110V/120	
internal d	exte	rnal din	nensions	net weight		
FRIDGE L	15.3" W 9.8"	H 12.4"	L 31.1"	W 19.3	" H 17.4"	75 lbs
FREEZER L	13.5 W 7.8	H12.4				
Dimensions exclude handles (1.5" each)						



#### 12V/24V DC 110V/120V AC Fridge/Freezer

				-	
volume	pov	er consi	umption	power sour	ce
64 Quart	Variable from 0.7 - 3.6 Amps		12V/24V DC 110V/120V AC		
internal d	imens	ions	external	dimensions	net weight
L 20.1" W 14.9" H 12.4"			L 31.1" V	/ 19.3" H 17.4"	68.3 lbs
Dimension	s exclu	de handle	es (1.5" ea	ch)	



#### MT27F-U1

#### 12V/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption		power source				
22 Quart	0.6 - 2	Variable from 0.6 - 2.8 Amps		12V/24V DC 110V/120V AC			
internal d	imensio	ns	external dimensions			net weight	
L 11.5" W	/ 8'' H 1	3.5"	L 21.2"	V	/ 12''	H 18.2"	37.5 lbs
Dimensions	s exclude	hand	lles (1.5" (	eac	:h)		



#### MT80F-U1-5

#### 12V/24V DC 110V/120V AC Fridge/Freezer

volume	pow	er consi	umption	power sourc	е
84 Quart		Variable from 0.7 - 3.6 Amps		12V/24V DC 110V/120V AC	
internal	dimens	ions	external	dimensions	net weight
L 20.1"	W 14.9"	H 16.7"	L 31.1" V	/ 19.3" H 21.7"	86 lbs
Dimensio	ns exclu	de handle	es (1.5" ea	ch)	



# **built-in** fridge freezers

#### **SR48F-U1**

volume	power consu	mption	powers	source
42 Quart	Variable from 0.7-2.7 Amps		12V/24V DC 110V/120V AC	
cutout dir	nensions	external din	nensions	net weight
L 15.12" D	17.67" H 20.39"	L 16.5" W 20	" H 21"	40.5lbs



#### **SB70F** DC ONLY

volume	power consumption		power s	ource
60 Quart	Variable from 0.7-2.7 Amps		12V/24V DC ONLY	
cutout dimensions		external dir	nensions	net weight
L 18.27" D 20.63" H 20.43"		L 20" D 23"	H 21"	44.3lbs

#### SR70F-U1

volume	power consu	mption	power s	ource
60 Quart	Variable from	0.7-2.7 Amps	12V/24V	DC 110V/120V AC
cutout dimensions		external dim	nensions	net weight
L 18.27" D 2	20.63" H 20.43"	L 20" W 23"	H 21"	44.3lbs



#### SB30G

#### 12/24V DC 110V/120V AC Drawer Fridge

volume	power consu	mption	rat	ed input voltage	
31 Quart	Variable from	ariable from 1.5-2.7 Amps		12V/24V DC	
external dimensions		net weight		cans	
L 22.12" W 17.323"H 9.85"		42lbs		35	



#### **Engel MR040 Top Opening** 12/24V DC - 110/120V **AC Fridge-Freezer**

A breath of salt air might be bracing to you first thing in the morning, but it can be tough on steel. That's why we offer the Engel MR040. It offers the same performance as our MT35 and MT45, but with a durable, corrosion-resistant ABS case - and more suited for marine applications.



**VARIABLE TEMPERATURE CONTROL** 

#### MRO40F-U1

#### 12V/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption		pow	power source		
40 Quart	Variable from 0.7 - 2.5 Amps			12V/24V DC 110V/120V AC		
internal dimensions		external dimensions		net weight		
L 14.5" W	10.5" H 14.4"	L 25"	W 15.5"	H 18.5"	48 lbs	

EXTERNAL DIMENSIONS EXCLUDE HANDLES, 2.5" EACH

**VIBRATION RESISTANT COMPRESSOR FOR EXTREME CONDITIONS** 

**ABS PLASTIC SHELL** 

**ENGELCOOLERS.COM** 

ENGE

fridge/freezer accessories

Transit bags not only protect your Engel Fridge/Freezer with a layer of insulation, they also offer a heavy-duty foil layer on the inner side that reflects direct sunlight and long wave radiation. High quality gray canvas outer layer comes with an accessory pocket and vents. The bag covers the entire unit and is easy to open – simply unzip the bag on top. The bags work with the corresponding Transit Slide Locks. Breathing holes are built in to the compressor to prevent overheating. Durable outer protective canvas. Insulating and shock absorbing inner layer adds to the insulating factor of your Engel freezer. Highly reflective inner foil layer, designed to reflect the long wave heat of the sun, increases the overall performance of your Engel freezer — especially if exposed to any direct sunlight. Quality zipper allows normal access to your freezer. Plastic mesh in the right places allows your freezer to vent itself and operate normally.

#### EMS FRIDGE SLIDE MD-14F

The Engel Custom Fridge/ Freezer Slide for MD14F/ MHD13F-DM is made for EMS model coolers, as it is uniquely designed to allow small coolers to fit in the ALS cabinet of rescue vehicles.

Ultimately, if you need to place one of Engel's small refrigerators in a tight space without much height, this wonderful slide will allow you to do so. The slide will help pull out the fridge to a near 100% extension to clear the lid, allowing EMS workers to have easy access to the cooler's contents.



#### DC POWER CORD PLUG

The Engel DC Power Cord Plug is a replacement for the DC cord in between cord and plug, supplied with all top-opening Engel fridge/freezers up to 43 Quarts. Length:

9 feet. Includes an Engel Thermal fuse (10 Amps).



#### TRANSIT SLIDE LOCK PLATE

To obviate the need for a ratchet strap, Engel has created the Transit Slide Lock. The Slide Lock bolts to the vehicle's floor and the Engel clips securely to the Slide Lock, eliminating the need for a separate ratchet strap. Only compatible with the MD-14F and MHD13F-DM models



#### DC HARDWIRE POWER CORD

The Engel DC Cord - Hardwire is a replacement part that can be used on any other Engel fridge/freezer model for more permanent hook-up to your DC system. Length: 9 feet. Comes standard on Engel MT60F-U1, MT60F-U1-C and MT80F-U1.

#### TRANSIT SLIDE LOCKS

These are highly recommended for safety, help prevent your Engel fridge/freezer from shifting about in a vehicle or boat. Simply slide your Engel into position and it locks down automatically. To remove just push the clip to release. It's that easy! Compatible with the MT17F-U1 and the MD-14F and MHD13F-DM with TSLPlate), TSL27 (Compatible with the MT2FF-U1), and TSL530/540 (Compatible with the MT35F-U1 and MT45F-U1, will work with the MR040F-U1 if the Cushion Feet are purchased).



#### AC POWER CORD

The Engel AC Cord is a replacement for the AC cord supplied with all top-opening Engel fridge/freezers. Length: 6 feet. Compatible with all "MT-Series" Fridge/Freezers.

#### AC ADAPTED

Your Engel fridge/freezer can become more versatile with the purchase of this AC Adapter for DC fridge/ freezers. Thanks to this adapter, owners can plug their small DC model fridge/freezers anywhere they go, be it at their home, hotel room, camper or vehicle. One end of the adapter cord can be plugged into house socket, while the other end can be plugged into a female lighter or accessory socket in your car. Regardless of where you go, you will not have to worry about the items in your freezer thawing out and spoiling! Please keep in mind that this adapter is specially designed for Engel models MD14F and MHD13F-DM, as our larger models already have a built in feature that accomplishes the same function.

#### DC REPLACEMENT PLUG

Fits the Engel DC Cord - as a replacement. Includes Engel Thermal Fuse.



#### POSIFIT

Posifit - Is a locking mechanism to lock your Engel's DC power cord into the electrical source.



#### WIRELESS DIGITAL THERMOMETER

Stop guessing the temperature of your Engel fridge/ freezer — Engel's Wireless Digital Thermometer has the precise answer for you! As a tool used to monitor ice temperature, this thermometer reads temperatures in both Fahrenheit and Celsius. It also provides owners with records of minimum and maximum temps, for baseline determination.



TRANSIT BAGS ARE AVAILABLE TO FIT THE FOLLOWING MODELS: MT17, MT27.

MT35, MR040, MT45, MT60, MT60 COMBI, AND MT80.



A stainless steel locking hasp is designed to safeguard the items inside your freezer. You can rest assured knowing your fridge-freezer is closed tight. Secure it even further with a padlock (not included).

NOTE: We do not recommend that customers install the hasp without proper training. If you attempt it yourself you run the risk of puncturing a gas line - which will critically damage your unit and void your factory warranty.



HASP 2 FOR MT SERIES FRIDGE-FREEZERS





EASY ACCESS HATCH LID

The MD14 is efficient, portable, and easily accessible. It will keep contents ice-cold (or even frozen) when plugged into your vehicle's cigarette lighter socket. No need for ice. It's compact and will fit on the floor or seat of practically any car or truck. A convenient hatch lid at the top makes it easy to grab your favorite ice-cold beverage.

#### **MD-14F**

12/24V DC (optional AC convertor available)

volume	power cons	sumption	power source		
15 Quart	Variable fro	m 0.9 - 2.8 Amps	/ DC		
internal dimensions		external dimensions		net weight	
L 15.75" W	7.5"H 8.5"	L 17.5" W 11.3"	H 15.8"	26 lbs	

ALL DIMENSIONS EXCLUDE HANDLES

MHD-13F model is designed to operate in ambient temperatures between 14°F to 120°F.

Low Amp Draws (even at start-up) Power Consumption: Variable to 2.8 Amps

## COOLING I.V. SALINE SOLUTIONS FOR THERAPEUTIC HYPOTHERMIC INDUCTION

Holds 6 I.V. Solution Bags (1 liter) and a Small Medication Bag





# **ENGEL**APPAREL

**GEARED FOR ADVENTURE** 

Styles available in various colors, please check our website for availability. One size fits all, adjustable



NAVY/KHAKI WITH LEATHER BADGE



**HOT PINK/WHITE** 



**HEATHER GREY AND WHITE** 



SALTWATER CAMO/CHARCOAL



COLUMBIA BLUE/WHITE WITH LEATHER BADGE



BLACK/CHARCOAL



## ENGEL ADVENTURE GEAR long and short sleeved UV shirts



#### MEN'S LIVE ORIGINAL

GREEN ON LIGHT GREEN SHORT-SLEEVE POLY COTTON PERFORMANCE BLEND SHIRT

Engel's Tee is packed with a poly-cotton performance blend that combines comfort and breathability with tear-resistant durability. You'll also get UPF sun protection, odor control, and moisture wicking materials to make these your go-to Tee.



GREY ON GREY SHORT-SLEEVE POLY COTTON PERFORMANCE BLEND SHIRT

### **WOMEN'S LIVE ORIGINAL**

ORANGE ON WHITE SHORT-SLEEVE POLY COTTON PERFORMANCE BLEND SHIRT



#### MEN'S LIVE ORIGINAL

ULTRA-COOL LONG SLEEVE FISHING SHIRTS - SPF 50

GREEN ON LIGHT GREEN SHIRT

These high-performance tees have a soft, matte feel and deliver exceptional UV protection, PosiCharge color-locking technology, and moisture-wicking.







# PRO STAFF

Part of my job is to try and pass on information to recreational anglers on products that will make their boat/trip etc. more efficient. And I always heartily recommend Engel Coolers to them, they are hardworking, tough and they really keep things cool for days.

#### **MIKE FRENETTE**

**Professional Tournament** Angler, Owner of Redfish **Lodge of Louisiana and Delta Outdoor Marketing** 

I use my premium Engel Cooler on my bass boat to keep my food and drinks cold for days.

#### **JOSH DOUGLAS**

**Josh Douglas Fishing Bassmaster Elite** Series Pro -Lake Mille Lacs Premier **Smallmouth Guide** 









Capt. James Marko of Goliath Fishing goes hand to hand with monsters every day and on his TV show Goliath Fishing on Amazon Prime. He relies on Engel Coolers to keep his provisions cool, and his really big Engel 320 to keep his catch (not the guy below obviously - he is also involved in shark tagging)

#### JAMES MARKO

**Goliath Fishing** 



photo credit: Rob Matsuura

## ENGEL. COOLERS

900 Jupiter Park Drive, Jupiter, FL 33458

888-272-9838 | 561-743-7419 | engelcoolers.com

ENGEL PROUDLY SUPPORTS THE FOLLOWING CONSERVATION EFFORTS:



astal Conservation



nerican Sportfishing



Congressional tsmen's Foundation



Now or NeverGlades