

# ENGEL®

# PRODUCT

# GUIDE

**NEW**  
ULTRALITE COOLER



ENGEL IS PROUD TO HAVE WON AN ICAST BEST IN CATEGORY  
AWARD FOR OUR XL PRO PUMP - SEE PAGE 8 FOR DETAILS



# ENGEL

## wherever **ADVENTURE** takes you

NEW Engel Ultralite 60 Quart Injection Molded Cooler **04**

Pro Series Live Bait Coolers with Rechargeable Pumps **06**

Engel Aerator Rechargeable Pump **08**

Engel OEM, Custom and ASI Program **10**

High Performance Coolers/Accessories **14**

Cooler/Dry Boxes and Live Bait Coolers/Accessories **23**

Engel Cooler and Freezer Ice Packs **30**

Backpack Coolers **31**

Soft-Sided Coolers **34**

Tumblers/Drinkware **36**

Fridge/Freezers and Accessories **38**

Apparel **50**

Pro Staff **51**

03



**NEW**  
ULTRALITE COOLER  
see page 4 for more details

Mike Anderson  
@realanimalstv

YAMAHA

Introducing our **all-new**

# ULTRALITE 60

## injection molded cooler

The team that re-invented the cooler market with the rotomolded cooler is doing it again. This time with an injection-molded cooler that's ultralight but features the same great Engel performance.



### HANGING BASKET AND DIVIDER

removeable - optimizes organization, and cleaning



### INTEGRATED BOTTLE OPENER

never forget your opener again



### UNITY LATCH SYSTEM

Recessed marine-grade, adjustable draw latches with stainless steel hardware

cooler features




**UL60-G**

GREY: UPC 816219027390

**ENGEL.** 561-743-7419 | [ENGELCOOLERS.COM](http://ENGELCOOLERS.COM)

4



**AIR-TIGHT SILICONE GASKET**  
keeps lid closed more securely



**FRONT LID HANDLE**  
For easy opening



**UL60**  
WHITE: UPC 816219027383



**CORNERSTONE FEET**  
Non-skid, non-marking feet keep cooler in place while keeping your deck clean

**SINGLEFORM HARDSHELL**

Rugged injection-molded polyethylene shell. Easy-to-clean, stain resistant




**DUOLOCK SECURITY HOLES**

Dual padlock holes allow you to lock the cooler shut for bear resistance



**QUADRA-GRIP TIE-DOWN POINTS**

Fits webbing, turn buckle, and other traditional tie-down systems as well as standard crimped security cable to prevent theft



**DRAIN PLUG AND INCLINED FLOOR CHANNELS\***

For easy cleaning and drainage. The floor of the cooler is level, but has inclined channels to allow easy water drainage. \*Patent pending

UL60					
outside*	inside	dry weight	quarts	ice packs	max cans
L: 29.5"	L: 23.5"	21.5 lb	60	2 x XL	80
W: 18"	W: 12"				
H: 17"	H: 12"				

\*outside dimensions measured at top of cooler


**NEW** introducing our

# PRO SERIES

live bait cooler

with rechargeable PRO pump





**REMOVEABLE PULL NET**  
makes fetching your bait and  
changing water a breeze.



**INCLUDES ENGEL  
PRO PUMP**

Lithium-ion rechargeable  
FEATURES FOUR SPEED and  
intermittent settings



**STAINLESS STEEL  
HINGES**

for extra durability  
in harsh conditions

**PRO SERIES  
live bait cooler**

with rechargeable PRO pump

AVAILABLE IN  
7.5, 13, 19 quart sizes in SILVER or TAN



SILVER

TAN

30 quart available  
with rodholders  
in SILVER or TAN

FITTED WITH XL  
PRO PUMP AP4



7

# rechargeable aerator **PRO PUMP** now available in XL size

- Available in regular and XL sizes, in white or tan
- USB-C Rechargeable lithium-ion battery powered
- Water resistant
- Marine grade salt water and weather resistant stainless steel hardware
- Electro-magnetic pumps - no gears or spinning motors



**THE QUIETEST PUMP ON THE MARKET**



With the Engel lithium ion bubble pump you're able to keep your bait living long and living strong!  
SCOTT MARTIN

## ENG-AP4 XL PUMP

Up to 48 hr battery life

3.0 STL/MINUTE

3 x 2000mAh Lithium-Ion battery

2 YEAR WARRANTY

2.5" large weighted diffuser

AP4 provides 1.5 x the battery life

AP4 provides 2 x air capacity

AP4 has 3 x the battery power

BOTH PUMPS come with 2 yr warranty

AP4 better for larger coolers/buckets

## ENG-AP3 PUMP

Up to 36 hr battery life

1.5 STL/MINUTE

1 x 3350mAh Lithium-Ion battery

2 YEAR WARRANTY

1" Cylinder Stone

Both sizes now available in tan  
ENG-AP3-T and AP4-T

## FITS MOST BAIT COOLERS AND BUCKETS

Designed to switch seamlessly onto any brand of bait box or bucket, but of course works best with an Engel Live Bait Cooler





# NEVER BUY BATTERIES AGAIN!




**FEATURES FOUR SPEED**  
and intermittent settings

01

**WATER RESISTANT - SEALED WITH  
INTERNAL GASKET**  
protecting battery and electronics

02



**RECHARGEABLE  
LITHIUM-ION**  
battery powered

03



**STANDARD USB C PORT**  
for charging, sealed shut with a  
double gasket

04

**2 X ELECTRO-MAGNETIC PUMPS WITH NO  
ROTATIONAL PARTS, GEARS OR COGS**  
so there's nearly nothing to seize or break

05



**MARINE GRADE SALT WATER RESISTANT**  
stainless steel hardware

06

\*PATENT PENDING

**ENGEL**

# OEM PROGRAM

ASI Supplier # 52499



**your logo on anything!**

Engel products make great corporate gifts and promotional items. Our customized products are available three different ways:

**Our original equipment manufacturer (OEM) program for boat manufacturers.**

In our OEM program, we work with boat manufacturers to get the perfect fit and color of cooler and then apply the logo. This ensures that there is no waste of space and reinforces the manufacturer's branding.

**Custom branding for corporations.**

Engel's custom branding services allow you to give amazing corporate gifts to your employees or clients. The products available for custom branding include our hard and soft coolers, dry boxes and drink-ware. For drinkware, branding can be printed directly onto the stainless steel products or they can be coated in a wide range of colors with the branding on top.

**Promotional items for ASI/PPAI distributors.**

Call 561-743-7419 and provide your ASI number when requesting information.



**COOLER/DRY BOX  
CUSTOMIZED WITH**  
Vinyl Decal | Clearback  
Vinyl Decal



**SOFT SIDE COOLERS CUSTOMIZED WITH**

Heat transfer | Silkscreen



**NEW**

**ULTRALITE UL60 COOLER CUSTOMIZATION**

Custom graphics are applied using a heat and burnishing process, or a chemical transfer method.



ASK ABOUT  
OUR NEW  
CHISEL LOGO  
ENGRAVING

**TUMBLERS CUSTOMIZED WITH:**

- 360 Full Digital Imprint with no seam
- Etch or laser engraving
- NEW Digital Chisel

CUSTOM TUMBLERS MUST BE HANDWASHED | NOT DISHWASHER SAFE



**VACUUM INSULATED  
STAINLESS STEEL BOTTLES**

Can be customized on side and lid. Full color over entire bottle also available

**OEM CUSTOM  
DECORATION/  
BRANDING**

We will work closely with you to customize and decorate our products with your logo.

**GREAT FOR:**

- Staff appreciation gifts
- VIP client gifts
- Goodie bag giveaways
- Incentives/prizes

Our customized drinkware and coolers make the perfect giveaway.



**ROTOMOLDED COOLER CUSTOMIZATION**

Custom graphics are applied using a heat and burnishing process, or a chemical transfer method.

**It's Like a Traveling Advertisement**

# 12

# ENGEL<sup>®</sup> COOLERS

## BEYOND

## PERFORMANCE

Engel's original high-performance cooler is roto-molded for toughness and durability. It's filled with a full 2 inches of insulation in the lid, on the sides, and on the bottom, helping to retain cold and ice for up to 10 days.

Our coolers are rugged, durable and bear proof... nothing beats an ENGEL. The first choice of professionals and the absolute best coolers for fishing, hunting, camping, tailgating and off road expeditions.

**ENGEL** 561-743-7419 | [ENGELCOOLERS.COM](http://ENGELCOOLERS.COM)

13

ENG **25** CAPACITY 24 CANS | 21.48 QUARTS

ENG **35** CAPACITY 40 CANS | 33.75 QUARTS

ENG **45** CAPACITY 60 CANS | 47.75 QUARTS | LOW PROFILE

ENG **50** CAPACITY 60 CANS | 48.53 QUARTS

ENG **65** CAPACITY 80 CANS | 56.16 QUARTS

ENG **80** CAPACITY 100 CANS | 71.54 QUARTS

ENG **85** CAPACITY 100 CANS | 72.96 QUARTS | LOW PROFILE

ENG **123** CAPACITY 150 CANS | 107.12 QUARTS

ENG **165** CAPACITY 260 CANS | 167.73 QUARTS

ENG **240** CAPACITY 320 CANS | 230.61 QUARTS

ENG **320** CAPACITY 440 CANS | 293.36 QUARTS



SIZED FOR ADVENTURE

**THE ORIGINAL** and still the

**BEST** rotomolded cooler

When we first created the innovative rotomolded cooler, we refined every detail for maximum performance, endurance and utility.



**TRUHold LID**

Reinforced non-skid lid for greater traction, stability and strength, whether standing or sitting. Also available: Engel non-skid cooler pads – easy to apply, easy to clean



**ANVIL HINGE**

Integrated full-length, self-stopping rear hinge for maximum strength



**UNITY LATCH SYSTEM**

Recessed marine-grade, adjustable draw latches with stainless steel hardware

cooler features



# 15



### DUOLOCK SECURITY HOLES

Dual padlock holes allow you to lock the cooler shut for bear resistance



### I-BEAM LID INSERTS™

Unique, durable I-Beam inserts allow for maximum weight-bearing strength and prevent lid warping



### ARCTICVAULT GASKET

Unique freezer style airtight, food-grade silicone gasket keeps lid sealed



### QUADRA-GRIP TIE-DOWN POINTS

Fits webbing, turn buckle, and other traditional tie-down systems as well as standard crimped security cable to prevent theft



### SINGLEFORM HARDSHELL

Rugged roto-molded polyethylene shell. Easy-to-clean, stain resistant



### CORNERSTONE FEET

Non-skid, non-marking feet keep cooler in place while keeping your deck clean



# cooler sizes and specs

Whether you're traveling light with the Engel 25, or on the adventure of a lifetime with the Engel 320, there's a cooler to fit your every journey. With over 55 years of legendary cooler technology plus an incredible selection of accessories, Engel has thought of every angle.



## ENG25 AVAILABLE IN:



ENG25					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 14.5"	L: 20.75"	17 lb	21.48	20 lbs	24
W: 9.25"	W: 14.5"				
H: 9.25"	H: 14"				

\*outside dimensions measured at top of cooler



## ENG35 AVAILABLE IN:



ENG35					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 19.5"	L: 25.5"	22 lb	33.75	40 lbs	40
W: 9.75"	W: 15"				
H: 10.25"	H: 15.25"				

\*outside dimensions measured at top of cooler



## ENG45 AVAILABLE IN:



ENG45 low profile					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 21.5"	L: 27"	26 lb	47.75	45 lbs	60
W: 13.5"	W: 18"				
H: 9.5"	H: 14"				

\*outside dimensions measured at top of cooler



## ENG50 AVAILABLE IN:



ENG50					
inside	outside	dry weight	quarts	ice capacity	max cans
L: 18"	L: 24.25"	24.25 lb	48.53	55 lbs	60
W: 11.75"	W: 17.5"				
H: 13.25"	H: 18.25"				

\*outside dimensions measured at top of cooler





**ENG65 AVAILABLE IN:**



<b>ENG65</b>					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 23.5"	L: 29.5"	24.25 lb	56.16	85 lbs	80
W: 11.5"	W: 17"				
H: 12"	H: 16.5"				

\*outside dimensions measured at top of cooler



**ENG80 AVAILABLE IN:**



<b>ENG80</b>					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 28.25"	L: 34.5"	32 lb	71.54	100 lbs	100
W: 11.25"	W: 16.5"				
H: 13"	H: 17.5"				

\*outside dimensions measured at top of cooler



**ENG85 AVAILABLE IN:**



<b>ENG85 low profile</b>					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 26.5"	L: 32.5"	35 lb	72.96	108 lbs	100
W: 13.25"	W: 18.75"				
H: 12"	H: 17"				

\*outside dimensions measured at top of cooler




**ENG123 AVAILABLE IN:**



<b>ENG123</b>					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 35.25"	L: 42"	41 lb	107.12	120 lbs	150
W: 13"	W: 18.75"				
H: 13.5"	H: 18"				

\*outside dimensions measured at top of cooler

# cooler sizes and specs



## ENG165

inside	outside*	dry weight	quarts	ice capacity	max cans
L: 41"	L: 47.5"	58 lb	167.73	205 lbs	260
W: 13.5"	W: 19.25"				
H: 17.5"	H: 22.75"				

\*outside dimensions measured at top of cooler

ENG165 AVAILABLE IN:



WHITE



COASTAL  
WHITE



## ENG240

inside	outside	dry weight	quarts	ice capacity	max cans
L: 45.75"	L: 51.5"	67 lb	230.61	305 lbs	320
W: 17.25"	W: 22"				
H: 16.875"	H: 21.5"				

\*outside dimensions measured at top of cooler

ENG240 AVAILABLE IN:



WHITE



## ENG320

inside	outside*	dry weight	quarts	ice capacity	max cans
L: 55.5"	L: 62.5"	92.25 lb	293.36	456 lbs	440
W: 16.5"	W: 22.75"				
H: 18.5"	H: 22.75"				

\*outside dimensions measured at top of cooler

ENG320 AVAILABLE IN:



WHITE



HAZE GREY

Eng320 in Haze Grey has  
Stainless Steel Latches

# CERTIFIED BEAR RESISTANT



BY THE  
INTERAGENCY  
GRIZZLY BEAR  
COMMITTEE (IGBC)

To be Certified Bear Resistant it is critical that padlocks are placed through both DuoLock Security Holes to lock your cooler shut and make it Bear Resistant.



# 19

**SEA FOAM** | Available in 25, 35, 50, 65, 80 and 123

**PINK** | Available in 35

**ARCTIC BLUE** | Available in 25, 35, 50, 65, 80 and 123

**DESERT TAN**  
Available in 25, 35, 50, 65, 80, 85 and 123

**COASTAL WHITE**  
Available in 35, 50, 65, 80 and 85

**WHITE**  
Available in 25, 35, 45, 50, 65, 80, 85, 123, 165, 240 and 320

**HAZE GREY**  
Available in 25, 35, 50, 65, 80, 123, 320



# COOLER COLORS

# a closer look

## at our high performance coolers




### FLICK DRAIN PLUG

Unique, recessed, one twist opening drain plug with lanyard hole.



### UNITY LATCH SYSTEM

Recessed, marine-grade, adjustable draw latches with stainless steel backing plates & screws.



### PITCHED COOLER FLOOR

Allows water to self-drain completely, without tipping the cooler to empty it.



### CORNERSTONE FEET

Non-skid, non-marking feet help keep your cooler in place and elevate it off the deck for easier cleaning.



### ARCTICVAULT GASKET

Air-tight food-grade silicone gasket keeps lid closed more securely, keeping the cold in.




### I-BEAM LID INSERTS™

Durable I-Beam inserts for maximum weight-bearing strength, prevents lid warping.



### DUOLOCK SECURITY HOLES

DuoLock Security provides dual padlock holes for locking your cooler shut and making it Bear Resistant.





### BUILT-IN DURABLE ROPE HANDLES

with ergonomic plastic hand grips for easy and convenient transporting.




### QUADRA-GRIP TIE-DOWN POINTS

Slots for crimped locking cables to better secure the cooler, providing multiple tie-down options.

### ADDITIONAL SOLID HAND GRIP


for more support, stability and ease-of-carry.



### IGBC CERTIFIED BEAR RESISTANT CONTAINER


molded on rear outside of the cooler.

### LATCH KEEPER




### ANVIL HINGE

Full length, integrated, self-stopping rear hinge for maximum strength.



### INTEGRATED LID

Opening in handle makes for easier, faster access. The depression built into the bottom half of the cooler allows you to conveniently open your lid.



### STAINLESS STEEL INSERTS

While so many other coolers lack structural integrity, Engel's screws are attached to stainless steel inserts for superior durability and reinforcement.



### OPEN BEER HERE


Engel latch keeper doubles as a bottle opener. Yes, we thought of everything!

# cooler accessories



## COOLER SEAT CUSHIONS

Made of white, marine grade vinyl with 2-inches of padding. Attaches to cooler lid using marine grade snaps - included. Available for ENG25 - ENG320.



## TAN TEAK PATTERN EVA COOLER TOPPER

GREY OR TAN. Available for all cooler sizes.



Toppers for UL60 Cooler. GREY OR TAN.



## STAINLESS STEEL LATCH

Stainless steel replacement latch - now you can choose between rubber or marine grade stainless steel.



## ROD HOLDERS

Safely attached a rod holder almost anywhere.



## DIVIDERS

Divider slots for optional plastic dividers - allows user to separate ice from other contents. Also makes a convenient cutting board. Made of King StarBoard®.

Smaller coolers with 2 latches take one divider.

Larger coolers with 3 latches can take 2 dividers.

Available for all models of coolers except Ultralite 60, which already has a divider.



## COOLER SLIDER

Cooler Slides for easier access under boat seats. Available for ENG35, ENG65, and ENG80.



## COOLER TIE-DOWN NYLON WEB STRAPS



## HANGING WIRE BASKETS

For efficient storage, Engel's hanging wire baskets are a great addition to any fishing trip or outdoor adventure. Available for all hard coolers up to ENG165.

# ENGEL®

## cooler/dry boxes

### SMALL AND MIGHTY

Engel's Cooler/Dry Box is the perfect companion for whatever the day calls for. Use as a lunchbox cooler on the job site, the sidelines of a soccer game, store fresh food for a picnic, or keep fresh-caught fish from spoiling on a paddle board or boat.

Or, when you're out on the lake or in the field, use it as a dry box to keep items like clothes, cameras, ammo and sensitive electrical equipment free from water and dust.



# 23

# cooler/dry boxes features

Every Engel Cooler/Dry Box has an airtight, watertight EVA foam gasket that not only keeps the hot out and the cold in, it seals so tightly there is no chance of leakage or mess. Its Polypropylene case is impact resistant to handle the toughest situations, and the draw-down stainless steel latches provide additional security. Engel Cooler/Dry Boxes also float and can be used as a ditch bag.

## NON-ABSORBENT SURFACE

Will not allow stains or odors to penetrate

## EVA FOAM GASKET

For an airtight seal

## MOLDED POLYSTYRENE CORE INSULATION

## MARINE GRADE LATCHES

All hardware is marine grade stainless steel

RECESSED ERGONOMIC CARRY HANDLE

INTEGRATED SHOULDER STRAP with guides (included)



# cooler/dry box

## colors | specifications

With four different sizes (7.5, 13, 19 and 30 quart) and fifteen colors to choose from, mix and match the right Cooler/Dry Box to suit your needs.



BRITISH RACING GREEN

ELEMENTAL RED

NEW COLORS

ELEMENTAL BLUE

UC7 COOLER/DRY BOX					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 10"	L: 12.25"	2.5 lb	7.79	5 lbs	8
W: 6"	W: 8"				
H: 7.5"	H: 10"				

UC19 COOLER/DRY BOX					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 13.75"	L: 16.6"	7 lb	19.05	25 lbs	30
W: 8"	W: 11.25"				
H: 10"	H: 12.75"				

UC13 COOLER/DRY BOX					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 12"	L: 15"	6 lb	12.36	12 lbs	15
W: 7"	W: 10"				
H: 8.5"	H: 11.25"				

UC30 COOLER/DRY BOX					
inside	outside*	dry weight	quarts	ice capacity	max cans
L: 15.5"	L: 19"	10 lb	29.32	45 lbs	45
W: 9.5"	W: 12.5"				
H: 11.5"	H: 14.5"				

COOLER/DRY BOXES AVAILABLE IN 15 colors:



\*outside dimensions measured at top of cooler

# LIVE BAIT COOLERS

The Engel Insulated Live Bait Cooler with or without rod holders (available on 30 quart drybox only), keeps bait fresh, energetic and cool with our advanced 2x2 water oxygenation air pump – and it's so portable, you can take it anywhere! Our Live Bait Cooler has all the high-quality insulation, rugged durability and secure seal protection you've come to expect from Engel Cooler/Dry Boxes – with the added ability to circulate and aerate the water inside so that bait remains fresh and alive no matter what the temperature is outside.



add our rechargeable universal aerator pro pump to your live bait cooler

THE QUIETEST PUMP ON THE MARKET



ENG-AP4-XL

ENG-AP3


Both sizes now available in tan  
ENG-AP3-T and AP4-T

## FITS ALL BAIT COOLERS AND BUCKETS

Designed to switch seamlessly onto any brand of bait box or bucket, but of course works best with an Engel Live Bait Cooler

## features

- RECHARGEABLE Lithium-Ion Battery Powered
- MARINE GRADE Salt water resistant Stainless Steel hardware
- SEALED WATERTIGHT with internal gasket protecting battery and electronics
- 2 X ELECTRO-MAGNETIC PUMPS with no rotational parts, gears or cogs so there's nearly nothing to seize or break
- STANDARD USB C PORT for charging, sealed with a double gasket
- FEATURES FOUR SPEED and intermittent settings, 2 YEAR WARRANTY



**PULL NET**  
makes fetching your bait and  
changing water a breeze.



### 2 SPEED AIR PUMP

Live Bait Coolers ship with standard pump  
- Lithium-Ion Rechargeable Pump is an optional upgrade



### ENGEL LIVE BAIT COOLER

available in HIGH VIZ ORANGE  
OR WHITE in 7.5, 13, 19  
and 30 qt sizes

LIVE BAIT COOLERS  
AVAILABLE IN:



WHITE



HIGH VIZ ORANGE



### ENGEL LIVE BAIT COOLER WITH ROD HOLDERS

available in WHITE in 30 qt  
size only

LIVE BAIT COOLER WITH  
ROD HOLDERS AVAILABLE IN:



WHITE

### LIVE BAIT COOLER ACCESSORIES | PARTS



#### BAIT NET

Pull net feature makes  
fetching your bait and  
changing water  
a breeze...and it's  
designed to withstand  
wear and corrosion.



#### NEW LITHIUM-ION RECHARGEABLE PUMP

Fits all Live Bait Coolers  
and Bait Buckets. See  
page 4 for more info.



#### 2 SPEED AIR PUMP

The 2-speed Engel 2x2 Air Pump runs on 2 D-Cell  
batteries (not included) or 12V DC adapter.  
Run on high speed when your cooler is full of  
bait. Switch the pump down to low speed and  
conserve battery power later in the day.



#### 110 V AC ADAPTER FOR 2 SPEED AIR PUMP

Use optional adapter to plug your live bait  
cooler into a wall socket to keep it running, and  
your bait alive, overnight.



# cooler/dry box with rod holders

Specially-molded brackets for added strength and reliability



Rod holders add 2.5" on each side [5" total] to the width of the cooler

All the high-quality insulation, rugged durability and secure seal protection you've come to expect from Engel Cooler/Dry Boxes – with convenient rod holders added. Available in 19 Quart and 30 Quart sizes.

**COOLER/DRY BOX WITH ROD HOLDERS**  
AVAILABLE IN:



WHITE



TAN




HIGH VIZ ORANGE

**ENGEL**

28

# cooler/drybox accessories



## NEW TAN TEAK PATTERN EVA COOLER TOPPER

GREY OR TAN. Available for 30 Quart Cooler/Drybox only.



### STAINLESS STEEL LATCH

Fits UC7, UC13, UC19, UC30 and all Engel live bait coolers.



### STAINLESS STEEL HINGE

Fits UC7, UC13, UC19, UC30 and all Engel live bait coolers. Great for cold conditions.



### PLASTIC DRYBOX HINGE

Fits UC7, UC13, UC19, UC30 and all Engel live bait coolers. Black or white.



### PLASTIC DRYBOX HINGE

Fits UC7, UC13, UC19, UC30 and all Engel live bait coolers. Black or white.



### EVA FOAM DRYBOX FEET

Protects your board or deck surface. Fits 7, 13, 19 and 30 quart models.



### SHOULDER STRAP

Available in grey or white.



### ROD HOLDERS

Safely attached a rod holder almost anywhere. Fits 19 and 30 Quart Cooler/Dryboxes only.



### LIVE BAIT CONVERSION KIT

Convert your Engel into a Live Bait Cooler by adding a pass-through hole in the top of lid.



### NEW RECHARGEABLE AERATOR/PUMP

The new 4-speed Engel Pump features 2 electro magnetic pumps (no rotational part or gears to break) running on Lithium-ion USB-C rechargeable battery. Marine Grade Salt Water Resistant Stainless Steel hardware and sealed watertight. 2 Year warranty. Available ENG-AP3 regular and ENG-AP4 XL (twice the air capacity, 1.5 times the battery life). Available in White or Tan.



### BAIT STRAINER NET



### COOLER/ DRYBOX SEAT CUSHIONS

Fits all Engel 30qt Dry Box /Coolers



### HANGING ACCESSORY TRAY

Hanging tray/sandwich tray for all Engel Dry Box /Coolers

## ENGEL ICE cooler packs



**ENGICE-CX**

11" x 8.75" x 2"

**ENGICE-CL**

9.5" x 7.5" x 1.25"

Engel Ice Cooler packs change phase at 32°F, efficiently keeping food and drinks cold without the risk of freezing. The active ingredients are non-toxic and housed in a rugged container designed to provide maximum surface area to increase the efficiency at which they cool.

AVAILABLE IN 2.5lb & 5lb PACKS

32°F REFRIGERATOR TEMPERATURE

RUGGED UV STABILIZED COLOR CONTAINER

NON-TOXIC | REUSABLE

MAXIMUM SURFACE AREA FOR FASTER COOLING

LEAK-PROOF ULTRA SONIC SPIN WELDED CAP

LIMITED LIFETIME WARRANTY

MADE IN THE USA!

## ENGEL ICE freezer packs



**ENGICE-FX**

11" x 8.75" x 2"

**ENGICE-FL**

9.5" x 7.5" x 1.25"

Engel Ice Freezer Packs change phase at 5°F, efficiently keeping frozen food and drinks frozen.

Engel Freezer Packs will maintain freezing temperatures for hours or even days. When finished using, simply recharge in your household freezer until needed again. Freezing takes about 6-8 hours.

AVAILABLE IN 2.5lb & 5lb PACKS

5°F REFRIGERATOR TEMPERATURE

RUGGED UV STABILIZED COLOR CONTAINER

NON-TOXIC | REUSABLE

MAXIMUM SURFACE AREA FOR FASTER COOLING

LEAK-PROOF ULTRA SONIC SPIN WELDED CAP


LIMITED LIFETIME WARRANTY

MADE IN THE USA!

# ENGEL®

## ICE PACKS

### cooler and freezer packs



# ENGEL®



# ENGEL®

## SOFT-SIDED

### cooler bags

#### EXPEDITION READY

Unlike the soft-sided coolers you'll find on the shelves of the big box stores, ENGEL Soft-sided Coolers are engineered to withstand harsh use on land or sea. They feature a rugged, tear-resistant 840-denier polyester diamond ripstop outer shell with a waterproof TPE coating for easy cleaning.

# 31

# BP25 ROLL-TOP

## backpack cooler

We've retooled the Backpack Cooler, adding innovations, increasing functionality and making it just all around more cool.

### 01 ROLL TOP WIDE MOUTH

For easy access, rolls closed, seals watertight and buckles into a grab handles



### 02 1 INCH OF FOAM INSULATION

For light-weight, high performance cooling



BP25 Backpack Cooler				
inside	outside	quarts	dry weight	can capacity
L: 19"	L: 12.25"	25	3.5	36
W: 10.5"	W: 6.25"			
H: 20.25"	H: 18"			

LIGHT GREY/RED  
BP25-LG RED



### MESH SIDE POCKETS

integrated bottle opener, d-rings and side straps for extra utility

SOLID BASE FOR  
EXTRA STABILITY

# 03



# 33

## this soft-sided cooler has got your back



### ONE-WAY VACUUM VALVE

allows for removal of air around insulation with a vacuum cleaner for improved performance

BACK GRAB HANDLE

# 04

SIDE GRAB HANDLES

# 05

SHOULDER STRAPS WITH CHEST STRAPS

Comfortable padded shoulder straps with chest strap for longer hauls and foam padded back for extra comfort

# 06

PADDED BACK SUPPORT

for long wearing comfort

# 07

ALSO AVAILABLE IN



LIGHT GREY/LIME  
**BP25-LIME**

DARK GREY/ORANGE  
**BP25-ORANGE**

DARK GREY/SEA FOAM  
**BP25-GSF**

# HD SERIES soft-sided cooler

ENGEL'S soft-sided coolers are entirely welded, while comparable bags are sewn. By welding all seams, warm air is kept out, with no water leaks. They boast an outer shell composed of durable 840 denier, which provides maximum strength and abrasion resistance. The front and back side are laminated with a Thermal Plastic Urethane (TPU) film, adding another layer of strength and puncture resistance.

## 3 WAYS TO CARRY

TOTE HANDLES



ADJUSTABLE ERGONOMIC SHOULDER STRAP



SIDE GRAB HANDLE



WATERPROOF ZIPPER



INTEGRATED BOTTLE OPENER



PATENT PENDING VACUUM VALVE TECHNOLOGY



removes the unwanted air from around the insulation

**HD30**



*HD30-GSF*



*HD30-ORANGE*

**HD20**



*HD20-LG RED*



*HD20-ORANGE*



*HD20-GSF*



35

**HD30 Soft-Sided**

inside	outside	dry weight	quarts	ice capacity	max cans
L: 18.5"	L: 22"	5.25 lb	37.48	35 lbs	60
W: 9"	W: 11"				
H: 13"	H: 18"				

**HD20 Soft-Sided**

inside	outside	dry weight	quarts	ice capacity	max cans
L: 15"	L: 19"	4.5 lb	22.08	20 lbs	40
W: 8.5"	W: 10.5"				
H: 10"	H: 15"				

# ENGEL<sup>®</sup> TUMBLERS

Engel's 22 and 30 oz stainless steel, vacuum insulated, performance tumblers are built to help you keep your cool in the harshest conditions.

Whether you're bringing a hot or cold drink along for the ride, the Engel Spill-Proof Lid will ensure you enjoy your drink, not wear it. The air-tight seal keeps your drinks in the cup when the boat bounces or the truck swerves.

Just like our award-winning coolers, we've thought of the all the details that matter. Patented

**ENGT22**  
22 OZ STAINLESS  
STEEL TUMBLER

**ENGT30**  
30 OZ STAINLESS  
STEEL TUMBLER



**DOUBLE WALL VACUUM INSULATION**

outperforms the competition



**SPILL PROOF**

flip top lid



**AIR-TIGHT**

single twist screw top prevents leaks & spills



**TAPERED DESIGN**

fits all cup holders



**NON-SLIP BASE**



37

CUSTOM TUMBLERS MUST BE HANDWASHED | NOT DISHWASHER SAFE

WB25

WB17



**NEW**  
**vacuum insulated bottles**

17 OZ AND 25 OZ  
STAINLESS STEEL

AVAILABLE FOR  
CUSTOMIZATION

see pg 6 for more info

**custom tumblers**

SEE PAGES 10-11 FOR MORE INFO





# ENGEL® FRIDGE freezers

With over 50 years of proven reliability, Engel portable fridge/freezers have been keeping the cold in season after season. We started off a wave of innovation with these units and they just keep getting better thanks to our commitment to the latest advancements in cooling technology.

## ADJUSTABLE TO MEET YOUR NEEDS

Whether you're looking to keep ice cream frozen or keep your latest catch refrigerated, Engel fridge/freezers offer full adjustability. Just crank up the dial and you're in control of whatever amount of refrigeration you need.

## THE SMART FRIDGE/FREEZER

Most Engel fridge/freezers automatically switch back and forth between AC and DC power (will always prioritize to draw from AC when available) – a big plus for sailors and boaters wanting to move from battery power to shore power. It's handy too, for travelers using on-the-road battery, who also want to plug their Engel in when they get back home.

## EFFICIENT FROM THE START

Unlike traditional compressor motors, Engel's swing motor doesn't demand a huge power draw at start-up. This keeps your battery power lasting longer – and that means more hours of reliable cold retention.

## FOCUS ON YOUR ADVENTURE

When you're in between power sources, you don't want to be concerned about ice melting or game spoiling – and with an Engel Fridge/Freezer, you won't have to be. Whether you're out overnight and the truck's not running or you're underway and the genset's idle, Engel's tight seal and quality insulation keep in the cold so you can keep focused on your adventure.



## ENGEL fridge/freezers are available in three types



**PORTABLE/TOP LOADING**



**BUILT IN/FRONT LOADING**



**BUILT IN/DRAWER TYPE**

# platinum series fridge freezers

The Platinum Series Portable Fridge / Freezer models feature a user friendly digital control with LED display as featured in the Australian 60th Anniversary model, along with built in battery monitor.

AC/DC Compatible

## MT45F-U1CD-P

12/24V DC 110V/120V AC  
Combination Fridge and Freezer

volume	power consumption	power source
43 Quart	Variable from 0.7 - 2.5 Amps	12V/24V DC 110V/120V AC
internal dimensions	external dimensions	net weight
L 15.4" W 10.8" H 16.4"	L 25.5" W 14.3" H 20"	52.9 lbs

Dimensions exclude handles (1.5" each)

## MT45F-U1-P

12/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption	power source
43 Quart	Variable from 0.7 - 2.5 Amps	12V/24V DC 110V/120V AC
internal dimensions	external dimensions	net weight
L 15.4" W 10.8" H 16.4"	L 25.5" W 14.3" H 20"	52.9 lbs

Dimensions exclude handles (1.5" each)

## MT35F-U1-P

12V/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption	power source
34 Quart	Variable from 0.7 - 2.5 Amps	12V/24V DC 110V/120V AC
internal dimensions	external dimensions	net weight
L 15.4" W 10.8" H 12.4"	L 25.5" W 14.3" H 16"	46.3 lbs

Dimensions exclude handles (1.5" each)

### USER FRIENDLY DIGITAL CONTROL

with LED display and built  
in battery monitor



### INTERIOR WIRE BASKET



### HEAVY-DUTY REMOVABLE HANDLES (With Screws)



UL APPROVED

### PLATINUM LOOK GALVANIZED STEEL

Outer Shell - Vibration Resistant  
For Extreme Conditions

**ENGEL**

40



# what makes our fridge/freezers so reliable?


## SAWAFUJI SWING MOTOR

At the core of every new Engel fridge/freezer is the F-Series Engel Swing Motor Compressor. This innovative model of efficiency gives you the refrigeration you need without draining your batteries of all their power. In fact, the F-Series Swing Motor is 40% more efficient than traditional compressors, drawing just a fraction of an amp once they're in use!

So how do we do it? With just one moving part and electro-magnetic piston action, the F-Series Engel Swing Motor uses minimal power at start-up. The piston moves a fraction of an inch and gradually gains speed – delivering efficiency at its best. Compare this to the enormous start-up power draw of a traditional compressor and you'll never want to go back to the old ways ever again.

But the innovations don't stop there. The Engel Swing motor is spring-mounted in a steel cocoon. It's vibration-resistant, maintenance-free, and capable of unaffected operation at inclines of up to 30-degrees. And because every Engel fridge/freezer is designed with airtight seals and thermally efficient insulation, the cold generated by the compressor is never wasted.

**When it comes to reliable refrigeration, Engel's thought through every angle.**



# portable top loading fridge/freezer specs



## MT17F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption	power source
16 Quart	Shows Variable from 0.6 - 2.8 Amps	12V/24V DC 110V/120V AC
internal dimensions	external dimensions	net weight
L 11.5" W 8" H 10"	L 21.2" W 12" H 14.2"	37 lbs



## MT60F-U1-C

12V/24V DC 110V/120V AC Fridge/Freezer

	volume	power consumption	power source
FRIDGE	34 Quart	Variable from 0.7 - 3.6 Amps	12V/24V DC 110V/120V AC
FREEZER	26.5 Quart		
internal dimensions	external dimensions		net weight
FRIDGE L 15.3" W 9.8" H 12.4"	L 31.1" W 19.3" H 17.4"	75 lbs	
FREEZER L 13.5" W 7.8" H 12.4"			

Dimensions exclude handles (1.5" each)



## MT60F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption	power source
64 Quart	Variable from 0.7 - 3.6 Amps	12V/24V DC 110V/120V AC
internal dimensions	external dimensions	net weight
L 20.1" W 14.9" H 12.4"	L 31.1" W 19.3" H 17.4"	68.3 lbs

Dimensions exclude handles (1.5" each)



## MT27F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption	power source
22 Quart	Variable from 0.6 - 2.8 Amps	12V/24V DC 110V/120V AC
internal dimensions	external dimensions	net weight
L 11.5" W 8" H 13.5"	L 21.2" W 12" H 18.2"	37.5 lbs

Dimensions exclude handles (1.5" each)



## MT80F-U1-S

12V/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption	power source
84 Quart	Variable from 0.7 - 3.6 Amps	12V/24V DC 110V/120V AC
internal dimensions	external dimensions	net weight
L 20.1" W 14.9" H 16.7"	L 31.1" W 19.3" H 21.7"	86 lbs

Dimensions exclude handles (1.5" each)

# built-in fridge freezers

## SR48F-U1

volume	power consumption	power source
42 Quart	Variable from 0.7-2.7 Amps	12V/24V DC 110V/120V AC
cutout dimensions		external dimensions
L 15.12" D 17.67" H 20.39"		L 16.5" W 20" H 21"
		net weight
		40.5lbs

## SB70F DC ONLY

volume	power consumption	power source
60 Quart	Variable from 0.7-2.7 Amps	12V/24V DC ONLY
cutout dimensions		external dimensions
L 18.27" D 20.63" H 20.43"		L 20" D 23" H 21"
		net weight
		44.3lbs

## SR70F-U1

volume	power consumption	power source
60 Quart	Variable from 0.7-2.7 Amps	12V/24V DC 110V/120V AC
cutout dimensions		external dimensions
L 18.27" D 20.63" H 20.43"		L 20" W 23" H 21"
		net weight
		44.3lbs

# built-in drawer fridge freezers

## SB30G

### 12/24V DC 110V/120V AC Drawer Fridge

volume	power consumption	rated input voltage
31 Quart	Variable from 1.5-2.7 Amps	12V/24V DC
external dimensions		net weight
L 22.12" W 17.323" H 9.85"		42lbs
		cans
		35



## ENGEL MR040 TOP OPENING

### 12/24V DC - 110/120V AC Fridge-Freezer

A breath of salt air might be bracing to you first thing in the morning, but it can be tough on steel. That's why we offer the Engel MR040. It offers the same performance as our MT35 and MT45, but with a durable, corrosion-resistant ABS case - and more suited for marine applications.



VARIABLE TEMPERATURE CONTROL

### MR040F-U1

12V/24V DC 110V/120V AC Fridge/Freezer

volume	power consumption	power source
40 Quart	Variable from 0.7 - 2.5 Amps	12V/24V DC 110V/120V AC
internal dimensions	external dimensions	net weight
L 14.5" W 10.5" H 14.4"	L 25" W 15.5" H 18.5"	48 lbs

EXTERNAL DIMENSIONS EXCLUDE HANDLES, 2.5" EACH



VIBRATION RESISTANT  
COMPRESSOR FOR  
EXTREME CONDITIONS

ABS PLASTIC SHELL

# fridge/freezer accessories

# 45

TRANSIT BAGS ARE AVAILABLE TO FIT THE FOLLOWING MODELS: MT17, MT27, MT35, MR040, MT45, MT60, MT60 COMBI, AND MT80.



Transit bags not only protect your Engel Fridge/Freezer with a layer of insulation, they also offer a heavy-duty foil layer on the inner side that reflects direct sunlight and long wave radiation. High quality gray canvas outer layer comes with an accessory pocket and vents. The bag covers the entire unit and is easy to open - simply unzip the bag on top. The bags work with the corresponding Transit Slide Locks. Breathing holes are built in to the compressor to prevent overheating. Durable outer protective canvas. Insulating and shock absorbing inner layer adds to the insulating factor of your Engel freezer. Highly reflective inner foil layer, designed to reflect the long wave heat of the sun, increases the overall performance of your Engel freezer - especially if exposed to any direct sunlight. Quality zipper allows normal access to your freezer. Plastic mesh in the right places allows your freezer to vent itself and operate normally.

## EMS FRIDGE SLIDE MD-14F

The Engel Custom Fridge/Freezer Slide for MD14F/MHD13F-DM is made for EMS model coolers, as it is uniquely designed to allow small coolers to fit in the ALS cabinet of rescue vehicles.



Ultimately, if you need to place one of Engel's small refrigerators in a tight space without much height, this wonderful slide will allow you to do so. The slide will help pull out the fridge to a near 100% extension to clear the lid, allowing EMS workers to have easy access to the cooler's contents.

## TRANSIT SLIDE LOCK PLATE

To obviate the need for a ratchet strap, Engel has created the Transit Slide Lock. The Slide Lock bolts to the vehicle's floor and the Engel clips securely to the Slide Lock, eliminating the need for a separate ratchet strap. Only compatible with the MD-14F and MHD13F-DM models

## TRANSIT SLIDE LOCKS

These are highly recommended for safety, help prevent your Engel fridge/freezer from shifting about in a vehicle or boat. Simply slide your Engel into position and it locks down automatically. To remove just push the clip to release. It's that easy! Compatible with the MT17F-U1 and the MD-14F and MHD13F-DM with TSLPlate), TSL27 (Compatible with the MT27F-U1), and TSL530/540 (Compatible with the MT35F-U1 and MT45F-U1, will work with the MR040F-U1 if the Cushion Feet are purchased).



## DC REPLACEMENT PLUG

Fits the Engel DC Cord - as a replacement. Includes Engel Thermal Fuse.



## POSIFIT

Posifit - Is a locking mechanism to lock your Engel's DC power cord into the electrical source.



## DC POWER CORD PLUG

The Engel DC Power Cord Plug is a replacement for the DC cord in between cord and plug, supplied with all top-opening Engel fridge/freezers up to 43 Quarts. Length: 9 feet. Includes an Engel Thermal fuse (10 Amps).



## DC HARDWIRE POWER CORD

The Engel DC Cord - Hardwire is a replacement part that can be used on any other Engel fridge/freezer model for more permanent hook-up to your DC system. Length: 9 feet. Comes standard on Engel MT60F-U1, MT60F-U1-C and MT80F-U1.



## AC POWER CORD

The Engel AC Cord is a replacement for the AC cord supplied with all top-opening Engel fridge/freezers. Length: 6 feet. Compatible with all "MT-Series" Fridge/Freezers.

## AC ADAPTER

Your Engel fridge/freezer can become more versatile with the purchase of this AC Adapter for DC fridge/freezers. Thanks to this adapter, owners can plug their small DC model fridge/freezers anywhere they go, be it at their home, hotel room, camper or vehicle. One end of the adapter cord can be plugged into house socket, while the other end can be plugged into a female lighter or accessory socket in your car. Regardless of where you go, you will not have to worry about the items in your freezer thawing out and spoiling! Please keep in mind that this adapter is specially designed for Engel models MD14F and MHD13F-DM, as our larger models already have a built in feature that accomplishes the same function.

## WIRELESS DIGITAL THERMOMETER

Stop guessing the temperature of your Engel fridge/freezer - Engel's Wireless Digital Thermometer has the precise answer for you! As a tool used to monitor ice temperature, this thermometer reads temperatures in both Fahrenheit and Celsius. It also provides owners with records of minimum and maximum temps, for baseline determination.

## HASP 1 FOR MD14F AND MHD13F-DM



A stainless steel locking hasp is designed to safeguard the items inside your freezer. You can rest assured knowing your fridge-freezer is closed tight. Secure it even further with a padlock (not included).

NOTE: We do not recommend that customers install the hasp without proper training. If you attempt it yourself you run the risk of puncturing a gas line - which will critically damage your unit and void your factory warranty.



## HASP 2 FOR MT SERIES FRIDGE-FREEZERS

# 46

## portable top loading fridge/freezer specs

For first-responders, keeping their cool can be a matter of life or death, and that's why they rely on Engel.

The Engel MHD13F-DM is designed to meet the needs of the EMS market for the transport of temperature-sensitive medications or having cold saline solution available for induced hypothermia.

# BEYOND TRUSTWORTHY



**SHOULDER STRAP**

(for easy carrying, included)



**LOCKABLE LID WITH OPTIONAL PADLOCK**



**DIGITALLY CONTROLLED  
CONSTANT TEMPERATURE**

Bright Red LED Temperature Display

### **MHD13F-DM**

12/24V DC (optional AC convertor available)

volume	power consumption	power source
14 Quart	Variable to 2.8 Amps	12V/24V DC
internal dimensions	external dimensions	net weight
L 13.75" W 7.5" H 7.5"	L 17.5" W 11.3" H 14.5"	28 lbs

ALL DIMENSIONS EXCLUDE HANDLES



**EASY ACCESS  
HATCH LID**

The MD14 is efficient, portable, and easily accessible. It will keep contents ice-cold (or even frozen) when plugged into your vehicle's cigarette lighter socket. No need for ice. It's compact and will fit on the floor or seat of practically any car or truck. A convenient hatch lid at the top makes it easy to grab your favorite ice-cold beverage.

**MD-14F**

12/24V DC (optional AC convertor available)

volume	power consumption	power source
15 Quart	Variable from 0.9 - 2.8 Amps	12V/24V DC
internal dimensions	external dimensions	net weight
L 15.75" W 7.5" H 8.5"	L 17.5" W 11.3" H 15.8"	26 lbs

ALL DIMENSIONS EXCLUDE HANDLES



MHD-13F model is designed to operate in ambient temperatures between 14°F to 120°F.

Low Amp Draws (even at start-up) Power Consumption: Variable to 2.8 Amps

**COOLING I.V. SALINE  
SOLUTIONS FOR THERAPEUTIC  
HYPOTHERMIC INDUCTION**

Holds 6 I.V. Solution Bags (1 liter) and a Small Medication Bag



48

**NEW**

# FRIDGE SLIDES



**ULTRA LOW-PROFILE**  
leaves more space  
for other gear



**TILT**

## FRIDGE SLIDE

- **USABLE AS STANDARD SLIDE OR TILT**
- Slide distance: 25.5", dimensions 27.5" x 16.5" x 1.57"
- Tilts down 10" (viewing angle of 30 degrees)
- Weight: 31.5 lbs
- Bearing free 1 button operation
- Single handed locking and release button with integrated handle
- Lighter and stronger with the use of aluminium and a tough and durable powder coated finish
- All 304 grade stainless steel components used
- Patented lock and slide system that allows for fast fit and removal of your fridge



**SINGLE-HANDED LOCKING  
AND RELEASE BUTTON**  
with integrated handle






## LOCKS IN WITH NO TIE DOWNS NEEDED

Revolutionary patented new locking system bolts onto the bottom of your fridge



## STANDARD FRIDGE SLIDE

- Dimensions: 27.5" x 16.5" x 3.5 cm
- Slide distance: 21.65"
- Weight: 18 lbs
- Bearing free 1 button operation
- Single handed locking and release button with integrated handle
- Lighter and stronger with the use of all Australian made aluminium and a tough and durable powder coated finish
- All 304 grade stainless steel components used and supplied for fixings
- Patented lock and slide system that allows for fast fit and removal of your fridge.



TILT AND STANDARD FRIDGE SLIDES ARE compatible with the **ENGEL MT35, MT45, MR040 FRIDGES** and also fit our **NEW Ultralite 60**

Also compatible with the following fridges, with the use of the adapter plate:

- DOMETIC / Waeco – CFX 35/45/50
- DOMETIC / Waeco – CFX55
- DOMETIC / Waeco – CFX3 35/50/55IM
- DOMETIC / Waeco – CFX65
- ARB – 35/47 CLASSIC (BLUE)
- ARB – 35/47 SERIES 2 (CHARCOAL)

## SMALL ADAPTER PLATE



# ENGEL<sup>®</sup> APPAREL

## GEARED FOR ADVENTURE

Styles available in various colors, please check our website for availability. One size fits all, adjustable



NAVY/KHAKI WITH  
LEATHER BADGE



HOT PINK/WHITE



HEATHER GREY AND WHITE



SALTWATER CAMO/CHARCOAL



COLUMBIA BLUE/WHITE  
WITH LEATHER BADGE



BLACK/CHARCOAL



50

# PRO STAFF



"We fish in some of the harshest conditions out there - and we know we can rely on Engel products to never let us down"

## ***HARDWATER FREAKS***

**HARDWATER/OPEN WATER /  
DUCK HUNTING**

19  
GAL  
COOLER

# PRO STAFF

# 52

I use Engel Coolers because they are super durable and withstand all the punishment I throw at them, from baking in the hot sun, to being used as a casting station. They are not only hard wearing, but they keep ice for days, drinks cold and fish fresh.

What more do you need?

## ***GEORGE POVEROMO***

George Poveromo's World of Saltwater Fishing



“Why do I rely Engel Coolers? Simply put, it’s a cooler made to last a lifetime.

There are tons of choices in the cooler market these days, but when I considered purchasing a cooler I wanted one that got the job done!”


***TIGER HOFFMAN***

Tiger Hoffman Outdoor  
Tournament Saltwater  
Fishing Angler / Deer  
and Duck Hunter



Capt. Timothy Mackay of Jupiter legend Adrenaline Rush Charters is out catching big guys like this everyday. And every day he relies on his Engel Coolers to keep the fish fresh and the snacks and drinks cold. Look for his Engel Boat if you are in Jupiter waters!

***TIMOTHY MACKAY***  
Adrenaline Rush Charters




# PRO STAFF

Part of my job is to try and pass on information to recreational anglers on products that will make their boat/trip etc. more efficient. And I always heartily recommend Engel Coolers to them, they are hardworking, tough and they really keep things cool for days.

## **MIKE FRENETTE**

Professional Tournament Angler, Owner of Redfish Lodge of Louisiana and Delta Outdoor Marketing



I use my premium Engel Cooler on my bass boat to keep my food and drinks cold for days.

## **JOSH DOUGLAS**

Josh Douglas Fishing  
Bassmaster Elite  
Series Pro -  
Lake Mille Lacs  
Premier  
Smallmouth Guide




55

Reliability and performance are of the utmost importance to me when it comes to any product and Engel Coolers not only keep everything cool longer than anything else I've used, I also don't have to worry about them breaking, leaking or falling apart no matter how rough I've treated them in the field or on water.

**WADE MIDDLETON**

President, CarecoTV, Host of 'Deer Gear', Yamaha's 'Whitetail Diaries' and Cabela's 'Fisherman, a Notebook'



# ENGEL® COOLERS

900 Jupiter Park Drive, Jupiter, FL 33458

888-272-9838 | 561-743-7419 | engelcoolers.com

ENGEL PROUDLY SUPPORTS THE FOLLOWING CONSERVATION EFFORTS:



Coastal  
Conservation  
Association



American  
Sportfishing  
Association



Congressional  
Sportsmen's  
Foundation



Now or  
Never Glades

