



**Product Catalogue**

# INDOOR LIGHTING



## TABLE OF CONTENTS

PRODUCTS	PAGE NO.
<b>INDOOR LIGHTING</b>	
LED BULBS	3
LED TUBES	4-5
LED INTEGRATED TUBES	6
LED COOLER TUBES	7
LED PANELS	8
LED TROFFERS LIGHT	9
LED DOWNLIGHTS	10
LED HIGHBAY	11-12
LED FLUSH MOUNT FIXTURES	13
LED EXIT SIGN	14
LED UNDERCABINET LIGHTS	15-16
WALL SCONCE	17-18
FLOOR/TABLE LAMPS	19-20
PENDANTS	21-28
LED VANITY MIRRORS	30-41
<b>OUTDOOR LIGHTING</b>	
LED CANOPY	43
LED CORN BULBS	44
LED FLOOD LIGHTS	45-47
LED POLE LIGHTS	48-49
LED WALL PACKS	50-51
LED WORK LIGHTS	52
LED SOLAR LIGHTS	53
LED RETROFIT KITS	54
<b>STRIP LIGHTING</b>	
LED STRIP LIGHTS	56-62
<b>MODULES &amp; SIGN BARS</b>	
LED MODULES & SIGN BARS	64-66

# LED BULBS

If yours is a mid-sized space with not-so-high ceiling height, having LED bulbs installed out there can solve your lighting woes. They screw-in to existing incandescent bulb fixture or CFL fixture easily. All you have to do is get home the right screw-in base-type.

Because of the ease of installation and the level of brightness they provide, LED bulbs by Wen Lighting are widely used in home lighting, specifically kitchen, closet, and home-garage lighting. Alternatively, they are also the most preferred choice for boat cabin, vanity, and food truck lighting.



A STYLE LED BULBS  
9W, 9.5W, 9.8W, 16W



BR LED BULBS  
7.5W, 9W, 15.5W



PAR LED BULBS  
8W, 12W, 16.5W



MR LED BULBS  
6.5W



PL LED BULBS  
9W, 12W



GU LED BULBS  
6.5W



## FEATURES

- INSTANT ON
- UV AND MERCURY FREE
- FLICKER FREE
- NO DARK SPOT
- DIMMABLE
- ENERGY SAVING
- CRI >80
- PREMIUM LED CHIPS

## TECHNICAL SPECIFICATIONS

TYPE	WL-A	WL-BR	WL-PAR	WL-MR	WL-PL	WL-GU
VOLTAGE	120V	120V	120V	12V	120-277V	12V
WATTAGE	9-16W	7.5-15.5W	8-16.5W	6.5W	9-12W	6.5W
WATTAGE EQUIVALENT	40-60W	30-45W	30-50W	30W	24-32W	30W
CCT	3000-6500K	3000-5000K	3000-5000K	3000-5000K	5000K	3000-5000K
LUMENS	800-1600LM	525-1100LM	500-1200LM	500LM	800-1100LM	500LM
CRI	>80	>80	>90	>80	>80	>80
BASE	E26	E26	E26	GU10	GX23 2 PIN GX24Q 4PIN	GU10

### APPROVALS / RATINGS



# LED TUBES

LED tube lights are an energy-efficient replacement to fluorescent tubes at places with standard ceiling height, like residential complexes, garages, storage areas, and the likes. They are fast replacing the existing fluorescent fixtures as they emit better light color, require less maintenance, and have at least 5 times longer life. This cost-effective lighting method is much loved when it comes to home as well as office indoor lighting.



T8 2FT LED TUBE  
CLEAR  
8W




T8 4FT LED TUBE  
CLEAR  
18W, 20W, 22W



T8 4FT LED TUBE  
FROSTED  
18W, 20W, 22W



T8 4FT LED TUBE  
GLASS CLEAR  
18W



T8 4FT LED TUBE  
GLASS FROSTED  
18W



## FEATURES

- INSTANT ON
- UV AND MERCURY FREE
- FLICKER FREE
- NO DARK SPOT
- ALUMINIUM HEAT SINK
- ENERGY SAVING
- CRI >80
- PREMIUM LED CHIPS

## TECHNICAL SPECIFICATIONS

TYPE	WL-T8 2FT	WL-T8 4FT
VOLTAGE	100-277V	100-277V
WATTAGE	8W	18-22W
WATTAGE EQUIVALENT	30W	40-60W
CCT	5000K	4000-6500K
LUMENS	1100LM	1800-3000LM
CRI	>80	>80
BASE	G13	G13

## APPROVALS / RATINGS



# LED TUBES

LED tube lights are an energy-efficient replacement to fluorescent tubes at places with standard ceiling height, like residential complexes, garages, storage areas, and the likes. They are fast replacing the existing fluorescent fixtures as they emit better light color, require less maintenance, and have at least 5 times longer life. This cost-effective lighting method is much loved when it comes to home as well as office indoor lighting.



8FT LED TUBE  
SINGLE PIN CLEAR  
40W, 48W



8FT LED TUBE  
SINGLE PIN FROSTED  
40W



T8 8FT R17 LED TUBE  
LIGHT CLEAR  
48W



## FEATURES

- INSTANT ON
- UV AND MERCURY FREE
- FLICKER FREE
- NO DARK SPOT
- ALUMINIUM HEAT SINK
- ENERGY SAVING
- CRI >80
- PREMIUM LED CHIPS

## TECHNICAL SPECIFICATIONS

TYPE	WL-T8 8FT	WL-T8 8FT R17
VOLTAGE	100-277V	100-277V
WATTAGE	40-48W	48W
WATTAGE EQUIVALENT	80-120W	120W
CCT	4000-6500K	5000-6500K
LUMENS	4800-5800LM	5760LM
CRI	>80	>80
BASE	FA8	R17D

## APPROVALS / RATINGS



# LED INTEGRATED TUBES

Integrated LED tubes are best suited for indoors spread in vast areas like hallways and corridors. The reason is they can be daisy-chained (up to 4) to form a row of uniform lighting across the space. Further, you can even link them together via connecting cables (up to 8) for well-laid pattern lighting so there is no dark spot around the space.

These linkable integrated tubes are widely used for convenience store lighting, exhibition room lighting, and hotel hallway/aisle lighting.



T8 4FT LED TUBE  
V SHAPE INTEGRATED  
CLEAR  
22W, 30W



T8 8FT LED TUBE  
V SHAPE INTEGRATED  
CLEAR  
60W



T8 8FT LED TUBE  
V SHAPE INTEGRATED  
FROSTED  
60W



## FEATURES

- EASY INSTALLATION
- PLUG AND PLAY
- FLICKER FREE
- LOW MAINTENANCE COST
- ALUMINIUM HEAT SINK
- ENERGY SAVING
- CRI >80
- PREMIUM LED CHIPS

## TECHNICAL SPECIFICATIONS

TYPE	WL-T8 4FT	WL-T8 8FT
VOLTAGE	100-277V	100-277V
WATTAGE	22-30W	60W
WATTAGE EQUIVALENT	60-80W	160W
CCT	5000-6500K	5000-6500K
LUMENS	3000-4000LM	6900-7200LM
CRI	>80	>80
BASE	NO FIXTURE REQUIRED	NO FIXTURE REQUIRED

## APPROVALS / RATINGS



# LED COOLER TUBES

Cooler tubes certainly make the products inside the cold-display-unit visible so people looking at them can actually make the right buying decision. If you own a retail store, a convenience store, or a supermarket, you will know how important it is to have the right kind of lighting on the display freezers.

LED cooler tubes by Wen Lighting sure help you get the required lighting in the display units or freezers. Certified by UL, DLC, and RoHS, these lights are tested to emit no harmful radiations and hence, you can use them in food and beverage coolers as well.



T8 4FT LED FREEZER/COOLER TUBE V SHAPE CLEAR 18W



T8 5FT LED COOLER V SHAPE CLEAR 32W



T8 6FT LED COOLER V SHAPE CLEAR 40W



## FEATURES

- EASY INSTALLATION
- PLUG AND PLAY
- FLICKER FREE
- LOW MAINTENANCE COST
- ALUMINIUM HEAT SINK
- ENERGY SAVING
- CRI >80
- PREMIUM LED CHIPS

## TECHNICAL SPECIFICATIONS

TYPE	WL-T8 4FT	WL-T8 5FT	WL-T8 6FT
VOLTAGE	100-277V	100-277V	100-277V
WATTAGE	18W	32W	40W
WATTAGE EQUIVALENT	60W	80W	100W
CCT	5000K	5000K	5000K
LUMENS	2500LM	4200LM	5200LM
CRI	>80	>80	>80
BASE	INTEGRATED	INTEGRATED	INTEGRATED

## APPROVALS / RATINGS



# LED PANELS

You certainly want to have bright office interiors -- interiors that infuse employees with a dose of energy every day they come in. The right kind of lighting is vital to office interiors to have a welcoming yet energizing feel. LED Panel Lights by Wen Lighting are a replacement to traditional fluorescent tubes that are known to consume a lot of energy. LED panel lights not just consume less energy but sure help increase the attention span of your employees too.

The linear panels are slim & sleek and are designed in a way that they emit an even glow throughout the space.



LED PANEL 2X2  
40W, 45W



LED PANEL 2X4  
50W, 70W, 72W



## FEATURES

- EASY INSTALLATION
- NO DARK SPOT
- CRI >80
- WIDE BEAM ANGLE
- SLIM & SLEEK DESIGN
- RUGGED CONSTRUCTION
- UV & MERCURY FREE
- ENERGY SAVING

## TECHNICAL SPECIFICATIONS

TYPE	WL- 2X2	WL- 2X4
VOLTAGE	100-277V	100-277V
WATTAGE	40-45W	50-72W
WATTAGE EQUIVALENT	150W	200-400W
CCT	4000-5000K	4000-5000K
LUMENS	4000-5000LM	5000-7200LM
CRI	>80	>80

## APPROVALS / RATINGS





# LED TROFFERS

Troffer lights are square or rectangular light fixtures that solve the same commercial-lighting purpose as panel lights. The only difference is that while panel lights are good to be surface-mounted in suspended grid ceilings, troffer lights are designed for use in modular dropped ceilings.

If we talk about the difference in their appearance, it is this that panel light fixtures are flat and slim with lights hidden beneath while troffer lights are center-basket aligned fixtures, and it is the center from where the light glows.



LED TROFFER 2X2  
30W



LED TROFFER 2X4  
50W



## FEATURES

- EASY INSTALLATION
- CRI >80
- ULTRA WIDE BEAM ANGLE
- PREMIUM LED CHIPS
- RUGGED CONSTRUCTION
- UV AND MERCURY FREE
- THERMAL HEAT DISSIPATION
- LOW COST MAINTENANCE

## TECHNICAL SPECIFICATIONS

TYPE	WL-2X2	WL-2X4
VOLTAGE	120-277V	120-277V
WATTAGE	30W	50W
CCT	5000K	5000K
LUMENS	4200LM	6500LM
WATTAGE EQUIVALENT	90W	140W
CRI	>80	>80

## APPROVALS / RATINGS



# LED DOWNLIGHTS

Downlights- also known as can lights and pot lights- are those small light fixtures that are recessed in the ceiling in such a way that they emit light in the downward direction. You can have them installed in a lot of places where you wish to achieve general coverage of light. The most popular applications for these LED lights are bathrooms, kitchens, hallways, living area, and the study.

LED BAFFLE DOWNLIGHTS



4inches-8watt  
5/6inches-15watt

LED SQUARE DOWNLIGHTS



4inches-9watt  
5/6inches-12watt

LED EYE BALL DOWNLIGHTS



4inches-10watt  
5/6inches-15watt

LED DISK DOWNLIGHTS



4inches-10watt  
5/6inches-15watt

LED BAFFLE DOWNLIGHTS WITH JUNCTION BOX



8inches-30watt  
10inches-40watt



## FEATURES

- EASY INSTALLATION
- NO DARK SPOT
- ULTRA WIDE BEAM ANGLE
- SLIM & SLEEK DESIGN
- RUGGED CONSTRUCTION
- UV AND MERCURY FREE
- DIMMABLE
- ENERGY SAVING

## TECHNICAL SPECIFICATIONS

TYPE	WL-4IN	WL-5/6IN	WL-8IN	WL-10IN
VOLTAGE	120V	120V	110-277V	110-277V
WATTAGE	8-10W	12-15W	30W	40W
WATTAGE EQUIVALENT	65W	100-120W	200W	250W
CCT	3000-5000K	3000-5000K	4000-5000K	5000K
LUMENS	600-650LM	900-1100LM	2250LM	3000LM
CRI	>90	>90	>90	>80
BASE	RETROFIT	RETROFIT	RECESSED	RECESSED


## APPROVALS / RATINGS




# LED LINEAR HIGH BAY

Own a warehouse? Fed up of lighting woes that come to surface in the form of flickering lights, lights that glare too bad, lights that go kaput every now and then, or lights that eat up a major share of utility budget every billing cycle? Here, let's talk about the solutions:

LED high bay lights by Wen Lighting are meant to illuminate spaces with ceilings that go more than 20 ft in height. Warehouses, utility stores like supermarkets & retail marts, garages, and covered parking lots etc., highly benefit from energy-efficient LED high bay lights by Wen Lighting.



2FT LED  
LINEAR HIGH BAY LIGHT  
105W, 165W



4FT LED  
LINEAR HIGH BAY LIGHT  
225W



LED  
LINEAR HIGH BAY LIGHT  
CLEAR COVER  
110W, 165W, 220W,  
300W



## FEATURES

- EASY INSTALLATION
- HOOK MOUNT
- THERMAL HEAT DISSIPATION
- PREMIUM LED CHIPS
- ULTRA WIDE ANGLE LENS
- RUGGED CONSTRUCTION
- MOTION SENSOR (OPTIONAL)
- LOW COST MAINTENANCE

## TECHNICAL SPECIFICATIONS

TYPE	WL-2FT	WL-4FT	WL-CC
VOLTAGE	120-277V	120-277V	100-277V
WATTAGE	105-165W	225W	110-300W
WATTAGE EQUIVALENT	250-400W	600W	400-800W
CCT	4000-5000K	5000K	5700K
LUMENS	13650-22000LM	29000LM	15641-40918LM
CRI	>70	>70	>80

## APPROVALS / RATINGS



# LED UFO HIGH BAY

Own a warehouse? Fed up of lighting woes that come to surface in the form of flickering lights, lights that glare too bad, lights that go kaput every now and then, or lights that eat up a major share of utility budget every billing cycle? Here, let's talk about the solutions:

LED high bay lights by Wen Lighting are meant to illuminate spaces with ceilings that go more than 20 ft in height. Warehouses, utility stores like supermarkets & retail marts, garages, and covered parking lots etc., highly benefit from energy-efficient LED high bay lights by Wen Lighting.



LED  
UFO HIGH BAY LIGHT  
100W, 150W, 240W



SQUARE LED  
UFO HIGH BAY LIGHT  
150W, 240W



LED  
UFO HIGH BAY LIGHT  
PMMA LENS  
150W



LED  
UFO HIGH BAY LIGHT  
DLC PREMIUM  
100W, 200W



## FEATURES

- EASY INSTALLATION
- HOOK MOUNT
- THERMAL HEAT DISSIPATION
- PREMIUM LED CHIPS
- ULTRA WIDE ANGLE LENS
- RUGGED CONSTRUCTION
- LOW COST MAINTENANCE
- 50,000 HOURS LIFESPAN

## TECHNICAL SPECIFICATIONS

TYPE	WL-100W	WL-150W	WL-200W	WL-240W
VOLTAGE	100-277V	100-277V	100-277V	100-277V
WATTAGE	100W	150W	200W	240W
WATTAGE EQUIVALENT	400W	400W	800W	1000W
CCT	4000-5700K	4000-5700K	4000-5700K	4000-5700K
LUMENS	11852LM	20098-21750LM	29000LM	31000-35000LM
CRI	>80	>80	>80	>80

## APPROVALS / RATINGS



# LED FLUSH MOUNT FIXTURES

If you have ceilings with low clearance and you are practically left with no option to have beautiful lights in place, think again.

LED Flush Mount Lights by Wen Lighting are the best fit for close-to-ceiling lighting that helps render a modern & contemporary touch to a place. To make the living room shine with a warm glow from within, you should definitely go ahead our LED flush mount lights.

LED FLUSH MOUNT SINGLE RING



11inches-15watt  
14inches-25watt

LED FLUSH MOUNT DOUBLE RING



12inches-15watt  
14inches-25watt

LED FLUSH MOUNT ROUND MUSHROOM



11inches-12.5watt

LED FLUSH MOUNT SQUARE SINGLE RING



11inches-15watt



## FEATURES

- EASY INSTALLATION
- 0-10 DIMMABLE
- CRI >80
- NO DARK SPOT
- LOW COST MAINTENANCE
- ENERGY SAVING
- PREMIUM LED CHIPS
- UV AND MERCURY FREE

## TECHNICAL SPECIFICATIONS

TYPE	WL-12.5W	WL-15W	WL-25W
VOLTAGE	120V	120V	120V
WATTAGE	12.5W	15W	25W
CCT	3000-5000K	3000-5000K	3000-5000K
LUMENS	1050LM	1000-1050LM	1700-1750LM
CRI	>80	>80	>80

## APPROVALS / RATINGS



# LED EXIT SIGN/EMERGENCY LIGHTS

Wen Lighting offers cost-effective, energy efficient emergency lights to meet a variety of applications including: industrial emergency lighting, high end architectural emergency lights, recessed installation emergency lights.




LED EMERGENCY EXIT SIGN  
1W



LED SQUARE EMERGENCY LIGHT  
2.4W




LED ROUNDED EMERGENCY LIGHT  
2.4W



LED EMERGENCY EXIT SIGN  
4W (RED & GREEN)



EMERGENCY LIGHT EDGE LIT EXIT SIGN  
3W (RED & GREEN)



EMERGENCY EXIT LIGHT COMBO  
3.5W (RED & GREEN)



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- DIMMABLE
- UV AND MERCURY FREE
- 50,000 HOURS LIFESPAN
- RUGGED CONSTRUCTION

## TECHNICAL SPECIFICATIONS

TYPE	WL-EXIT	WL-EXIT	WL-EDGE LIT EXIT	WL-EXIT COMBO	WL-SQUARE/ ROUND
VOLTAGE	120-277V	120-277V	120-277V	120-277V	120-277V
WATTAGE	1W	4W	3W	3.5W	2.4W
COLOR	RED	RED AND GREEN	RED AND GREEN	RED AND GREEN	-
DISCHARGE TIME	90 MINUTES	90 MINUTES	90 MINUTES	90 MINUTES	90 MINUTES
BASE	CEILING AND WALL MOUNT	CEILING AND WALL MOUNT	CEILING AND WALL MOUNT	CEILING AND WALL MOUNT	CEILING AND WALL MOUNT

## APPROVALS / RATINGS



# LED UNDERCABINET LIGHTS

This extra-large energy-efficient LED under cabinet light is a handy, contemporary addition to a stylish kitchen, reading room or any space with a cabinet. Built to mount under a cabinet, this light gives out a white finish and includes an inbuilt hi/low switch and CCT controller.

## LED UNDERCABINET LIGHT



LED UNDERCABINET LIGHT (DIMMABLE)  
9, 14, 22, 32 AND 40INCH (4-20W)

## LED UNDER CABINET STRIP LIGHT



LED UNDER CABINET STRIP LIGHT  
12INCH (3X3.6W)



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- CRI >90
- ENERGY SAVING
- DIMMABLE
- CCT CHANGEABLE
- EASY LINKING
- ALUMINUM HOUSING

## TECHNICAL SPECIFICATIONS

TYPE	WL-UNDERCABINET LIGHT	WL-UNDERCABINET STRIP LIGHT
VOLTAGE	120-277V	120-277V
WATTAGE	4-20W	3X3.6W
CCT	3000-5000K	3000K
LUMENS	200-1060LM	3X110LM
CRI	>90	>80

## APPROVALS / RATINGS



# LED UNDERCABINET LIGHTS

This extra-large energy-efficient LED under cabinet light is a handy, contemporary addition to a stylish kitchen, reading room or any space with a cabinet. Built to mount under a cabinet, this light gives out a white finish and includes an inbuilt hi/low switch and CCT controller.


## LED PUCK LIGHT



SLIM LED PUCK LIGHT  
12V ADAPTOR & WAVE  
SENSOR DIMMING, 3.5W



LED PUCK LIGHT  
HARDWIRED/DIRECT  
PLUG-IN, 3.5W



LED SWIVEL PUCK LIGHT  
12V ADAPTOR & TOUCH  
DIMMER, 3.5W



MAGNETIC LED PUCK LIGHT  
12V ADAPTOR &  
TOUCH DIMMER, 2.2W



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- CRI >90
- ENERGY SAVING
- DIMMABLE
- CCT CHANGEABLE
- EASY LINKING
- ALUMINUM HOUSING

## TECHNICAL SPECIFICATIONS

TYPE	WL-PUCK LIGHT	WL-PUCK LIGHT HARDWIRED/ DIRECT	WL-SWIVEL PUCK LIGHT	WL-MAGNETIC PUCK LIGHT
VOLTAGE	120-277V	120-277V	120-277V	120-277V
WATTAGE	3X3.5W	3X3W	3X3.5W	3X2.2W
CCT	2700-4000K	3000K & 5000K	3000K & 5000K	3000-5000K
LUMENS	3X200LM	3X140LM	3X250LM	3X150LM
CRI	>90	>90	>90	>90

## APPROVALS / RATINGS






# WALL SCONCE

Wall lights are an ideal choice to brighten up your home. The compact size makes it easy to install while saving additional space. These Wall Sconce lights suit well for any style of interiors. You can use fancy wall lights in the living room to beautify its overall look. Wall Sconces can be installed at entrances or corridors for bright lighting. For bedtime readers, wall light lamps prove to be a boon; you can install these lamps right above your reading spot.



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN



GS013



GS012



GS008



GS005



GS009



GS004

## TECHNICAL SPECIFICATIONS

TYPE	GS013	GS012	GS008	GS005	GS009	GS004
VOLTAGE	120V	120V	120V	120V	120V	120V
WATTAGE	2 X 7W	1 X 60W	1 X 60W	2 X 60W	1X40W	2X100W
FINISH	AGED BRASS, COPPER, SATIN NICKLE	OIL RUBBED, SATIN NICKLE	WHITE FABRIC SHADE	BRUSHED NICKEL	BRUSHED NICKEL	WHITE FABRIC ACRYLIC
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS

BULB NOT INCLUDED

## APPROVALS / RATINGS




# WALL SCONCE

Wall lights are an ideal choice to brighten up your home. The compact size makes it easy to install while saving additional space. These Wall Sconce lights suit well for any style of interiors. You can use fancy wall lights in the living room to beautify its overall look. Wall Sconces can be installed at entrances or corridors for bright lighting. For bedtime readers, wall light lamps prove to be a boon; you can install these lamps right above your reading spot.



GS001



GS011



GS010



GS003



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN

## TECHNICAL SPECIFICATIONS

TYPE	GS001	GS011	GS010	GS003
VOLTAGE	120V	120V	120V	120V
WATTAGE	100W	2 X 60W	2 X 40W	100W
FINISH	BRUSHED NICKLE	BRUSHED BRASS	BRUSHED NICKEL	SATIN NICKEL
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS

BULB NOT INCLUDED

## APPROVALS / RATINGS



# FLOOR LAMPS

Introduce your living or workspace with the elegance that comes with this contemporary floor lamp. It features a sturdy metal frame that offers a brushed nickel finish. The shade of this lamp uses hardback white linen material which will offer sheer elegance to any modern indoor space. Since the length of this floor lamp is W18”\*H61”\*E9”, while the shade measures W18”\*H11”\*D9”, you can place it in the living room, office, or bedroom, and experience soft ambient lighting. The lamp comes with standard UL certifications, hence it is suitable for use in dry indoor locations (only). It has one bulb holder compatible with A19 style bulbs that come with an E26 base. A rocker switch on the base of the shade will allow you to turn it on or off. Since this lamp is best suited to use for ambient or décor lighting, it will be best to install an LED bulb. LEDs are available in several color temperatures and choosing the right one will allow you to get the most of this floor lamp.



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN

## TECHNICAL SPECIFICATIONS

TYPE	GS006
VOLTAGE	120V
WATTAGE	60W
FINISH	PURE WHITE LINEN SHADE
WARRANTY	3 YEARS
DIMENSION	W 18 X H 61 X E 9 INCH
BASE	E26 BASE

BULB NOT INCLUDED

## APPROVALS / RATINGS



# TABLE LAMPS

What you see here is a contemporary desk lamp that awaits your office desk. (not that you can not install this lamp at home!) This W14"\*H28"\*D7" desk lamp features the use of a sturdy metal body along with an aesthetic hardbacked linen shade. It will need an AC power supply of 120V and one A19 style bulb with an E26 base. The lamp comes with one rocker switch (for lighting control), an electrical outlet, and a USB for the convenience of charging other electrical devices. (such as mobile phone) The felt pad base of this lamp will allow you to hold it at a fixed position on your work desk. This desk lamp is ideal for use in home offices, study rooms, as well as large corporate offices. It offers a simple-yet-elegant design that will help culminate the looks at the work desk in the view that you'll love. Furthermore, if you want to experience the best of this desk lamp while saving lots of electricity, consider using an LED bulb with it!



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN

## TECHNICAL SPECIFICATIONS

TYPE	GS006
VOLTAGE	120V
WATTAGE	60W
FINISH	BRUSHED NICKEL WITH FABRIC SHADE
WARRANTY	3 YEARS
DIMENSION	W 14 X H 28 X D 7 INCH

BULB NOT INCLUDED

## APPROVALS / RATINGS



# PENDANT LIGHTS

Accentuate your home with the beauty that these Pendant light fixture have to offer. Design that will blend in and adorn various indoor settings of your home (or office). These fixture comes with various typrs of finish, which makes it an eye candy as well as provides exceptional heat sinking capabilities. Since this pendant light fixture operates on an input of 120 V to provide an output of high lumens, it is ideal for illuminating any space. You can choose the right one for your lighting project



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN

## TECHNICAL SPECIFICATIONS

TYPE	HS056	HS057	HS012	HS067	HS064	HS063
VOLTAGE	120V	120V	120V	120V	120V	120V
WATTAGE	78W	102W	6W	9W	78W	32W
FINISH	ALUMINUM/ MATTE BLACK	MATTE BLACK	MATTE BLACK/SAND WHITE	MATTE BLACK	WOODEN + MATTE BLACK	WOOD + MATTE BLACK
LUMENS	3985	4335	462	520	1501	961
COLOR TEMPRATURE	3000K	3000K	3000K	3000K	3000K	3000K
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS

## APPROVALS / RATINGS



# PENDANT LIGHTS

Accentuate your home with the beauty that these Pendant light fixture have to offer. Design that will blend in and adorn various indoor settings of your home (or office). These fixture comes with various typrs of finish, which makes it an eye candy as well as provides exceptional heat sinking capabilities. Since this pendant light fixture operates on an input of 120 V to provide an output of high lumens, it is ideal for illuminating any space. You can choose the right one for your lighting project



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN



## TECHNICAL SPECIFICATIONS

TYPE	HS062	HS061	HS058	HS055	HS054	HS053
VOLTAGE	120V	120V	120V	120V	120V	120V
WATTAGE	128W	35W	41W	29W	38W	56W
FINISH	WOODEN+ MATTE BLACK	WOOD + MATTE BLACK	ALUMINUM / MATTE BLACK	ALUMINUM / MATTE BLACK	ALUMINUM / MATTE BLACK	ALUMINUM / MATTE BLACK
LUMENS	2461	836	2225	1532	1521	2462
COLOR TEMPRATURE	3000K	3000K	3000K	3000K	3000K	3000K
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS



## APPROVALS / RATINGS



# PENDANT LIGHTS

Accentuate your home with the beauty that these Pendant light fixture have to offer. Design that will blend in and adorn various indoor settings of your home (or office). These fixture comes with various typrs of finish, which makes it an eye candy as well as provides exceptional heat sinking capabilities. Since this pendant light fixture operates on an input of 120 V to provide an output of high lumens, it is ideal for illuminating any space. You can choose the right one for your lighting project



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN



## TECHNICAL SPECIFICATIONS


TYPE	HS052	HS051	HS047	HS044	HS043	HS038
VOLTAGE	120V	120V	120V	120V	120V	120V
WATTAGE	54W	40W	41W	29W	112 W	9W
FINISH	ALUMINUM / MATTE BLACK / SAND WHITE	ALUMINUM / MATTE BLACK	ALUMINUM / MATTE BLACK	ALUMINUM / MATTE BLACK	SAND BLACK BODY FINISH	MATTE BLACK BODY FINISH
LUMENS	3016	1917	2225	1532	5600	450
COLOR TEMPRATURE	3000K	3000K	3000K	3000K	3000K	3000K
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS

## APPROVALS / RATINGS



# PENDANT LIGHTS

Accentuate your home with the beauty that these Pendant light fixture have to offer. Design that will blend in and adorn various indoor settings of your home (or office). These fixture comes with various typrs of finish, which makes it an eye candy as well as provides exceptional heat sinking capabilities. Since this pendant light fixture operates on an input of 120 V to provide an output of high lumens, it is ideal for illuminating any space. You can choose the right one for your lighting project



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN

## TECHNICAL SPECIFICATIONS

TYPE	HS036	HS035	HS034	HS033	HS032	HS031
VOLTAGE	120V	120V	120V	120V	120V	120V
WATTAGE	23W	16W	33W	38W	18 W	25W
FINISH	MATTE BLACK BODY FINISH	MATTE BLACK BODY FINISH	MATTE BLACK BODY FINISH	MATTE BLACK BODY FINISH	MATTE BLACK BODY FINISH	BRUSHED BROWN BODY FINISH
LUMENS	1150	800	1650	1900	900	1250
COLOR TEMPRATURE	3000K	3000K	3000K	3000K	3000K	3000K
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS

## APPROVALS / RATINGS





# PENDANT LIGHTS

Accentuate your home with the beauty that these Pendant light fixture have to offer. Design that will blend in and adorn various indoor settings of your home (or office). These fixture comes with various typrs of finish, which makes it an eye candy as well as provides exceptional heat sinking capabilities. Since this pendant light fixture operates on an input of 120 V to provide an output of high lumens, it is ideal for illuminating any space. You can choose the right one for your lighting project



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN



## TECHNICAL SPECIFICATIONS

TYPE	HS028	HS027	HS023	HS022	HS021	HS020
VOLTAGE	120V	120V	120V	120V	120V	120V
WATTAGE	45W	25W	52W	43W	70W	141W
FINISH	SMOKE GREY BODY FINISH	SMOKE GREY BODY FINISH	SMOKE GREY BODY FINISH	SMOKE GREY BODY FINISH	SMOKE GREY BODY FINISH	SMOKE GREY BODY FINISH
LUMENS	2250	1250	2600	966	5200	8800
COLOR TEMPRATURE	3000K	3000K	3000K	3000K	3000K	3000K
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS

## APPROVALS / RATINGS



# PENDANT LIGHTS

Accentuate your home with the beauty that these Pendant light fixture have to offer. Design that will blend in and adorn various indoor settings of your home (or office). These fixture comes with various typrs of finish, which makes it an eye candy as well as provides exceptional heat sinking capabilities. Since this pendant light fixture operates on an input of 120 V to provide an output of high lumens, it is ideal for illuminating any space. You can choose the right one for your lighting project



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN



## TECHNICAL SPECIFICATIONS

TYPE	HS013	HS011	HS009	HS008	HS007	HS006
VOLTAGE	120V	120V	120V	120V	120V	120V
WATTAGE	7W	119W	8W	43W	5W	17W
FINISH	MATTE BLACK/SAND WHITE	ALUMINUM/MATTE BLACK/SANDWHITE	SMOKE GREY/MATTE BLACK	ALUMINUM/MATTE BLACK	ALUMINUM/MATTE BLACK	MATTE BLACK
LUMENS	516	3718	400	699	214	1030
COLOR TEMPRATURE	3000K	3000K	3000K	3000K	3000K	3000K
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS

## APPROVALS / RATINGS



# PENDANT LIGHTS

Accentuate your home with the beauty that these Pendant light fixture have to offer. Design that will blend in and adorn various indoor settings of your home (or office). These fixture comes with various typrs of finish, which makes it an eye candy as well as provides exceptional heat sinking capabilities. Since this pendant light fixture operates on an input of 120 V to provide an output of high lumens, it is ideal for illuminating any space. You can choose the right one for your lighting project



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN



## TECHNICAL SPECIFICATIONS

TYPE	HS005	HS004	HS003	HS002	HS001	HS068
VOLTAGE	120V	120V	120V	120V	120V	120V
WATTAGE	9W	47W	40W	70W	60W	34W
FINISH	MATTE BLACK BODY FINISH	MATTE BLACK BODY FINISH	MATTE BLACK BODY FINISH	ALUMINUM/ MATTE BLACK	ALUMINUM/ MATTE BLACK/ SAND WHITE	ALUMINUM BODY FINISH
LUMENS	664	3020	2653	3500	2800	1028
COLOR TEMPRATURE	3000K	3000K	3000K	3000K	3000K	3000K
WARRANTY	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS	3 YEARS

## APPROVALS / RATINGS



# PENDANT LIGHTS

Accentuate your home with the beauty that these Pendant light fixture have to offer. Design that will blend in and adorn various indoor settings of your home (or office). These fixture comes with various typrs of finish, which makes it an eye candy as well as provides exceptional heat sinking capabilities. Since this pendant light fixture operates on an input of 120 V to provide an output of high lumens, it is ideal for illuminating any space. You can choose the right one for your lighting project



## FEATURES

- EASY INSTALLATION
- ATTRACTIVE FINISH
- STRUDY BUILD
- CERTIFIED
- LONG LIFE
- SLEEK DESIGN

## TECHNICAL SPECIFICATIONS

TYPE	HS005	HS004	HS050
VOLTAGE	120V	120V	120V
WATTAGE	7W	17W	31W
FINISH	ALUMIUM/ MATTE BLACK	ALUMIUM/ MATTE BLACK	ALUMIUM BODY FINISH
LUMENS	664	1137	1285
COLOR TEMPRATURE	3000K	3000K	3000K
WARRANTY	3 YEARS	3 YEARS	3 YEARS

## APPROVALS / RATINGS



# LED VANITY MIRROR

## TABLE OF CONTENTS

PRODUCTS	PAGE NO.
<b>INDOOR LIGHTING</b>	
LED BULBS	3
LED TUBES	4-5
LED INTEGRATED TUBES	6
LED COOLER TUBES	7
LED PANELS	8
LED TROFFERS LIGHT	9
LED DOWNLIGHTS	10
LED HIGHBAY	11-12
LED FLUSH MOUNT FIXTURES	13
LED EXIT SIGN	14
LED UNDERCABINET LIGHTS	15-16
WALL SCONCE	17-18
FLOOR/TABLE LAMPS	19-20
PENDANTS	21-28
LED VANITY MIRRORS	30-41
<b>OUTDOOR LIGHTING</b>	
LED CANOPY	43
LED CORN BULBS	44
LED FLOOD LIGHTS	45-47
LED POLE LIGHTS	48-49
LED WALL PACKS	50-51
LED WORK LIGHTS	52
LED SOLAR LIGHTS	53
LED RETROFIT KITS	54
<b>STRIP LIGHTING</b>	
LED STRIP LIGHTS	56-62
<b>MODULES &amp; SIGN BARS</b>	
LED MODULES & SIGN BARS	64-66

# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## AUSPICE



TOUCH SWITCH CONTROL




DEFOGGER



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

## TECHNICAL SPECIFICATIONS

TYPE	MR015	
VOLTAGE	100-120VAC	
WATTAGE	50 WATT	70 WATT
AVAILABLE SIZE	24X32 INCH	48X28 INCH
LUMENS	(24X32) 2340 LUMENS	(48X28) 3150 LUMENS
COLOR TEMPRATURE	3000/4000/6000 KELVIN	3000/4000/6000 KELVIN
CERTIFICATIONS	ETL, FCC, CE, ROHS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS



## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE
- INBUILT DEFOGGER



# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## ACCORD



TOUCH SWITCH CONTROL




DEFOGGER



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

## TECHNICAL SPECIFICATIONS

TYPE	MR016		
VOLTAGE	100-120VAC		
WATTAGE	71WATT	48WATT	82WATT
AVAILABLE SIZE	48X36 INCH	24X36 INCH	70X32 INCH
LUMENS	3940	3240	7299
COLOR TEMPRATURE	3000/4000/6000 KELVIN	3000/4000/6000 KELVIN	3000/4000/6000 KELVIN
CERTIFICATIONS	ETL, FCC, CE, ROHS	ETL, FCC, CE, ROHS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS



## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE
- INBUILT DEFOGGER





# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## MAGNUM



## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE
- INBUILT DEFOGGER

## TECHNICAL SPECIFICATIONS

TYPE	MR017		
VOLTAGE	100-120VAC		
WATTAGE	61WATT	75WATT	70watt
AVAILABLE SIZE	24X32 INCH	36X48 INCH	36X36 INCH
LUMENS	4725	7290	6210
COLOR TEMPRATURE	3000/4000/6000 KELVIN	3000/4000/6000 KELVIN	3000/4000/6000 KELVIN
FINISH	BLACK FRAME/ GOLD FRAME/ROSE GOLD FRAME/ SILVER FRAME		
CERTIFICATIONS	ETL, FCC, CE, ROHS	ETL, FCC, CE, ROHS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS



TOUCH SWITCH CONTROL




DEFOGGER



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE






# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## RAVEN



TOUCH SWITCH CONTROL



DEFOGGER



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

## FEATURES



- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE
- INBUILT DEFOGGER

## TECHNICAL SPECIFICATIONS

TYPE	MR018	
VOLTAGE	100-120VAC	
WATTAGE	60WATT	68WATT
AVAILABLE SIZE	24X32 INCH	36X36 INCH
LUMENS	2250	2970
COLOR TEMPRATURE	3000/4000/6000 KELVIN	3000/4000/6000 KELVIN
FINISH	BLACK FRAME/ GOLD FRAME	
CERTIFICATIONS	ETL, FCC, CE, ROHS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS



# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## RAVEN ROUND



TOUCH SWITCH CONTROL



DEFOGGER



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE



## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE
- INBUILT DEFOGGER

## TECHNICAL SPECIFICATIONS

TYPE	MR019
VOLTAGE	100-120VAC
WATTAGE	28WATT
AVAILABLE SIZE	24 INCH
LUMENS	1440
COLOR TEMPRATURE	3000/4000/6000 KELVIN
FINISH	BLACK FRAME/ GOLD FRAME
CERTIFICATIONS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS



# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## LUNAR



TOUCH SWITCH CONTROL




DEFOGGER



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE



## TECHNICAL SPECIFICATIONS

TYPE	MR020		
VOLTAGE	100-120VAC		
WATTAGE	31WATT	57WATT	66WATT
AVAILABLE SIZE	24X32 INCH	24X36 INCH	36X48 INCH
LUMENS	1845	1980	2835
COLOR TEMPRATURE	3000/4000/6000 KELVIN		
FINISH	GOLD FRAME		
CERTIFICATIONS	ETL, FCC, CE, ROHS		

## APPROVALS / RATINGS



# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## INNER EDGE



## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE
- INBUILT DEFOGGER

## TECHNICAL SPECIFICATIONS

TYPE	MR015	MR009	MR010
VOLTAGE	100-120VAC		
AVAILABLE SIZE	24X36 INCH	36X48 INCH	36X36 INCH
LUMENS	2600	2800	2700
COLOR TEMPRATURE	3000/4000/6000 KELVIN		
CERTIFICATIONS	ETL, FCC, CE, ROHS		

## APPROVALS / RATINGS



TOUCH SWITCH CONTROL




DEFOGGER



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## OUTER EDGE



## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE
- INBUILT DEFOGGER

## TECHNICAL SPECIFICATIONS

TYPE	MR003	MR001	MR002
VOLTAGE	100-120VAC		
AVAILABLE SIZE	24X36 INCH	36X48 INCH	36X36 INCH
LUMENS	2600	2800	2700
COLOR TEMPRATURE	3000/4000/6000 KELVIN		
CERTIFICATIONS	ETL, FCC, CE, ROHS		

## APPROVALS / RATINGS



TOUCH SWITCH CONTROL




DEFOGGER



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## TITAN




TOUCH SWITCH CONTROL



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE



## TECHNICAL SPECIFICATIONS

TYPE	MR024
VOLTAGE	100-120VAC
AVAILABLE SIZE	55.1 X 25.6 INCH
LUMENS	3420
COLOR TEMPRATURE	3000/4000/6000 KELVIN
HOUSING	ALUMINUM AND ZINC ALLOY
CERTIFICATIONS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS



# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## REAL-X



TOUCH SWITCH CONTROL



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE



## TECHNICAL SPECIFICATIONS

TYPE	MR021
VOLTAGE	100-120VAC
AVAILABLE SIZE	25.59X63 INCH
LUMENS	3420
COLOR TEMPRATURE	3000/4000/6000 KELVIN
FRAME	ROSE GOLD FRAME
CERTIFICATIONS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS



# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## EVO




TOUCH SWITCH CONTROL



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE



## TECHNICAL SPECIFICATIONS

TYPE	MR022
VOLTAGE	100-120VAC
WATTAGE	48WATT
AVAILABLE SIZE	24X36 INCH
LUMENS	2160
COLOR TEMPRATURE	3000/4000/6000 KELVIN
FINISH	ROSE GOLD FRAME/ GOLD FRAME
CERTIFICATIONS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS





# LED VANITY MIRRORS

Our LED mirror are UL certified; we believe that modernity is all about innovation et pushing the boundaries of technology, material and artistry to offer an exclusive collection of state-of-the-art products.

Imagine a bathroom full of luxurious features, beautiful faucets aesthetically pleasing decor but a simple dull mirror. Imagine the same bathroom now with an LED vanity mirror adorning an entire wall. That is the power and the luxury appeal of LED vanity mirrors when talking about aesthetics and interior decor.

## EVO




TOUCH SWITCH CONTROL



ETL CERTIFIED MIRROR



HASSLE FREE WARRANTY



CCT CHANGEABLE

## FEATURES

- EXCEPTIONAL QUALITY
- ATTRACTIVE FINISH
- EASY INSTALLATION
- WATERPROOF DRIVER
- LONG LIFE



## TECHNICAL SPECIFICATIONS

TYPE	MR023
VOLTAGE	100-120VAC
WATTAGE	69WATT
AVAILABLE SIZE	36X48 INCH
LUMENS	3060
COLOR TEMPRATURE	3000/4000/6000 KELVIN
FINISH	ROSE GOLD FRAME/ GOLD FRAME
CERTIFICATIONS	ETL, FCC, CE, ROHS

## APPROVALS / RATINGS



# OUTDOOR LIGHTING



## TABLE OF CONTENTS

PRODUCTS	PAGE NO.
<b>INDOOR LIGHTING</b>	
LED BULBS	3
LED TUBES	4-5
LED INTEGRATED TUBES	6
LED COOLER TUBES	7
LED PANELS	8
LED TROFFERS LIGHT	9
LED DOWNLIGHTS	10
LED HIGHBAY	11-12
LED FLUSH MOUNT FIXTURES	13
LED EXIT SIGN	14
LED UNDERCABINET LIGHTS	15-16
WALL SCONCE	17-18
FLOOR/TABLE LAMPS	19-20
PENDANTS	21-28
LED VANITY MIRRORS	30-41
<b>OUTDOOR LIGHTING</b>	
LED CANOPY	43
LED CORN BULBS	44
LED FLOOD LIGHTS	45-47
LED POLE LIGHTS	48-49
LED WALL PACKS	50-51
LED WORK LIGHTS	52
LED SOLAR LIGHTS	53
LED RETROFIT KITS	54
<b>STRIP LIGHTING</b>	
LED STRIP LIGHTS	56-62
<b>MODULES &amp; SIGN BARS</b>	
LED MODULES & SIGN BARS	64-66

# LED CANOPY

Designed to help you light up your gas station, canopy, car wash, and convenience store better, LED Canopy Lights are reasonably priced at Wen Lighting. Since it is a gas station where people prefer to stop by and relax for a while before hitting the road again, it is important for you to make the atmosphere welcoming. Right kind of lighting that makes space look safe and relaxing is what makes the real difference.



LED CANOPY LIGHT  
45W, 70W



LED CANOPY LIGHT  
75W



LED CANOPY LIGHT  
150W



LED CANOPY LIGHT  
DLC PREMIUM  
150W



## FEATURES

- EASY INSTALLATION
- RUGGED METAL
- THERMAL HEAT DISSIPATION
- IP 65 RATED
- VERY WIDE BEAM ANGLE
- 1-10V DIMMABLE
- SMALL ELECTRON GREAT POWER
- SHATTER PROOF LENS

## TECHNICAL SPECIFICATIONS

TYPE	WL-45W	WL-70W	WL-75W	WL-150W
VOLTAGE	120-277V	120-277V	100-277V	100-277V
WATTAGE	45W	70W	75W	150W
WATTAGE EQUIVALENT	100W	180W	250W	400W
CCT	5700K	5700K	5700K	5700K
LUMENS	5000LM	8140LM	8791LM	17242-19398LM
CRI	>70	>70	>70	>70

## APPROVALS / RATINGS



# LED CORN BULBS

LED corn bulbs are corn-shaped bulbs where the small diodes mimic the kernels of corn. They provide 360-degree lighting and have become the preferred choice for outdoor lighting these days.

Available in a range of color temperatures, LED Corn Bulbs by Wen Lighting are designed to replace energy-consuming metal halide (MH) fixtures. While metal halide bulbs emit very warm light, LED corn bulbs are available in similar light-type as well as in daylight white-type.



LED CORN BULB 20W  
(E26 BASE)



LED CORN BULB 60W  
(E39 BASE)



LED CORN BULB 100W  
(E39 BASE)



LED CORN BULB 125W  
(E39 BASE)



Warehouse



Parking lot



Backyard Garden



Street light

## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- BIG HEAT SINK
- THERMAL HEAT DISSIPATION
- LED COB CHIPS
- E26 BASE AND E39 BASE

## TECHNICAL SPECIFICATIONS

TYPE	WL-20W	WL-60W	WL-100W	WL-125W
VOLTAGE	100-277V	100-277V	100-277V	100-277V
WATTAGE	20W	60W	100W	125W
WATTAGE EQUIVALENT	60W	180W	300W	400W
CCT	5700K	5700K	5700K	5700K
LUMENS	2300LM	4190LM	11852LM	14000LM
CRI	>80	>80	>80	>80
BASE	E26	E39	E39	E39

## APPROVALS / RATINGS



# LED FLOOD LIGHTS

Whenever it's about illuminating vast spaces (specifically outdoors like stadiums and huge parking lots), LED Flood Lights win, hands-down. They are high-intensity, broad-beam lights that render a powerful effect, leaving no dark patches around. Of late, they are also being used in amphitheaters during stage shows - set insides or outsides - apart from playgrounds, stadiums, and parking lots. These lights ward off even the slightest hint of a low-light condition.



LED FLOOD LIGHT  
FLOOD MOUNT  
15W



LED FLOOD LIGHT  
FLOOD MOUNT  
30W



LED FLOOD LIGHT  
FLOOD MOUNT  
50W



LED FLOOD LIGHT  
KNUCKLE MOUNT  
15W



LED FLOOD LIGHT  
KNUCKLE MOUNT  
30W



LED FLOOD LIGHT  
KNUCKLE MOUNT  
50W



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- POLYCARBONATE OPTICS
- THERMAL HEAT DISSIPATION
- LOW COST MAINTENANCE
- RUGGED CONSTRUCTION

## TECHNICAL SPECIFICATIONS

TYPE	WL-15W	WL-30W	WL-50W
VOLTAGE	120-277V	120-277V	120-277V
WATTAGE	15W	30W	50W
WATTAGE EQUIVALENT	60W	90-120W	150-180W
CCT	5700K	5700K	5000-5700K
LUMENS	1730LM	3600-3750LM	6250-6500LM
CRI	>80	>80	>80
MOUNT	FLOOD MOUNT KNUCKLE MOUNT	FLOOD MOUNT KNUCKLE MOUNT	FLOOD MOUNT KNUCKLE MOUNT

## APPROVALS / RATINGS



# LED FLOOD LIGHTS

Whenever it's about illuminating vast spaces (specifically outdoors like stadiums and huge parking lots), LED Flood Lights win, hands-down. They are high-intensity, broad-beam lights that render a powerful effect, leaving no dark patches around. Of late, they are also being used in amphitheatres during stage shows - set insides or outsides - apart from playgrounds, stadiums, and parking lots. These lights ward off even the slightest hint of a low-light condition.



LED FLOOD LIGHT  
100W



LED FLOOD LIGHT  
150W



LED FLOOD LIGHT  
200W



LED FLOOD LIGHT  
240W



LED FLOOD LIGHT  
300W



LED FLOOD LIGHT  
300W  
HIGH VOLTAGE



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- POLYCARBONATE OPTICS
- THERMAL HEAT DISSIPATION
- LOW COST MAINTENANCE
- RUGGED CONSTRUCTION

## TECHNICAL SPECIFICATIONS

TYPE	WL-100W	WL-150W	WL-200W	WL-240W	WL-300W
VOLTAGE	100-277V	100-277V	100-277V	100-277V	100-277V 200-480V
WATTAGE	100W	150W	200W	240W	300W
WATTAGE EQUIVALENT	300W	400W	600W	800W	1000W
CCT	5700K	5700K	5700K	5700K	5700K
LUMENS	13618LM	17719- 20000LM	24568LM	31235 LM	39982- 40521LM
CRI	>70	>70	>70	>70	>70

## APPROVALS / RATINGS



# LED FLOOD LIGHTS

Whenever it's about illuminating vast spaces (specifically outdoors like stadiums and huge parking lots), LED Flood Lights win, hands-down. They are high-intensity, broad-beam lights that render a powerful effect, leaving no dark patches around. Of late, they are also being used in amphitheatres during stage shows - set insides or outsides - apart from playgrounds, stadiums, and parking lots. These lights ward off even the slightest hint of a low-light condition.




LED FLOOD LIGHT  
480W



LED FLOOD LIGHT  
480W  
HIGH VOLTAGE



LED FLOOD LIGHT  
600W



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- POLYCARBONATE OPTICS
- THERMAL HEAT DISSIPATION
- LOW COST MAINTENANCE
- RUGGED CONSTRUCTION

## TECHNICAL SPECIFICATIONS

TYPE	WL-480W	WL-480W HV	WL-600W
VOLTAGE	120-277V	200-480V	120-277V
WATTAGE	480W	480W HV	600W
WATTAGE EQUIVALENT	1600W	1600W	2000W
CCT	5700K	5700K	5700K
LUMENS	40521LM	64226LM	79528LM
CRI	>70	>70	>70

## APPROVALS / RATINGS



# LED POLE LIGHTS

Also referred to as street lights, shoebox lights and area lights by many, LED Pole Lights are used to illuminate outdoors like streets, parking lots, building entrance, gardens, and hotel walkways too. They help with better illumination which keeps drivers and pedestrians away from untoward incidents by providing them with ease of navigation throughout.



LED DUSK TO DAWN LIGHT WITH PHOTOCELL  
35W, 55W



LED POLE LIGHT ADJUSTABLE MOUNT WITH PHOTOCELL  
150W, 300W



LED POLE LIGHT ADJUSTABLE MOUNT WITHOUT PHOTOCELL  
150W, 300W



LED POLE LIGHT DIRECT MOUNT  
150W, 300W



LED POLE LIGHT YOKE MOUNT WITH PHOTOCELL  
150W



LED POLE LIGHT YOKE MOUNT WITHOUT PHOTOCELL  
150W



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- POLYCARBONATE OPTICS
- THERMAL HEAT DISSIPATION
- LOW COST MAINTENANCE
- RUGGED CONSTRUCTION

## TECHNICAL SPECIFICATIONS

TYPE	WL-DL (DUSK TO DAWN LIGHT)	WL-AM (ADJUSTABLE MOUNT)	WL-DM (DIRECT MOUNT)	WL-YM (YOKE MOUNT)
VOLTAGE	120-277V	120-277V	120-277V	120-277V
WATTAGE	35-55W	150-300W	150-300W	150W
WATTAGE EQUIVALENT	175-250W	400-1000W	400-1000W	400W
CCT	5700K	5700K	5700K	5700K
LUMENS	4286-6790LM	19589-40521LM	19589-39982LM	19242LM
CRI	>70	>70	>70	>70

## APPROVALS / RATINGS





# LED POLE LIGHTS

Also referred to as street lights, shoebox lights and area lights by many, LED Pole Lights are used to illuminate outdoors like streets, parking lots, building entrance, gardens, and hotel walkways too.



LED POLE LIGHT  
UNIVERSAL MOUNT  
WITH PHOTOCELL  
100W, 150W, 200W,  
240W, 300W



LED POLE LIGHT  
UNIVERSAL MOUNT  
WITHOUT PHOTOCELL  
100W, 150W, 200W,  
240W, 300W



LED POLE LIGHT  
UNIVERSAL MOUNT  
WITH PHOTOCELL &  
MOTION SENSOR  
150W, 300W



LED POLE LIGHT  
UNIVERSAL MOUNT  
WITH PHOTOCELL (WHITE)  
150W



LED POLE LIGHT  
UNIVERSAL MOUNT  
WITH PHOTOCELL (SILVER)  
150W, 300W



LED POST-TOP/  
GARDEN LIGHT  
75W, 100W, 150W



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- POLYCARBONATE OPTICS
- THERMAL HEAT DISSIPATION
- LOW COST MAINTENANCE
- RUGGED CONSTRUCTION

## TECHNICAL SPECIFICATIONS

TYPE	WL-UM (UNIVERSAL MOUNT)	WL-GL (POST-TOP/ GARDEN LIGHT)
VOLTAGE	120-277V 200-480V	120-277V
WATTAGE	100-300W	75-150W
WATTAGE EQUIVALENT	300-1000W	250-400W
CCT	3000-5700K	5700K
LUMENS	12500-42000LM	9600-19200LM
CRI	>70	>80

## APPROVALS / RATINGS



# LED WALL PACKS

LED Wall Packs by Wen Lighting are what you need here. These lights are fit for outdoor use and are widely used for wall-grazing effect, which you may want to achieve with either up-lighting or down-lighting, or sometimes, both. Moreover, having them in place ensures there's no moment of dark and hence a safety-threat to your building is averted. This light certainly helps keep trespassers at bay too.



LED WALL PACK  
13W



LED FLUSH MOUNT  
WALL SCONCE  
10.25inches-17watt



LED WALL PACK FORWARD  
THROW WITH/WITHOUT  
PHOTOCELL 20W



LED SECURITY LIGHT  
24W



LED WALL PACK  
WITH PHOTOCELL AND  
CAP 26W



LED WALL PACK  
35W, 55W



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- IP 65 RATED
- CRI >80
- RUGGED CONSTRUCTION
- SHATTERPROOF

## TECHNICAL SPECIFICATIONS

TYPE	WL-13W	WL-17W	WL-20W	WL-24W	WL-26W	WL-35/55W
VOLTAGE	120-277V	120-277V	120-277V	120-277V	120-277V	120-277V
WATTAGE	13W	17W	20W	24W	26W	35-55W
WATTAGE EQUIVALENT	25W	45W	75W	75W	75W	90-150W
CCT	4000K	4000-5000K	5700K	5000K	4000-5700K	5700K
LUMENS	1700LM	1100LM	2165LM	2000LM	3000LM	4055-6185LM
CRI	>80	>80	>80	>80	>80	>80

## APPROVALS / RATINGS



# LED WALL PACKS

LED Wall Packs by Wen Lighting are what you need here. These lights are fit for outdoor use and are widely used for wall-grazing effect, which you may want to achieve with either up-lighting or down-lighting, or sometimes, both. Moreover, having them in place ensures there's no moment of dark and hence a safety-threat to your building is averted. This light certainly helps keep trespassers at bay too.



LED WALL PACK  
FULL CUT OFF  
40W



LED WALL PACK  
ROTATABLE  
40W, 80W



LED WALL PACK  
SEMI CUT OFF  
40W, 60W, 90W,  
120W, 150W




LED WALL PACK  
FORWARD THROW  
80W



LED WALL PACK  
FORWARD THROW  
120W



LED WALL PACK  
FULL CUT OFF  
100W, 150W



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- IP 65 RATED
- CRI >80
- RUGGED CONSTRUCTION
- SHATTERPROOF

## TECHNICAL SPECIFICATIONS

TYPE	WL-40W	WL-40/80W	WL-40-150W	WL-80W	WL-120W	WL-100/150W
VOLTAGE	120-277V	120-277V	120-277V	120-277V	120-277V	120-277V
WATTAGE	40W	40-80W	40-150W	80W	120W	100-150W
WATTAGE EQUIVALENT	150W	150-250W	150-450W	250W	300W	350-450W
CCT	5700K	5700K	5700K	5700K	5700K	5700K
LUMENS	4619-5341LM	4619-10173LM	4619-18092LM	10173LM	15194LM	13378-18092LM
CRI	>80	>80	>80	>80	>80	>80

## APPROVALS / RATINGS



# LED WORK LIGHTS

LED work lights with cage which find their applications in tunnels, where high lumen output is required. No matter wherever the lights are hung for the specific purpose, they render a consistent and complete illumination throughout.

Since these lights are used as Temporary Construction Lights, there is a lot of dust particles in the air which cause dispersion; so a high lumen output is always required to counter that. When it comes to providing good lighting, there is no light better than LED lights, thanks to their great lumen output.

LED work lights come in multiple configurations to serve different task needs. For example, LED string work lights have a length of 50 feet, to distribute lights along a considerable length. These lights also come with dust and resistance.

A lot of debris fall in the construction sites, so the cage around the lights act as an additional protection to the lighting fixtures.



100W WORK LIGHT FIXTURE (WK001)



65W STRING WORK LIGHT WITH CAGE (WK003)



150W WORK LIGHT FIXTURE (WK002)



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- IP 65 RATED
- COMMERCIAL GRADE
- RUGGED CONSTRUCTION
- SHATTERPROOF

## TECHNICAL SPECIFICATIONS

TYPE	WK001	WK002	WK003
VOLTAGE	120-250V	120-250V	120-250V
WATTAGE	100W	150W	65W
BEAM ANGLE	360°	360°	210°
CCT	5000K	5000K	5000K
LUMENS	12000LM	18000LM	8000LM
IP RATING	IP 65 RATED	IP 65 RATED	IP 65 RATED

## APPROVALS / RATINGS




# LED SOLAR LIGHTS

Instead of going just LED or just solar, we have come with the latest-in-vogue and a mix of both solar lighting technique and LED lighting technique to give you the combined best - solar LED light. Using less of grid power, solar LED light comes to be far superior than any traditional lighting products such as incandescent lamps, HID/metal-halide lamps and fluorescent lamps.



LED SOLAR WALL PACK  
5W



LED SOLAR STREET  
LIGHT  
20W, 30W, 40W



LED SOLAR STREET  
LIGHT SET  
20W, 40W, 60W



LED SOLAR FLOOD  
LIGHT SET  
15W, 30W, 60W



LED SOLAR BATTEN  
LIGHT SET  
12W, 36W



## FEATURES

- ☞ EASY INSTALLATION
- ☞ STRONG BATTERY
- ☞ EFFICIENT CONTROL SYSTEM
- ☞ IP67 RATED
- ☞ MC4 PLUG & PLAY
- ☞ LITHIUM BATTERY
- ☞ ENVIRONMENT FRIENDLY
- ☞ INBUILT SURGE PROTECTION

## TECHNICAL SPECIFICATIONS


TYPE	WL-WP (WALL PACK)	WL-SL (STREET LIGHT)	WL-SL SET (STREET LIGHT SET)	WL-FL (FLOOD LIGHT)	WL-BL (BATTEN LIGHT)
VOLTAGE	100-277V	18VDC	100-277V	100-277V	100-277V
WATTAGE	5W	20-40W	20-60W	15-60W	12-36W
WATTAGE (PANEL)	-	-	50-110W	40-120W	30-80W
CCT	5700K	5700K	6000K	6000K	6000K
CRI	>80	>70	>80	>80	>80

# LED RETROFIT KITS

One solution fits all, this superior LED retrofit kit can be replaced in most of the old fixtures and is a universal solution to various metal halide fixtures. This luminaire is one of the brightest light available in its category.



RETROFIT KIT 150W



RETROFIT KIT 300W



## FEATURES

- EASY INSTALLATION
- PREMIUM LED CHIPS
- ULTRA WIDE BEAM ANGLE
- ENERGY SAVING
- FLICKER FREE
- UV AND MERCURY FREE
- 50,000 HOURS LIFESPAN
- RUGGED CONSTRUCTION

## TECHNICAL SPECIFICATIONS

TYPE	WL-150W	WL-300W
VOLTAGE	120-277V	120-277V
WATTAGE	150W	300W
WATTAGE EQUIVALENT	400W	1000W
CCT	5700K	5700K
LUMENS	20000LM	40000LM
CRI	>80	>80

## APPROVALS / RATINGS



# STRIP LIGHTING

## TABLE OF CONTENTS

PRODUCTS	PAGE NO.
<b>INDOOR LIGHTING</b>	
LED BULBS	3
LED TUBES	4-5
LED INTEGRATED TUBES	6
LED COOLER TUBES	7
LED PANELS	8
LED TROFFERS LIGHT	9
LED DOWNLIGHTS	10
LED HIGHBAY	11-12
LED FLUSH MOUNT FIXTURES	13
LED EXIT SIGN	14
LED UNDERCABINET LIGHTS	15-16
WALL SCONCE	17-18
FLOOR/TABLE LAMPS	19-20
PENDANTS	21-28
LED VANITY MIRRORS	30-41
<b>OUTDOOR LIGHTING</b>	
LED CANOPY	43
LED CORN BULBS	44
LED FLOOD LIGHTS	45-47
LED POLE LIGHTS	48-49
LED WALL PACKS	50-51
LED WORK LIGHTS	52
LED SOLAR LIGHTS	53
LED RETROFIT KITS	54
<b>STRIP LIGHTING</b>	
LED STRIP LIGHTS	56-62
<b>MODULES &amp; SIGN BARS</b>	
LED MODULES & SIGN BARS	64-66

# LED STRIP LIGHT

The LED strip light available in 57.75W can emit whites in color temperatures of 3000K, 4000K & 6500K and Colors in blue, green, pink, red, yellow, ice blue and UV. Rated as IP20, this strip light is designed to work at its best at the indoor condition. With 10mm PCB, the product can be installed with a 3M adhesive tape.

## SINGLE COLOR LED STRIP LIGHTS



LED TAPE LIGHT WITH CONNECTOR  
3.5W/FT



HIGH-CRI LED FLEXIBLE STRIP LIGHT  
3.9W/FT



WHITE LED STRIP LIGHT  
6.2W/FT



2835 WHITE LED STRIP LIGHT  
3.5W/FT



LED TAPE LIGHT WITH DC CONNECTOR  
1.2W/FT



## FEATURES

- EASY INSTALLATION
- DIMMABLE
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR TEMPERATURE	COLORS	LENGTH	VOLTAGE INPUT	TOTAL WATTAGE	LEDs/ METRE
<b>ST002</b>	3000K, 4000K, 6500K	UV, Blue, Green, Ice Blue, Pink, Red, Yellow	5M Roll (16.4ft)	12V	57.75W	60
<b>ST014</b>	3000K, 4000K, 6500K	N/A	5M Roll (16.4ft)	12V	63.96W	120
<b>ST012</b>	3000K, 4000K, 6500K	N/A	5M Roll (16.4ft)	24V	101.68W	224
<b>ST013</b>	3000K, 4000K, 6500K	N/A	5M Roll (16.4ft)	12V	57.75W	60
<b>ST015</b>	3000K, 4000K, 6500K	N/A	5M Roll (16.4ft)	12V	19.68W	60

## APPROVALS / RATINGS






# LED STRIP LIGHT

The LED strip light available in 57.75W can emit whites in color temperatures of 3000K, 4000K & 6500K and Colors in blue, green, pink, red, yellow, ice blue and UV. Rated as IP20, this strip light is designed to work at its best at the indoor condition. With 10mm PCB, the product can be installed with a 3M adhesive tape.


## MULTICOLOR/RGB LED STRIP LIGHTS



RGBW LED STRIP LIGHTS  
5.5W/FT



RGB LED STRIP LIGHT  
W/DC CONNECTOR  
3.5W/FT



OUTDOOR RGBW LED LIGHTS STRIP  
5.5W/FT



TUNABLE WHITE LED STRIP LIGHT  
3W/FT



## FEATURES

- EASY INSTALLATION
- DIMMABLE
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR TEMPRATURE	COLORS	LENGTH	VOLTAGE INPUT	TOTAL WATTAGE	LEDs/ METRE
<b>ST017</b>	Adjustable	N/A	5M Roll (16.4ft)	12V	49.2W	120
<b>ST008</b>	N/A	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	90.2W	60
<b>ST005</b>	N/A	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	57.75W	60
<b>ST009</b>	N/A	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	90.2W	60


## APPROVALS / RATINGS



# LED STRIP LIGHT

The LED strip light available in 57.75W can emit whites in color temperatures of 3000K, 4000K & 6500K and Colors in blue, green, pink, red, yellow, ice blue and UV. Rated as IP20, this strip light is designed to work at its best at the indoor condition. With 10mm PCB, the product can be installed with a 3M adhesive tape.

## MULTICOLOR/RGB LED STRIP LIGHTS



OUTDOOR LED LIGHT STRIPS WITH RGB 1.76W/FT



RGB LED LIGHT STRIP W/DC CONNECTOR 1.76W/FT



OUTDOOR WATERPROOF RGB LED STRIP LIGHTS 3.5W/FT



OUTDOOR RGB LED STRIP LIGHTS W/DC CONNECTOR 3.5W/FT



## FEATURES

- EASY INSTALLATION
- DIMMABLE
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR TEMPRATURE	COLORS	LENGTH	VOLTAGE INPUT	TOTAL WATTAGE	LEDs/ METRE
ST011	N/A	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	28.86W	60
ST010	N/A	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	57.75W	60
ST006	N/A	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	57.75W	60
ST007	N/A	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	57.75W	60

## APPROVALS / RATINGS



# LED STRIP LIGHT

The LED strip light available in 57.75W can emit whites in color temperatures of 3000K, 4000K & 6500K and Colors in blue, green, pink, red, yellow, ice blue and UV. Rated as IP20, this strip light is designed to work at its best at the indoor condition. With 10mm PCB, the product can be installed with a 3M adhesive tape.

## WEATHERPROOF/WATERPROOF LED STRIP LIGHTS



5050 OUTDOOR LED STRIP LIGHT  
3.5W/FT



WEATHERPROOF OUTDOOR LED STRIP LIGHTS  
1.2W/FT



LED FLEXIBLE STRIP LIGHT  
3.5W/FT



## FEATURES

- EASY INSTALLATION
- DIMMABLE
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR TEMPRATURE	COLORS	LENGTH	VOLTAGE INPUT	TOTAL WATTAGE	LEDs/ METRE
<b>ST003</b>	3000K, 4000K, 6500K	N/A	5M Roll (16.4ft)	12V	57.75W	60
<b>ST016</b>	3000K, 4000K, 6500K	N/A	5M Roll (16.4ft)	12V	19.68W	60
<b>ST004</b>	3000K, 4000K, 6500K	N/A	5M Roll (16.4ft)	12V	57.75W	60

## APPROVALS / RATINGS



# LED STRIP LIGHT KITS

These LED Strip Kits includes everything that you'll need for the easy and hasel free installation. Our cataloug inculdes varirty of LED Strip Kits which include Single Color, Multi Color, RGB and RGBW LED Strip Kits. Which have a great Lumen output and can be installed easily anywhere as you wish. We also have Strip Kits that are waterproof and have an IP rating of 65.

## SINGLE COLOR LED STRIP LIGHTS KIT



3000K



4000K



5000K



## FEATURES

- EASY INSTALLATION
- DIMMABLE
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR TEMPRATURE	COLORS	LENGTH	VOLTAGE INPUT	TOTAL WATTAGE	INCLUSIONS
<b>ST124</b>	3000K 4000K 6500K	N/A	5M Roll (16.4ft)	12V	49.2W	STRIP LIGHT DRIVER
<b>ST119</b>	RGB	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	28.8W	STRIP LIGHT DRIVER CONTROLLER
<b>ST114</b>	3000K 4000K 6500K	N/A	5M Roll (16.4ft)	12V	63.96W	STRIP LIGHT DRIVER CONTROLLER
<b>ST110</b>	3000K 4000K 6500K	N/A	5M Roll (16.4ft)	12V	57.75W	STRIP LIGHT DRIVER CONTROLLER


## APPROVALS / RATINGS



# LED STRIP LIGHT KITS

These LED Strip Kits includes everything that you'll need for the easy and hasel free installation. Our cataloug incldes varirty of LED Strip Kits which include Single Color, Multi Color, RGB and RGBW LED Strip Kits. Which have a great Lumen output and can be installed easily anywhere as you wish. We also have Strip Kits that are waterproof and have an IP rating of 65.

## RGB LED STRIP LIGHTS KIT



## FEATURES

- EASY INSTALLATION
- DIMMABLE
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS



MPN	COLOR TEMPRATURE	COLORS	LENGTH	VOLTAGE INPUT	TOTAL WATTAGE	INCLUSIONS
<b>ST200</b>	RGB	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	28.8W	STRIP LIGHT DRIVER CONTROLLER
<b>ST116-KIT</b>	Tunnable White	N/A	5M Roll (16.4ft)	12V	49.2W	STRIP LIGHT DRIVER CONTROLLER
<b>ST121</b>	RGB	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	57.75W	STRIP LIGHT DRIVER CONTROLLER
<b>ST118</b>	RGB	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	57.75W	STRIP LIGHT DRIVER CONTROLLER

## APPROVALS / RATINGS



# LED STRIP LIGHT KITS

These LED Strip Kits includes everything that you'll need for the easy and hasel free installation. Our cataloug inculdes varirty of LED Strip Kits which include Single Color, Multi Color, RGB and RGBW LED Strip Kits. Which have a great Lumen output and can be installed easily anywhere as you wish. We also have Strip Kits that are waterproof and have an IP rating of 65.




## FEATURES

- EASY INSTALLATION
- DIMMABLE
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR TEMPRATURE	COLORS	LENGTH	VOLTAGE INPUT	TOTAL WATTAGE	INCLUSIONS
<b>ST123</b>	3000K 4000K 6500K	N/A	5M Roll (16.4ft)	12V	57.75W	STRIP LIGHT DRIVER
<b>ST125</b>	3000K 4000K 6500K	N/A	5M Roll (16.4ft)	12V	57.75W	STRIP LIGHT DRIVER
<b>ST122</b>	RGB	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	90.5W	STRIP LIGHT DRIVER CONTROLLER
<b>ST117</b>	RGB	RGB (Red, Green, Blue)	5M Roll (16.4ft)	12V	90.5W	STRIP LIGHT DRIVER CONTROLLER
<b>ST112</b>	3000K 4000K 6500K	N/A	5M Roll (16.4ft)	12V	101.68W	STRIP LIGHT DRIVER CONTROLLER

# MODULES & SIGN BARS



## TABLE OF CONTENTS

PRODUCTS	PAGE NO.
<b>INDOOR LIGHTING</b>	
LED BULBS	3
LED TUBES	4-5
LED INTEGRATED TUBES	6
LED COOLER TUBES	7
LED PANELS	8
LED TROFFERS LIGHT	9
LED DOWNLIGHTS	10
LED HIGHBAY	11-12
LED FLUSH MOUNT FIXTURES	13
LED EXIT SIGN	14
LED UNDERCABINET LIGHTS	15-16
WALL SCONCE	17-18
FLOOR/TABLE LAMPS	19-20
PENDANTS	21-28
LED VANITY MIRRORS	30-41
<b>OUTDOOR LIGHTING</b>	
LED CANOPY	43
LED CORN BULBS	44
LED FLOOD LIGHTS	45-47
LED POLE LIGHTS	48-49
LED WALL PACKS	50-51
LED WORK LIGHTS	52
LED SOLAR LIGHTS	53
LED RETROFIT KITS	54
<b>STRIP LIGHTING</b>	
LED STRIP LIGHTS	56-62
<b>MODULES &amp; SIGN BARS</b>	
LED MODULES & SIGN BARS	64-66

# LED MODULES & SIGN BARS

The LED module powered by high output ensures excellent color conformity with no spots in 8-15cm depth signs for utilization in airports, malls, metros, banks, or any other building. The 160 degree beam angle along with special optics allow for even and smooth illumination of the depth sign.

## LED MODULES



40-PACK LED MODULE  
3LEDS/MOD  
0.65W



45-PACK LED MODULE  
3LEDS/MOD  
2.5W



40-PACK LED MODULE  
3LED/MOD  
0.72W (RED)



40-PACK LED MODULE  
3LEDS/MOD  
0.72W (GREEN)



## FEATURES

- EASY INSTALLATION
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR	IP RATING	VOLTAGE INPUT	POWER	LEDS/PER MODULE	BEAM ANGLE
<b>MD012</b>	PURE WHITE	IP65	12V	0.65W/MODULE	3	160°
<b>MD009</b>	PURE WHITE	IP68	12V	2.5W/MODULE	3	160°
<b>MD006</b>	RED	IP65	12V	0.72W/MODULE	3	160°
<b>MD005</b>	GREEN	IP65	12V	0.72W/MODULE	3	160°

## APPROVALS / RATINGS





# LED MODULES & SIGN BARS

The LED module powered by high output ensures excellent color conformity with no spots in 8-15cm depth signs for utilization in airports, malls, metros, banks, or any other building. The 160 degree beam angle along with special optics allow for even and smooth illumination of the depth sign.

## LED MODULES



40-PACK LED MODULE  
3LEDS/MOD  
0.72W (BLUE)



40-PACK LED MODULE  
3LEDS/MOD  
1.5W



40-PACK LED MODULE  
3LEDS/MOD  
1W



40-PACK LED MODULE  
2 LEDS/MOD  
1W



## FEATURES

- EASY INSTALLATION
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR	IP RATING	VOLTAGE INPUT	POWER	LEDS/PER MODULE	BEAM ANGLE
<b>MD004</b>	BLUE	IP65	12V	0.72W/ MODULE	3	160°
<b>MD003</b>	PURE WHITE	IP65	12V	1.5W/ MODULE	3	160°
<b>MD002</b>	PURE WHITE	IP65	12V	1W/ MODULE	3	160°
<b>MD001</b>	PURE WHITE	IP65	12V	1W/ MODULE	2	160°

## APPROVALS / RATINGS



# LED MODULES & SIGN BARS

The LED module powered by high output ensures excellent color conformity with no spots in 8-15cm depth signs for utilization in airports, malls, metros, banks, or any other building. The 160 degree beam angle along with special optics allow for even and smooth illumination of the depth sign.

## LED SIGN BARS



12-BAR LED BAR  
12W/BAR



12-BAR LED BAR  
6W/BAR



8-PACK LED BAR  
3LEDS/BAR  
9W/BAR



8-PACK LED BAR  
5LEDS/BAR  
15W/BAR



## FEATURES

- EASY INSTALLATION
- HIGH LUMEN OUTPUT
- ADHESIVE BACKING
- CUT INTO STRIP
- PLUG & PLAY
- FLEXIBLE
- ULTRA WIDE BEAM ANGLE

## TECHNICAL SPECIFICATIONS

MPN	COLOR	IP RATING	VOLTAGE INPUT	POWER	LEDS/PER MODULE	BEAM ANGLE
<b>MD008</b>	PURE WHITE	IP64	24V	15W/BAR	5	15°X45°
<b>MD011</b>	PURE WHITE	IP33	24V	12W/BAR	12	170°
<b>MD010</b>	PURE WHITE	IP33	24V	6W/BAR	6	170°
<b>MD007</b>	PURE WHITE	IP64	24V	9W/BAR	3	15°X45°

## APPROVALS / RATINGS



