**Official Compliance: Colorado** 



. .

**1000mg Natural Organic Tincture** 

CERTIFICATE OF ANALYSIS

## Prepared for: **ōNLē ORGANICS**

## 16267 S Bringhurst Dr.

Bluffdale, UT 84065

Batch ID or Lot Number: 023-013	Test: <b>Potency</b>	Reported: <b>09May2023</b>	USDA License: N/A
Matrix:	Test ID:	Started:	Sampler ID:
Unit	T000243191	08May2023	N/A
	Method(s):	Received:	Status:
	TM14 (HPLC-DAD): Potency – Standard Cannabinoid Analysis	03May2023	Active

Cannabinoids	LOD (mg)	<b>LOQ</b> (mg)	Result (mg)	<b>Result</b> (mg/g)	Notes
Cannabichromene (CBC)	2.351	6.882	ND	ND	# of Servings = 1
Cannabichromenic Acid (CBCA)	2.150	6.295	ND	ND	Sample
Cannabidiol (CBD)	6.798	18.126	1002.856	35.13	Weight=28.546g
Cannabidiolic Acid (CBDA)	6.972	18.591	ND	ND	
Cannabidivarin (CBDV)	1.608	4.287	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
Cannabidivarinic Acid (CBDVA)	2.908	7.755	ND	ND	
Cannabigerol (CBG)	1.335	3.907	ND	ND	
Cannabigerolic Acid (CBGA)	5.580	16.334	ND	ND	
Cannabinol (CBN)	1.741	5.097	ND	ND	
Cannabinolic Acid (CBNA)	3.807	11.144	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	6.647	19.460	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	6.037	17.673	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	5.349	15.658	ND	ND	
Tetrahydrocannabivarin (THCV)	1.214	3.554	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	4.718	13.811	ND	ND	
Total Cannabinoids			1002.856	35.13	
Total Potential THC			ND	ND	
Total Potential CBD			1002.856	35.13	

## **Final Approval**

PREPARED BY / DATE

Emanthe Sma

Sam Smith 09May2023 10:00:00 AM MDT

APPROVED BY / DATE

Karen Winternheimer 09May2023 10:02:00 AM MDT



Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDa \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



SC Laboratories, Inc. | © All Rights Reserved | 1301 S Jason St Unit K, Denver, CO 80223 | 888.800.8223 | www.sclabs.com

**Official Compliance: Colorado** 



**1000mg Natural Organic Tincture** 

CERTIFICATE OF ANALYSIS

Prepared for: **ōNLē ORGANICS** 

16267 S Bringhurst Dr. Bluffdale, UT 84065

Test: <b>Microbial Conta</b>	aminants	Reported: 08May2023		USDA License: N/A	
Test ID:	Test ID:			Sampler ID:	
T000243192		04May2023		N/A	
Method(s):		Received:		Status:	
		03May2023 ว		Active	
		0			
Method	LOD	Range	Result	Notes	
TM25: PCR	10 <sup>0</sup> CFU/25g	NA	Absent	Free from visual mold, mildew, a — foreign matter	
TM25: PCR	10 <sup>0</sup> CFU/25g	NA	Absent	- Ioreign matter	
TM24: Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup>	None Detected		
TM26: Culture Plating	10 <sup>2</sup> CFU/g	1.0x10 <sup>3</sup> - 1.5x10 <sup>5</sup>	None Detected		
TM27: Culture Plating	10 <sup>1</sup> CFU/g	1.0x10 <sup>2</sup> - 1.5x10 <sup>4</sup>	None Detected		
	Microbial Conta Test ID: T000243192 Method(s): TM25 (qPCR) TM (Culture Plating): Panel) Method TM25: PCR TM25: PCR TM25: PCR TM24: Culture Plating TM26: Culture Plating TM27: Culture	Microbial Contaminants   Test ID: T000243192   Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)   Method LOD   Method 10 <sup>0</sup> CFU/25g   TM25: PCR 10 <sup>0</sup> CFU/25g   TM25: PCR 10 <sup>0</sup> CFU/25g   TM24: Culture Plating 10 <sup>1</sup> CFU/g   TM26: Culture Plating 10 <sup>2</sup> CFU/g   TM27: Culture 10 <sup>1</sup> CFU/g	Microbial Contaminants08May2023Test ID: T000243192Started: 04May2023Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)Received: 03May2023MethodLODQuantitation RangeMethod10° CFU/25gNATM25: PCR10° CFU/25gNATM25: PCR10° CFU/25gNATM25: PCR10° CFU/25gNATM24: Culture Plating10° CFU/25gNATM26: Culture Plating10° CFU/g1.0x10² - 1.5x10⁴TM27: Culture Plating10° CFU/g1.0x10² - 1.5x10⁴	Microbial Contart098May2023Test ID: T000243192Started: 04May2023Method(s): TM25 (qPCR) TM24, TM26, TM27 (Culture Plating): Microbial (Colorado Panel)Received: 03May2023MethodLODReceived: RangeResultTM25: PCR10° CFU/25gNAAbsentTM25: PCR10° CFU/25gNAAbsentTM25: PCR10° CFU/25gNAAbsentTM25: PCR10° CFU/25gNAAbsentTM25: PCR10° CFU/25gNAAbsentTM26: Culture Plating10° CFU/g1.0x10° - 1.5x10°None DetectedTM26: Culture Plating10° CFU/g1.0x10° - 1.5x10°None Detected	

## **Final Approval**

Eden Thompson

Eden Thompson-Wright 07May2023 09:40:00 AM MDT

Prot Verbur

Brett Hudson 08May2023 02:54:00 PM MDT



PREPARED BY / DATE

Definitions

\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples:  $10^2 = 100 \text{ CFU}$ ,  $10^3 = 1,000 \text{ CFU}$ ,  $10^4 = 10,000 \text{ CFU}$ ,  $10^5 = 100,000 \text{ CFU}$ CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection

APPROVED BY / DATE

ULOQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.

