

47-2854223 520 South 850 East, Suite B3 Lehi, UT 84043 801-847-7722 www.analyticalresource.com info@yourqualitylab.com

Certificate of Analysis

Client Information

ōNLē ORGANICS

16267 S Bringhurst Dr. Bluffdale, UT 84065

Sample Information

ARL ID: 594185

Date Received: 4/6/2022

Description: ONLE - PH Blanced Structured Silver 30 ppm

Lot#: 4088

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID
Complete Micro Profile Pseudomonas	USP, AOAC					1
Total Plate Count	USP <2021>	10	Record Only	None Detected	cfu's/g	1
Coliforms	AOAC 991.14	10	Record Only	None Detected	cfu's/g	1
E. coli	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Staphylococcus aureus	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Salmonella	USP <2022>	Absent	Record Only	Absent	cfu's/10g	1
Pseudomonas aeruginosa	USP <62>	Absent	Record Only	Absent	cfu's/g	1
Yeast	USP <2021>	10	Record Only	None Detected	cfu's/g	1
Mold	USP <2021>	10	Record Only	None Detected	cfu's/g	1
Silver (Ag)	ARL ICPMS 8.016	0.001	> 28	10.269	ppm	1

Form# arlcoa031201a

Printed on: Apr 19, 2022 4:58 PM

experience • professionalism • value

Released by:

Kara Woodbury Apr 19, 2022

Page 1

^{*}Method Detection Limit (MDL): In microbiological testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None detected", it means any visible growth was below this limit. Limit of Quantitation (LOQ): In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

^{*} Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO-scoped methods is available upon request. Certificate and scope are also available upon request.