



YJ-BC-FLD-3030-G03

High CRI LED Floodlight

PRODUCT:
HIGH CRI LED FLOODLIGHT 3030 100W

FEATURES:
39*30*10cm
95+ CRI, 5000K
100W
100-305V AC
Weight 1400g
CE ROHS/IP65
Aluminum +Tempered Glass




DESCRIPTION

YUJILEDS® high CRI LED Floodlight. Purpose built for large area lighting, such as hotel, school, hospital, garage, courtyard, exhibition booth, etc. It is bright enough to be used for illumination purpose on large fields. The main advantage of it is lower power consumption, longer life as well as high quality light output. With high CRI value of above 95, it provides a bright illumination, at the same time, can reveal objects beautiful and vivid.


ELECTRICAL-OPTICAL CHARACTERISTICS	
Wattage	100W
Voltage	100-305V AC
Luminous flux	6650 lm
Color Temperature	5000K (Other CCT available for bulk purchase)
CRI (Ra)	Above 95
Beam Angle	120 Deg
Driver	MeanWell

TYPICAL SPECTRAL DISTRIBUTION GRAPHS



ADDITIONAL NOTES

LUMINOUS INTENSITY DISTRIBUTION



LUMINOUS INTENSITY DISTRIBUTION

