OSRAM

ORIGINAL - METAL BASE T4W

Original spare part





The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Technical data

Product information

Order reference	3893	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data


Power input	4 W
Nominal voltage	12.0 V
Nominal wattage	4.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	35 lm
Luminous flux tolerance	±20 %

Dimensions & weight





Diameter	8.8 mm
Product weight	1.86 g
Length	27.4 mm

Lifespan

Lifespan B3	600 h
Lifespan Tc	1200 h

Additional product data

Capabilities

Certificates & standards

ECE category	T4W	
Approval marks – approval	E1 approval	

Country specific categorizations

Order reference	3893

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300647609	OSRA3893BLI2	-	4730333	-
4050300647609	OSRA3893BLI2	-	4730333	-
4050300838489	OSRA3893	-	-	-
4050300525068	OSRA3893	-	-	-
4050300838489	OSRA3893	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300647609	ORIGINAL - METAL BASE T4W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	8.71 g
4008321140395	ORIGINAL - METAL BASE T4W	Shipping carton box 20	137 mm x 105 mm x 81 mm	1.17 dm ³	132.33 g
4050300838489	ORIGINAL - METAL BASE T4W	Unpacked 1	31 mm x 10 mm x 10 mm	0.00 dm ³	3.00 g
4050300525068	ORIGINAL - METAL BASE T4W	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	29.60 g
4008321095626	ORIGINAL - METAL BASE T4W	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	177.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















