OSRAM

ORIGINAL LINE H1

OEM quality for trucks





The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

| Order reference | 64155 |
|---|------------------------|
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


| Power input | 84 W ¹⁾ |
|-----------------|--------------------|
| Nominal voltage | 24.0 V |
| Nominal wattage | 70.00 W |
| Test voltage | 28.0 V |


¹⁾ Maximum

Photometrical data

| Luminous flux | 1900 lm |
|-------------------------|---------|
| Luminous flux tolerance | ±15 % |

Dimensions & weight





| Length | 67.5 mm |
|----------------|---------|
| Diameter | 8.5 mm |
| Product weight | 5.88 g |

Lifespan

| Lifespan B3 | 400 h |
|-------------|-------|
| Lifespan Tc | 650 h |

Additional product data

| Base (standard designation) | P14.5s |
|-----------------------------|--------|
|-----------------------------|--------|

Capabilities

Certificates & standards

| ECE category | H1 |
|--------------|----|
|--------------|----|

Country specific categorizations

| Order reference | 64155 |
|-----------------|-------|
| | |

Country specific information

| Product code | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300016498 | OSRA64155 | - | 4739961 | - |
| 4050300210131 | OSRA64155 | - | 4739961 | - |
| 4050300016498 | OSRA64155 | - | 4739961 | - |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4050300016498 | ORIGINAL LINE H1 | Folding carton box 1 | 25 mm x 23 mm x 70 mm | 0.04 dm³ | 7.88 g |
| 4050300210131 | ORIGINAL LINE H1 | Bundle 10 | 93 mm x 57 mm x 96 mm | 0.51 dm ³ | 82.40 g |
| 4050300210148 | ORIGINAL LINE H1 | Shipping carton box 100 | 305 mm x 109 mm x 185 mm | 6.15 dm ³ | 919.00 g |
| 4050300925844 | ORIGINAL LINE H1 | Blister 1 | 135 mm x 95 mm x 24 mm | 0.31 dm ³ | 28.11 g |
| 4008321142290 | ORIGINAL LINE H1 | Shipping carton box 10 | 103 mm x 145 mm x 226 mm | 3.38 dm ³ | 246.50 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File |
|---|
| 360 Degree Image ORIGINAL TRUCK H1 64155 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















