

# XENARC ORIGINAL D4S

Four-year guarantee



### The original spare parts with four-year guarantee

XENARC ORIGINAL lamps impress with a wide product range and the reliable OEM quality. Successfully used in millions of new automobiles from renowned manufacturers, whether as standard initial equipment or original spare parts. With up to 4,500 Kelvin color temperature, their light is closer to natural daylight than conventional halogen light with 3,200 Kelvin – and is thus more pleasant for the eyes. Thanks to the impressive intensity of the light, the lamps provide better visibility on the road. The durable lamps function as original spare parts of your vehicle and convince with their long lifetime. OSRAM provides a 4-year-guarantee for XENARC ORIGINAL lamps. Please note: XENARC lamp change is recommended to be carried out by a professional.

# Product datasheet

## Technical data

### Electrical data


Power input	35 W
Nominal voltage	42.0 V
Nominal wattage	35.00 W
Test voltage	13.5 V
Power input tolerance	±3 %

### Photometrical data

Luminous flux	3200 lm <sup>1)</sup>
Luminous flux tolerance	±15 %
Color temperature	4150 K

<sup>1)</sup> ±450 lm

### Dimensions & weight



Diameter	9 mm
Product weight	19.50 g
Length	77.0 mm

### Lifespan

Lifespan B3	2000 h
Lifespan Tc	4000 h
Guarantee	4 years

### Additional product data

Base (standard designation)	P32d-5
-----------------------------	--------

### Capabilities

## Product datasheet

<b>Technology</b>	HID
-------------------	-----

### Certificates & standards

<b>ECE category</b>	D4S <sup>1)</sup>
<b>Approval marks – approval</b>	E1 approval

<sup>1)</sup> To be operated only with approved electronic control gear

### Country specific information


Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321349392	OSRA66440	-	-	-
4008321349392	OSRA66440	-	-	-
4052899344549	OSRA66440	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321349392	XENARC ORIGINAL D4S	Folding carton box 1	53 mm x 46 mm x 93 mm	0.23 dm <sup>3</sup>	39.46 g
4052899262249	XENARC ORIGINAL D4S	Shipping carton box 4	115 mm x 101 mm x 103 mm	1.20 dm <sup>3</sup>	190.00 g
4052899344549	XENARC ORIGINAL D4S	Shipping carton box 48	- x - x -		
4052899600508	XENARC ORIGINAL D4S	SCB 1	95 mm x 51 mm x 112 mm	0.54 dm <sup>3</sup>	40.10 g
4052899600515	XENARC ORIGINAL D4S	Shipping carton box 4	216 mm x 106 mm x 150 mm	3.43 dm <sup>3</sup>	242.00 g
4062172030823	XENARC ORIGINAL D4S	Shipping carton box 20	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 360 Degree Image XENARC ORIGINAL D4S 66440

### Safety advice

XENARC lamp change is recommended to be carried out by a professional.

## Product datasheet

### References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM

