

#### **Bi-Pin**

Sunlite 80811-SU LED G9 Bi-Pin Base Light Bulb, 2 Watt (25W Halogen Equivalent), 200 Lumen, Non-Dimmable, 30K - Warm White 1 Pack

Bi-Pin

# **DESCRIPTION:**

Upgrade your fixtures with Sunlite LED G9 bi-pin bulbs. These non-dimmable 2 watt bulbs save energy while providing the same amount of light as a 25 watt halogen bulb. They are a direct replacement and last up to 10 times longer than their halogen equivalent yet require no special handing. And unlike other G9 LED replacements, these bulbs are similar in size and shape to halogen bulbs for a cleaner look when installed in your fixtures. They feature a 300 degree beam spread for a more even distribution of light and with a 15,000 hour average life span you'll need to replace them less often. Common uses for G9 bi-pin bulbs are lamps, track lighting, chandeliers, wall sconces, ceiling fixtures, range hoods, under cabinet lighting, drawers and display cases. They also have an Ingress Protection (IP) rating of 20 and are ETL listed for wet location installation so they are suitable for use outdoors and in landscape lighting. Buy with confidence from Sunlite, a US based lighting manufacturer since 1980.

# FEATURES:

- UPRGADE TO LED Upgrade your fixtures with Sunlite LED G9 bulbs. These non-dimmable 2 watt bulbs save energy while providing the same amount of light as a 25 watt halogen bulb. They emit 200 lumen at 3000K Warm White color temperature.
- LONG LIFE TECHNOLOGY With a 15,000 hour average life span you'll need to replace hard to access bulbs less often. They are a direct replacement and last up to 10 times longer than their halogen equivalent yet require no special handing.
- ENERGY SAVING These bulbs provide the same amount of light as a 25 watt halogen bulb while only using 2 watts of energy. That translates into an annual energy cost of \$0.24 based on 3 hrs/day at \$0.11 per kWh.
- SMALL FORM FACTOR Unlike other G9 LED replacements these bulbs are similar in size and shape to halogen bulbs for a cleaner look when installed in your fixtures. They feature a 300 degree beam spread for a more even distribution of light.
- SAFE FOR WET LOCATIONS They have an Ingress Protection (IP) rating of 20 and are ETL listed for wet location installation so they are suitable for use outdoors and in landscape lighting.



# sunlite

# SPECIFICATIONS:

## **General Characteristics**

P	Pr	0	du	(	ct	Dimensio	ons

Case Unit Rate

Bulb Shape	G9	MOL (in)	1.96
Average Rated Hours	15000	Diameter (in)	0.53
Finish	Clear	Item Dimension (in)	(W) 0.53 (H) 0.53 (D) 0.18
Base	Wire Style Base (G9)	Item Weight (lb)	0.100
Average Life Span Years	14	Package Dimension (in)	(W) 0.82 (H) 2.42 (D) 0.83
Dimmable	No	Package Weight (lb)	0.020
Material	Glass		
		Product Data	

### **Electrical Characteristics**

Watts	2	Pack Size	1
Volts	120	Item UPC	653703808116
Equivalent Wattage	25	Warranty Years	2
LED Chip Manufacturer	Integrated Ic Chip	Package Type	Box
Power Factor	0.7		

# **Light Characteristics**

Lumens Brightness	600
Color Rendering Index CRI	80
Emitted Color	Warm White
Color Temperature Kelvin	3000K
Beam Angle	300°

## Additional Features

Safety Rating Mark

ETL Listed - Wet Location

SALE on SUNLITE @ www.BulbAmerica.com take additional 5% Off with coupon code 5PDF

12