

#### **BR Series**

Sunlite 81332 LED BR40 Recessed Light Bulb, 13 Watt (75W Equivalent), 1100 Lumens, Medium Base (E26), Dimmable, Flood-Light, UL Listed, 3000K - Warm White, 1 pack

High Efficiency

# **DESCRIPTION:**

Sunlite BR40 dimmable LED Reflector bulbs are designed to give you up to 25,000 hours of reliable service. That means fewer replacements for difficult to reach bulbs. These Energy Star Certified lamps provide the same output as an 75-watt bulb while only using 13 watts of energy. With 3 hours of daily use the annual operating cost is only \$1.57 per bulb. (Based on \$.11/kWh) Plus they are Energy Star Certified so installing these bulbs may qualify you for state and local energy rebates. And LED technology means they are cooler to the touch when lit and instant-on at full brightness with no warmup time. The medium (E26) base means they will fit in standard recessed lighting and many other fixtures. UL Listed for damp location installation. Ideal for both residential and commercial installations.

# FEATURES:

- UPGRADE TO LED Easily upgrade your old incandescent and halogen bulbs with energy efficient LED technology. These dimmable bulbs with standard BR40 reflector shape use only 13 watts of electricity but are equal to an 75 watt incandescent bulb.
- LONG LIFE BULBS With LED technology you save cost and the hassle of replacing hard to reach bulbs. With an average life of 25,000 hours these bulbs will last up to 22.8 years. (Based 3 hours/day use) Ideal for residential and commercial applications.
- DIMMABLE Emits a dimmable and comfortable warm white light at 3000K. Ideal for recessed lighting, track lighting, and other indoor fixtures with a medium (E26) base. High Color Rendering Index (CRI) rating of 80.
- ENERGY STAR CERTIFIED The annual energy operating cost is a low \$1.57 per bulb (Based on 3 hours/day at \$0.11 per/kWh). Plus, they are Energy Star Certified so installing these bulbs may qualify you for state and local energy rebates.
- A SAFER CHOICE Made of shatter-proof plastic, these reflector bulbs are cooler than traditional incandescent and halogen bulbs when lit. They are UL Listed for damp location installation.



# sunlite

# **SPECIFICATIONS:**

## **General Characteristics**

Pro	duct	Dime	ensi	ons

Package Type

Bulb Shape	BR40	MOL (in)	6.10
Average Rated Hours	25000	Diameter (in)	4.90
Finish	White	Item Dimension (in)	(W) 4.92 (H) 5.04 (D) 2.36
Base	Medium Screw (E26)	Package Dimension (in)	(W) 6.82 (H) 5.15 (D) 5.11
Average Life Span Years	23	Package Weight (lb)	1.2
Ingress Protection	IP20 (12.5 mm solids, Not protected from liquids)	Product Data	
Dimmable	Yes	Case Unit Rate	6
Material	PC & Aluminum	Pack Size	1
Electrical Characteristics		Item UPC	653703813325
	10	Warranty Years	3

## Ele

Watts	13
Volts	120
Equivalent Wattage	75
LED Chip Manufacturer	2835
Power Factor	0.9
Temperature	-20

## **Light Characteristics**

Lumens Brightness	1100
Color Rendering Index CRI	80
Emitted Color	Warm White
Color Temperature Kelvin	3000K
Beam Angle	105°

## **Additional Features**

Safety Rating Mark	UL Listed - Damp Location
UL Rated Enclosed Fixtures	Yes
Energy Star	Yes
Energy Star Number	2370499

Box