

Corn Series

Sunlite 81457 LED G4 Corncob Lamp, 18 Watts (70 Watt Equivalent), 120-277 Volts, 2790 Lumens, Non-Dimmable, Medium E26 Base, UL Listed, 1 Count, 50K-Daylight

Corn Cob

DESCRIPTION:

Replace the incandescent and CFL G4 lights that are typically used in industrial environments like factories, warehouses, and workshops with Sunlite's energy-efficient LED bulbs. These non-dimmable bulbs have a medium base (E26) They are ideal to use in residential settings like attics, porches, basements and more. They give off as much light as a 70-watt bulb while only using 18 watts of power. Estimated yearly energy cost is a low \$2.17 (Based on 3 hours/day use at \$0.11/kWh). At 5000K these daylight bulbs create a naturallooking white light in bedrooms, living spaces or anywhere you want to set an inviting environment. Bright 2790 lumen output and 50,000 hour life span for years of maintenance-free use. UL Listed.

FEATURES:

- UPGRADE TO LED Replace the incandescent and CFL G4 lights that are typically used in industrial environments like factories, warehouses, and workshops with Sunlite's energy-efficient LED bulbs. These non-dimmable bulbs have a medium base (E26) They are ideal to use in residential settings like attics, porches, basements and more.
- LONG LIFE Long life LED technology means up to 50,000 hours of reliable service so you'll need to replace difficult to access bulbs less often. They give off as much light as a 70 watt bulb while only using 18 watts of power. Estimated yearly energy cost is a low \$2.17 (Based on 3 hours/day use at \$0.11/kWh).
- DAYLIGHT At 5000K these daylight bulbs create a natural-looking white light in bedrooms, living spaces or anywhere you want to set an inviting environment.
- WIDE RANGE BEAM LIGHTING With a lumen output of 2790 and 360-degree beam lighting, it ensures that it provides a wide range of illumination. Instant Start and doesn't require a ballast.
- VARIETY OF USES These bulbs are UL listed for damp location installation with an IP64. Ideal use for porches, garage, office and several downlight applications. Suitable for open and enclosed fixtures.





sunlite

SPECIFICATIONS:

General Characteristics

Product Dimensions

Bulb Shape	Corn	MOL (in)	6.38
Average Rated Hours	50000	Diameter (in)	2.36
Base	Medium Screw (E26)	Item Dimension (in)	(W) 2.36 (H) 6.38 (D) 2.36
Average Life Span Years	46	Package Dimension (in)	(W) 2.7 (H) 8 (D) 2.5
Dimmable	No	Package Weight (lb)	0.7
Dimming Type	Not Dimmable		
Material	Aluminum & Polycarbonate	Product Data	
		Case Unit Rate	12

Item UPC

Package Type

Electrical Characteristics

Amps	.180
Watts	18
Volts	120-277
Equivalent Wattage	70
LED Chip Manufacturer	2835
Power Factor	0.9
Temperature	-40°F - 113°F

Light Characteristics

Lumens Brightness	2790
Color Rendering Index CRI	80
Emitted Color	Super White
Color Temperature Kelvin	5000K
Beam Angle	360°
Beam Angle Description	Omni-Directional

Additional Features

Safety Rating Mark
UL Rated Enclosed Fixtures
Mercury Free

UL Listed - Damp Location Yes Yes

12 Pack Size 1 653703814575 Warranty Years 5

Box