



Sunlite's LED light engines allow you to convert your existing light fixtures into state of the art LED fixtures. Take advantage of their high lumen output and energy saving LEDs while producing an even light spread. The Sunlite LED light engines are suitable for most fixtures and are available in a wide range of sizes and color temperatures.

General Characteristics

Fixture Life Hours	25000 Hours
Bulb Type	Integrated
Material	Metal & Plastic
Lens Finish	Clear
Finish	White
Life (based on 3hr/day)	22.8000000000
Safety Rating	UL Listed - Damp Location
Energy Star	True
Dimmable	True
Dimming Type	Forward Phase (Triac or Incandescent)

Electrical Characteristics

Watts	28
Volts	120
LED Chip Manufacturer	3030
Power Factor	0.9
Operating Temperature	0° to 40°

Light Characteristics

Brightness	2100 Lumens
Color Accuracy (CRI)	90
Light Appearance	Warm White
Color Temperature	2700K
Beam Angle	120°

Product Dimensions

Size	7"
Item Dimensions (in)	(W) 7.42 (H) 0.62 (D) 7.42

Product Data

Item Number	88471-SU
Case Quantity	20.000000
Barcode on SKU	653703884714
Brand	Sunlite
Description	MODULE/LED/7"/28W/27K/E/D/AC
Energy Star File Number	2319678

Additional Features

ENERGY STAR CERTIFIED	True
UL RATING	UL Listed - Damp Location

Fixture Characteristics

Shape	Square
Number of Lights	1 - Light
Mounting	Other



SALE on Sunlite @ www.BulbAmerica.com
take additional 5% Off with coupon code 5PDF

Item: 88471-su
MODULE/LED/7"/28W/27K/E/D/AC

Use Location

Indoor