

XBO 450W/2 OFR



Product features and benefits

- High luminance / radiance with intense point source
- Broad, continuous spectral distribution
- High color rendering > 95
- High arc stability
- DC operation

Areas of application

- Endoscopy
- Microscopy
- Surgical Headlamps
- Fiber Illumination
- Solar Simulation
- Imaging & scanning

Product datasheet

Technical data

General product information

Product Number	69243
Product Name	XBO450W2OFR 18V 1/CS 1/SKU
Ordering Abbreviation	XBO 450W/2 OFR
Brand Name	OSRAM
General Description	450 watt, xenon short arc, double-ended used in microscopes
Application	Microscopy
Product Remark	<ul style="list-style-type: none">- OFR=Ozone Free- s (Operating Position) = Vertical, base down- This lamp has positive pressure even when cold. Please read safety/warning instructions before using this lamp.- Distance a is from end of base to the respective electrode tip (cold).- With vertical operating position: anode(+) on top.

Electrical data

Nominal Wattage	450 W
Current (A)	25 A
Current Control Range (A)	17-30 A
Type of Current	DC

Light technical data

Luminous Flux	13000 lm
Average Luminance (cd/cm ²)	35000 cd/cm ²
Luminous Intensity (cd)	1300 cd
Luminous Area (mm)	0.9 X 2.7 mm
Light Center Length - LCL (mm)	79 mm
Color Temperature	6000 K
Color Rendering Index	98
Warranty Hours (hr)	2000 hrs

Physical attributes

Base Anode	SK19/36
Base Cathode	SK19/36
Bulb Shape	KO138
Maximum Overall Length (mm)	177 mm

Product datasheet

Length l1 max. (mm)	177 mm
Diameter d (in)	1.142 in
Diameter d (mm)	29.00 mm
Distance a (mm)	79 mm
Reflector Coating	29.00

Additional product data

Operating Position	s 30
Maximum Base Temperature (°C)	230 C
Cooling	Required
Hot Restart	Yes
Class	C (gas)

Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions L x w x h	Gross weight
69243	4008321082626	Shipping box (Case)	1	16.1 in x 7.1 in x 7.2 in	1.5 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.