



PAR30/PAR20 LED

6PAR20/LED/840/F25/DIM SO 120V 6/1

Philips PAR30 and PAR20 LED Single Optic Lamps provide superior lighting aesthetics and optimal thermal efficiency in a sleek, lightweight design.

Product data

General Information		Lamp Current (Nom)	
Cap-Base	E26 [Single Contact Medium Screw]	Wattage Equivalent	50 W
Bulb Shape	PAR20 [PAR 2.5 inch]	Starting Time (Nom)	0.5 s
Nominal Lifetime (Nom)	25000 h	Power Factor (Nom)	0.9
Switching Cycle	50000X	Voltage (Nom)	120 V
Technical Type	6-50W		
Light Technical		Temperature	
Color Code	841 [CCT of 4100K (841)]	T-Case Maximum (Nom)	85 °C
Beam Angle (Nom)	25 °		
Initial lumen (Nom)	520 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	520 lm	Dimmable	Yes
Luminous Intensity (Nom)	1900 cd		
Color Designation	White (WH)	Approval and Application	
Rated Beam Angle	25 °	Suitable For Accent Lighting	Yes
Correlated Color Temperature (Nom)	4000 K	Energy Efficiency Label (EEL)	Not applicable
Luminous Efficacy (rated) (Nom)	86.6 lm/W		
Color Consistency	<6	Product Data	
Color Rendering Index (Nom)	80	Order product name	120V PAR20 SO 6W 25D 4000K DIM
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product	046677463663
Operating and Electrical		Order code	463661
Input Frequency	60 Hz	Numerator - Quantity Per Pack	1
Power (Rated) (Nom)	6 W	Numerator - Packs per outer box	6
		Material Nr. (12NC)	929001225204
		Net Weight (Piece)	0.001 kg

PAR30/PAR20 LED

Dimensional drawing

Product	D	C
---------	---	---

PAR20 120V 6W-50W 520lm 25D 4000K E26 D

Photometric data

Accent Lighting - Spots

