



LED PAR30 S/L

10PAR30L/LED/840/F40/DIM/ULW/120V 6/1FB

Philips LED spots with a single optic beam, provide a clean beam that's free from shadows with beam angles from 15 and 40 degrees to suit every general lighting application.

Product data


General Information		
Base	E26 [Single Contact Medium Screw]	
Nominal Lifetime (Nom)	25000 h	
Switching Cycle	25000X	
Technical Type	10-75W	
Light Technical		
Color Code	841 [CCT of 4100K (841)]	
Beam Angle (Nom)	40 °	
Initial lumen (Nom)	850 lm	
Luminous Flux (Rated) (Nom)	850 lm	
Luminous Intensity (Nom)	1600 cd	
Color Designation	Cool White (CW)	
Rated Beam Angle	40 °	
Correlated Color Temperature (Nom)	4000 K	
Luminous Efficacy (rated) (Nom)	85.00 lm/W	
Color Consistency	<6	
Color Rendering Index (Nom)	80	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Operating and Electrical		
Input Frequency	50 to 60 Hz	
Power (Rated) (Nom)	10 W	
Lamp Current (Nom)	86 mA	

Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	67 °C
Controls and Dimming	
Dimmable	Yes
Approval and Application	
Suitable For Accent Lighting	Yes
Product Data	
Order product name	10PAR30L/LED/840/F40/DIM/ULW/120V
	6/1FB
EAN/UPC - Product	046677529758
Order code	529750
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929001322304
Net Weight (Piece)	0.285 kg

Datasheet, 2019, July 16 data subject to change

LED PAR30 S/L


Dimensional drawing




Glass UL wet PAR30L 120V 9-75W 850lm 40D

Product	D	С
10PAR30L/LED/840/F40/DIM/ULW/120V 6/1FB	94 mm	118 mm


Photometric data





10-75W E26 PAR30L


10-75W E26 PAR30L 40D 840 4000K




10-75W E26 PAR30L 40D 840 4000K

LED PAR30 S/L

Lifetime





14-120W E26 PAR38

14-120W E26 PAR38



© 2019 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.