## SATCO NUVO

Project Name

Location

Prepared By



## Notes

www] 03-13-2023 01:50

Title 20 / 24 Status

iiii coupon code 3i Bi	
General	
Status	Active
Watts	9.5W
Incandescent Equivalent	65W
Volts	120V
Shape	BR30
Base	Medium
ANSI Base	E26
Finish	White
CCT (Kelvin)	2700K-5000K
Temperature	Warm to Cool White/Color Changeable
CRI	90
Lumens	760L
Beam Spread	100
Dimmable	Yes-Dimmable
Hours Rated	25000
Lamp Type	Reflector
Technology	LED
Smart Product Info	
IOT Enabled	Yes
Voice Assistants Supported	Siri; Alexa; Hey Google; SmartThings
Electrical	Ü
Operating Frequency	60Hz
Operating Frequency	60Hz
Operating Frequency  Specifications	60Hz
	60Hz Smart-Starfish App only
Specifications	
Specifications  Dimming Type	Smart-Starfish App only
Specifications  Dimming Type  Dimming Note	Smart-Starfish App only Only with Starfish App
Specifications  Dimming Type  Dimming Note  Power Factor	Smart-Starfish App only Only with Starfish App  0.7
Specifications  Dimming Type  Dimming Note  Power Factor  Operating Position	Smart-Starfish App only Only with Starfish App  0.7 Universal
Specifications  Dimming Type  Dimming Note  Power Factor  Operating Position  Operating Temperature	Smart-Starfish App only Only with Starfish App  0.7 Universal
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical	Smart-Starfish App only Only with Starfish App  0.7 Universal -20C (-4F) to +45C (+113F)
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70
Specifications  Dimming Type  Dimming Note  Power Factor  Operating Position  Operating Temperature  Physical  MOL  MOD  Lens Finish	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish Lens Material	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS)
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS) 0.21
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS)
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish Lens Material Weight (lb.)  Additional Information  Rated For Enclosed Fixture	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS) 0.21
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish Lens Material Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS) 0.21  Yes 3 Year Limited
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS) 0.21  Yes 3 Year Limited
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish  Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing  Location Rating	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS) 0.21  Yes 3 Year Limited
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing Location Rating Energy Star	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS) 0.21  Yes 3 Year Limited  cULus - Listed Damp
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD Lens Finish Lens Material Weight (lb.)  Additional Information  Rated For Enclosed Fixture Warranty  Compliance Safety Listing Location Rating Energy Star ES Unique ID	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS) 0.21  Yes 3 Year Limited  CULus - Listed Damp Yes
Specifications  Dimming Type Dimming Note Power Factor Operating Position Operating Temperature  Physical  MOL  MOD  Lens Finish Lens Material  Weight (lb.)  Additional Information  Rated For Enclosed Fixture  Warranty  Compliance  Safety Listing Location Rating Energy Star	Smart-Starfish App only Only with Starfish App 0.7 Universal -20C (-4F) to +45C (+113F)  5.12 3.70 White Plastic (PS) 0.21  Yes 3 Year Limited  CULus - Listed Damp Yes ESID-2393521

Lawful for sale

## SALE on SATCO at www.BulbAmerica.com take additional 5% Off with coupon code 5PDF

Colorado Status	Lawful for sale
Hawaii Status	Lawful for sale
Nevada Status	Lawful for sale
Washington Status	Lawful for sale
Vermont Status	Lawful for sale
RoHS Compliant	Yes
FCC Compliant	Yes
SDS Sheet	LED_Lamp

Copyright 2020 Satco Products, Inc. All Rights Reserved For More Information Visit: <a href="http://www.satco.com/">http://www.satco.com/</a>







