



Project/Job Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Fixture Type: \_\_\_\_\_  
 Notes: \_\_\_\_\_

**S11643** - 12.5 Watt LED Downlight Retrofit; 5-6"; 3000K; 120 Volts; Dimmable; White Finish

- IC Rated
- Rated for Enclosed Fixture



### ELECTRICAL

Technology:	LED
Watts:	12.5W
Volts:	120V
Lumens:	900L
CRI:	90
Rg Value :	50
CCT (Kelvins):	3000K
Color Description:	Soft White
Beam Spread :	100
Hours Rated:	35000
Dimmable:	Yes-Dimmable
Dimmable Down To %:	100 to 10 percent
Dimming Type :	Phase cut
Incandescent Equivalent :	75W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Replaceable Light Source :	No
Number of LEDs :	16
Connection:	Connector or Adapter
THD:	<30%
Power Factor :	0.9
Warranty:	5 Year Limited - Fixtures

### PHYSICAL

Finish:	White
Lens Finish:	White
Lens Material:	Polycarbonate (PC)
Finish Family:	White
Dimensions:	H:1.97" DIA:7.36"
Weight (Lbs.):	0.6
Material:	Die-cast Aluminum

### COMPLIANCE

Safety Listing:	cULus - Classified
Location Rating:	Wet
Indoor/Outdoor:	Indoor
Energy Star Qualified:	Pending
CA Prop 65:	Lead
Rated For Enclosed Fixture:	Yes
FCC Compliant:	Yes
SDS Class:	LED_Lamp
Restrictions:	No Restrictions

### PACKAGING

Each UPC:	045923116438
Each Quantity:	1
Each Dimensions:	8.07 x 2.76 x 8.07
Case UPC:	10045923116435
Case Quantity:	12
Case Dimensions:	25.00 x 11.81 x 8.86

### INFO

Min Compartment Size:	For the 5 in. Recessed Luminaire: Dia: 5.38, Height: 7.5; For the 6 in. Recessed Luminaire: Dia: 6 In, Height: 7.5 in
Includes:	E26 Adapter included (S9001)



**S11643** - 12.5 Watt LED Downlight Retrofit; 5-6"; 3000K; 120 Volts;  
Dimmable; White Finish

## ACCESSORIES

---



**80-982** 5 Inch Recessed Can; For New Construction

---



**80-983** 5 Inch Recessed Can; For Remodeling

---



**S11643** - 12.5 Watt LED Downlight Retrofit; 5-6"; 3000K; 120 Volts;  
Dimmable; White Finish

#### DIMMER COMPATIBILITY

---

Leviton 6672

---

Leviton 6674

---

Leviton 66DF-10W

---

Leviton 66ELV

---

Leviton 66EV-10W

---

Satco 80/2699

---

Satco 80/2700

---

Satco 80/2701

---

Satco 80/2702

---

Satco 80/2703

---

Satco 80/2704

---

Satco 86/103

---

Legrand ADTP703TU

---

Lutron AYCL-153P

---

Lutron AYCL-253P

---

Lutron CTCL-153P

---

Lutron CTRP-253P

---

Eaton DALo6P-C2

---

Leviton DDL06

---

Leviton DDMX1

---

Leviton DG6HD

---

Leviton DH6HD

---

Leviton DL6HD

---

Leviton DSEo6-10Z

---

Leviton DSL06

---

Leviton DSL06-1LZ

---

Leviton	DSM10
Eaton	DULo6P-C2
Lutron	DVCL-153P
Lutron	DVCL-253P
Lutron	DVRP-253P
Leviton	DW6HD
Leviton	DZ6HD
Lutron	HQRA-PRO
Lutron	HQRD-10D
Lutron	HQRD-10NBD
Lutron	HQRD-6ND
Lutron	HQRD-HN6BRL
Lutron	HQRD-PRO
Lutron	HRST-PRO-N
Leviton	IPLo6
Lutron	LECL-153P
Lutron	MA-PRO
Lutron	MACL-153M
Lutron	MACL-LFQ
Lutron	MRF2S-6ELV
Lutron	MSCL-OP153M
Lutron	NTCL-250
Lutron	NTRP-250
Hubbell	NXFRD-UNV
Lutron	PD-10NXD
Lutron	PD-5NE
Lutron	PD-6WCL
Lutron	RCL-153PNL

<b>Eaton</b>	RF9640-ND
<b>Legrand</b>	RH703PTUTC
<b>Legrand</b>	RHCL450PTC
<b>Leviton</b>	RNL06-10Z
<b>Lutron</b>	RRD-10D
<b>Lutron</b>	RRD-6CL
<b>Lutron</b>	RRD-6ND
<b>Lutron</b>	RRD-H6BRL
<b>Lutron</b>	RRD-PRO
<b>Lutron</b>	RRST-PRO-N
<b>Satco</b>	S11268
<b>Eaton</b>	SAL06P
<b>Lutron</b>	SCL-153P
<b>Lutron</b>	ST-PRO-N
<b>Lutron</b>	STCL-153M
<b>Eaton</b>	SUF7
<b>Eaton</b>	TAL06P-C2
<b>Lutron</b>	TGCL-153PH
<b>Leviton</b>	TSL06
<b>Leviton</b>	TSM10
<b>Lutron</b>	TTCL-100H
<b>Eaton</b>	VSUL06D
<b>Acuity</b>	WSX-PDT-WH
<b>Legrand</b>	WWRL50WH