Project Name Location Prepared By



Notes

3 0 4 0 0 0 0 0 0 0 0 0

3345 3345 3. 2.	
General	
Status	Active
Watts	10.5W
Fluorescent Equivalent	25W/28W/32W
Volts	120V-277V
Ballast Type	Туре В
Shape	Т8
Base	Medium Bi Pin
ANSI Base	G13
Nominal Length	48.00
Finish	Gloss White
CCT (Kelvin)	3000K
Temperature	Warm White
CRI	82
Lumens	1700L
Beam Spread	210
Hours Rated	50000
Lamp Type	Т8
Technology	LED
Electrical	
Ballasting Requirements	Ballast Bypass
Operating Frequency	50/60Hz
Power Factor	0.9
THD	20%
O T .	000 (45) : 450 (4405)
Operating Temperature	-20C (-4F) to +45C (+113F)
Operating Temperature Physical	-20C (-4F) to +45C (+113F)
	-20C (-4F) to +45C (+113F)
Physical	
Physical MOL	47.78
MOL MOD	47.78 1.1
Physical MOL MOD Material	47.78 1.1 Glass
MOL MOD Material Lens Finish	47.78 1.1 Glass Gloss White
Physical MOL MOD Material Lens Finish Lens Material	47.78 1.1 Glass Gloss White Glass
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.)	47.78 1.1 Glass Gloss White Glass White
Physical MOL MOD Material Lens Finish Lens Material Housing Color	47.78 1.1 Glass Gloss White Glass White
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.)	47.78 1.1 Glass Gloss White Glass White
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information	47.78 1.1 Glass Gloss White Glass White 0.44
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs -
MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty Compliance Safety Listing	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass cULus - Classified; cRUus - Recognized Component
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty Compliance Safety Listing Location Rating	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass cULus - Classified; cRUus - Recognized Component Damp
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty Compliance Safety Listing Location Rating Energy Star	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass cULus - Classified; cRUus - Recognized Component Damp No
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass cULus - Classified; cRUus - Recognized Component Damp No Yes
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved DLC ID	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass cULus - Classified; cRUus - Recognized Component Damp No Yes PLU4L0QWWZZ2
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved DLC ID CA T20 / T24 Rationale	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass cULus - Classified; cRUus - Recognized Component Damp No Yes PLU4L0QWWZZ2 Exempt - Base Not Regulated
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved DLC ID CA T20 / T24 Rationale California Status	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass cULus - Classified; cRUus - Recognized Component Damp No Yes PLU4L0QWWZZ2 Exempt - Base Not Regulated Lawful for sale in California
Physical MOL MOD Material Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Tube Guard Use Specification Note Warranty Compliance Safety Listing Location Rating Energy Star DLC Approved DLC ID CA T20 / T24 Rationale	47.78 1.1 Glass Gloss White Glass White 0.44 Approved for use with tube guards Built-in shock resistant circuit - (not hot until both ends are installed) 5 Year Limited - T8 LED Bulbs - Ballast Bypass cULus - Classified; cRUus - Recognized Component Damp No Yes PLU4L0QWWZZ2 Exempt - Base Not Regulated

SALE on SATCO at www.BulbAmerica.com take additional 5% Off with coupon code 5PDF

Hawaii Status	Lawful for sale
Nevada Status	Lawful for sale
Washington Status	Lawful for sale
Vermont Status	Lawful for sale
RoHS Compliant	Yes
FCC Compliant	Yes
NSF Approved	Yes
Flicker Free	Yes
SDS Sheet	LED_Lamp

Copyright 2020 Satco Products, Inc. All Rights Reserved

For More Information Visit: http://www.satco.com/







