



Project Name

Location

Prepared By



## SATCO S21373

4T6.5/LED/FR/940/120V/E17

### Notes

[www] 02-24-2023 02:01:50

### General

|                         |              |
|-------------------------|--------------|
| Status                  | Active       |
| Watts                   | 4W           |
| Incandescent Equivalent | 40W          |
| Volts                   | 120V         |
| Shape                   | T6.5         |
| Base                    | Intermediate |
| ANSI Base               | E17          |
| Finish                  | Frost        |
| CCT (Kelvin)            | 4000K        |
| Temperature             | Cool White   |
| CRI                     | 90           |
| Lumens                  | 360L         |
| Beam Spread             | 320          |
| Dimmable                | Yes-Dimmable |
| Hours Rated             | 15000        |
| Technology              | LED          |

### Electrical

|                       |                            |
|-----------------------|----------------------------|
| Operating Frequency   | 60Hz                       |
| Power Factor          | >0.7                       |
| Operating Temperature | -20C (-4F) to +45C (+113F) |

### Physical

|               |       |
|---------------|-------|
| MOL           | 5.12  |
| MOD           | 0.79  |
| Housing Color | Frost |
| Weight (lb.)  | 0.71  |

### Additional Information

|                            |                |
|----------------------------|----------------|
| Rated For Enclosed Fixture | Yes            |
| Warranty                   | 3 Year Limited |

### Compliance

|                        |                               |
|------------------------|-------------------------------|
| Safety Listing         | cETLus                        |
| Location Rating        | Wet                           |
| CA T20 / T24 Rationale | T20 Listed                    |
| California Status      | Lawful for sale in California |
| Title 20 / 24 Status   | Lawful for sale               |
| RoHS Compliant         | Yes                           |

