

## WLB

### WLB series compact bench scale



Bench scales with compact dimensions, extremely sturdy, constructed with high quality materials. Suitable for industrial laboratories and burdensome working environment. Fitted with standard weight and rapid calibration adjustment function. Multifunctional weighing programme. CE-M approvable according to EN45501.

Working in cooperation with:

**LIBRATECH APS**

L. FRANDSENSVEJ 2A - 5600 - FAABORG - DENMARK  
Tel. +45 7370 8574  
[www.libratech.dk](http://www.libratech.dk)

**The best solution  
for advanced industrial  
applications**

## BENCH SCALES: MAIN FEATURES

- Special body in anodised alloy, resistant and easy to clean.
- Loading surface in anodised alloy, washable and inspectionable.
- Safety limit switch and protection plate against side strikes.
- Aluminium load cell, IP67.
- Extractable calibration weight, useful for calibration control.
- Integrated weight indicator, with backlit LCD display of 25mm, waterproof keypad and multifunctional programme.
- Non-slip adjustable feet.
- Integrated level.
- IP67 protection degree.
- Serial port RS232 for connection to Pc or printer.
- Power supply through built-in rechargeable battery. Fitted with external battery charger with IP68 connector (to not use as power adaptor).
- Dimensions and weight:
  - Scale: (l x w x h) 360x210x75mm - 5,3kg.
  - Packaging: (l x w x h) 500x300x150mm - 6,6kg.
- Patented product.

## BENCH SCALES: FUNCTIONING MODES

- Through the specific key, the desired functioning mode can be chosen:
- SELECTABLE FUNCTIONS:
  - x 10 high resolution visualisation.
  - Precision weighing with recalibration through standard weight (for the company internal use).
  - Switch Net/Gross
  - lb to kg or free factor conversion.
  - Weight totalisation.
  - Formulation.
  - +/- check.
  - Percentage weigh.
  - Approved weight transmission to PC/PLC or printer.
  - Pieces counting.
  - Hold
- OTHER STANDARD FUNCTIONS:  
Zeroing, Tare, preset Tare, automatic Tare, Auto switch off.

## VERSIONS

### Available versions

Codice	Classe	Piatto Max (mm)	Max (g)	d (g)	<b>M</b> (g)*	d HR (g)*	Linearità (g) +/-	Ripetibilità (g)
WLB6M-1	III	190x190 mm	6000	--	1	0.1	1	1

(\* M) Legal for trade approved as standard

(\* d HR) High resolution digit is active as standard, it can be disabled by the configuration menu.



[www.diniargeo.com](http://www.diniargeo.com)

“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano - Modena - Italy  
Tel. +39.0536 843418

***LIBRATECH APS***

L. FRANSENSVEJ 2A - 5600 - FAABORG - DENMARK

Tel. +45 7370 8574

[www.libratech.dk](http://www.libratech.dk)

**SALES AND TECHNICAL ASSISTANCE SERVICE**

*All the specifications and images can be subject to variations and upgrades without prior notice.*