

ARISTOFLEX AVC Page 1

Substance key: SXR114437 Revision Date: 10/24/2025

Version: 4 - 1 / USA Date of printing: 10/24/2025

SECTION 1. IDENTIFICATION

Identification of the Clariant Corporation

company: 4000 Monroe Road

Charlotte, NC, 28205

Telephone No.: +1 704-331-7000

Information of the substance/preparation:

Product Safety 1-704-331-7710

Emergency tel. number: +1 800-424-9300 CHEMTREC

Trade name: ARISTOFLEX AVC

Material number: 138240

Synonyms: Product Has No Synonyms

Primary product use: Thickener for emulsions

Chemical family: A polymeric sulphonic acid, partially neutralized

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible dust :

GHS Label element

Signal word : Warning

Hazard statements : May form combustible dust concentrations in air

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P243 Take precautionary measures against static discharge.

P233 Keep container tightly closed.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration (%)
Product	Not Assigned	100
2-Methylpropan-2-ol	75-65-0	< 4

SECTION 4. FIRST AID MEASURES



ARISTOFLEX AVC Page 2

Substance key: SXR114437 Revision Date: 10/24/2025 Version: 4 - 1 / USA Date of printing: 10/24/2025

General advice : Remove/Take off immediately all contaminated clothing.

If inhaled : Move the victim to fresh air.

> Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact : Wash thoroughly with soap and water for 15 minutes. If skin

irritation occurs, seek medical attention.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed : IF SWALLOWED: Immediately call a POISON CENTER or

doctor/ physician.

Most important symptoms and effects, both acute and

delayed

: The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Foam

Unsuitable extinguishing

media

: Dry powder

Carbon dioxide (CO2) High volume water jet

Specific hazards during

firefighting

: In case of fire hazardous decomposition products may be

produced such as: Nitrogen oxides (NOx) Sulphur dioxide (SO2)

Ammonia

Emits toxic and corrosive fumes under fire conditions. Risk of dust explosion in fine crystalline powder form.

Further information : Wear positive pressure self-contained breathing apparatus

(SCBA) and full protective equipment.

Special protective equipment

for firefighters

: Self-contained breathing apparatus



ARISTOFLEX AVC Page 3

Substance key: SXR114437 Revision Date: 10/24/2025 Version: 4 - 1 / USA Date of printing: 10/24/2025

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.

Keep away sources of ignition. Wear suitable protective equipment.

Wearing appropriate personal protective equipment, contain spill, collect onto inert absorbent, and place in a suitable

container.

Environmental precautions : Do not allow to enter drains or waterways

Methods and materials for containment and cleaning up

: Pick up when dry.

Forms slippery/greasy layers with water.

Treat recovered material as described in the section "Disposal

considerations".

Rinse with water.

SECTION 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Observe the general rules of industrial fire protection Not

combustible. Risk of dust explosion.

Advice on safe handling : Avoid dust formation.

Routine housekeeping should be instituted to ensure that

dusts do not accumulate on surfaces.

Take measures to prevent the build up of electrostatic charge.

Store in a dry place.

Technical

measures/Precautions

: Store in original container.

Keep container closed.

Materials to avoid : Do not store with alkalies

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
2-Methylpropan-2-ol	75-65-0	TWA	100 ppm	ACGIH	
	Further information: Central Nervous System impairment, Not classifiable as a human carcinogen				
		TWA	100 ppm 300 mg/m3	NIOSH REL	
		ST	150 ppm 450 mg/m3	NIOSH REL	
		TWA	100 ppm	OSHA Z-1	



ARISTOFLEX AVC Page 4

Substance key: SXR114437 Revision Date: 10/24/2025 Version: 4 - 1 / USA Date of printing: 10/24/2025

		300 mg/m3	
Further information: The value in mg/m3 is approximate.			
TV	WA	100 ppm 300 mg/m3	OSHA P0
ST	TEL	150 ppm 450 mg/m3	OSHA P0

Engineering measures : Local ventilation recommended - mechanical ventilation may

be used.

Personal protective equipment

Respiratory protection : If airborne concentrations pose a health hazard, become

irritating or exceed recommended limits, use a NIOSH approved respirator in accordance with OSHA respiratory

protection requirements under 29 CFR 1910.134

Hand protection

Remarks : Butyl Rubber, PVC Or Neoprene.

Eye protection : Tightly fitting safety goggles

Skin and body protection : Protective clothing to minimize skin contact should be worn.

Chemically resistant safety shoes. Wash contaminated clothing with soap and water and dry before reuse. Safety showers and eyewash stations should be provided in all

areas where this material is handled.

Protective measures : Do not breathe dust.

Avoid contact with eyes.

Hygiene measures : Observe the usual precautions for handling chemicals.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : white

Odour : characteristic

Odour Threshold : not tested.

pH : approx. 4 - 6, Concentration: 1 g/l (20 °C)Method: DIN 53996

Melting point : Decomposes before melting.

Boiling point : not determined

Flash point : > 135 °C

Data relate to solvent



ARISTOFLEX AVC Page 5

Substance key: SXR114437 Revision Date: 10/24/2025 Version: 4 - 1 / USA Date of printing: 10/24/2025

Evaporation rate : Not applicable

Upper explosion limit : Not applicable

Not applicable

Lower explosion limit : Not applicable

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : not tested.

Density : not tested.

Bulk density : 230 kg/m3Method: ISO 697

Solubility(ies)

Water solubility : soluble, gel formation (20 °C)

Solubility in other solvents : dispersible

Solvent: fat

Partition coefficient: n-

octanol/water

: not determined

Auto-ignition temperature : not tested.

Decomposition temperature : 250 °C

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Method: Expert judgement

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Method: Expert judgement

Impact sensitivity : Not impact sensitive.

Surface tension : Not applicable

Sublimation point : not determined

Molecular weight : > 10,000 g/mol



ARISTOFLEX AVC Page 6

Substance key: SXR114437 Revision Date: 10/24/2025 Version: 4 - 1 / USA Date of printing: 10/24/2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Contact with strong bases liberates ammonia.

The product is not a dust explosion risk as supplied; however the build-up of fine dust can lead to a risk of dust explosions.

Conditions to avoid : None known.

Incompatible materials : not known

Hazardous decomposition

products

: When handled and stored appropriately, no dangerous

decomposition products are known

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye contact Skin contact Inhalation

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Remarks: not tested.

Components:

2-Methylpropan-2-ol:

Acute oral toxicity : LD50 (Rat): 3,500 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation

Product:



ARISTOFLEX AVC Page 7

Substance key: SXR114437 Revision Date: 10/24/2025 Version: 4 - 1 / USA Date of printing: 10/24/2025

Species: rabbit eye Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Species: Guinea pig

Method: OECD Test Guideline 406

Result: non-sensitizing

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay

Species: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

Germ cell mutagenicity -

Assessment

: Not mutagenic in Ames Test

Carcinogenicity

Product:

Remarks: not tested.

Carcinogenicity - Assessment

: No information available.

IARC Not listed

OSHA Not listed

NTP Not listed

Reproductive toxicity

Product:

Effects on fertility

Remarks: not tested.

Effects on foetal development

: Remarks: not tested.

Reproductive toxicity -

Assessment

: No information available.

No information available.



ARISTOFLEX AVC Page 8

Substance key: SXR114437 Revision Date: 10/24/2025

Version: 4 - 1 / USA Date of printing: 10/24/2025

Repeated dose toxicity

Product:

Remarks: not tested.

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

Further information

Product:

Remarks: By analogy with a product of similar composition

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: not tested.

Toxicity to algae

Remarks: not tested.

Toxicity to fish (Chronic

toxicity)

: Remarks: not tested.

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: Remarks: not tested.

Toxicity to bacteria : EC50 (activated sludge): > 3,200 mg/l

Method: OECD Test Guideline 209

Toxicity to soil dwelling

organisms

: Remarks: not tested.

Plant toxicity : Remarks: not tested.

Sediment toxicity : Remarks: not tested.

Toxicity to terrestrial

organisms

: Remarks: not tested.



ARISTOFLEX AVC Page 9

Substance key: SXR114437 Revision Date: 10/24/2025

Version: 4 - 1 / USA Date of printing: 10/24/2025

Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 7 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Biochemical Oxygen

Demand (BOD)

: Remarks: not available

Chemical Oxygen Demand

(COD)

: Remarks: not available

Dissolved organic carbon

(DOC)

: Remarks: not available

Physico-chemical

removability

: Remarks: not tested.

Photodegradation : Remarks: not tested.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

Mobility in soil

Product:

Distribution among

environmental compartments

: Remarks: not tested.

Other adverse effects

Product:

Environmental fate and

pathways

: Remarks: no data available

Results of PBT and vPvB

assessment

: The substance is not identified as a PBT or as a vPvB

substance.

Additional ecological

information

: By analogy with a product of similar composition

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conservation and Recovery : No -- Not as sold.

Authorization Act



ARISTOFLEX AVC Page 10

Substance key: SXR114437 Revision Date: 10/24/2025

Version: 4 - 1 / USA Date of printing: 10/24/2025

Waste Code : NONE

Waste from residues : Must be incinerated in a suitable incineration plant holding a

permit delivered by the competent authorities.

Contaminated packaging : Packaging that cannot be cleaned should be disposed of as

product waste

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This product contains the chemical or chemicals listed below

which are subject to the supplier notification requirements of

Section 313 of the Superfund Amendments and

Reauthorization Act of 1986 ("SARA") and the requirements of

40 CFR Part 372:

2-Methylpropan-2-ol 75-65-0 4 %

Clean Water Act

Contains no known priority pollutants at concentrations greater than 0.1%.

The components of this product are reported in the following inventories:

TSCA : This product is not listed on the Toxic Substances Control Act

(TSCA) Inventory. It can not be used for any commercial purposes except as a bonafide cosmetic or cosmetic adjuvant, additive, or ingredient; or for use in research and development under the supervision of a technically qualified individual to

understand its potential hazards.



ARISTOFLEX AVC Page 11

Substance key: SXR114437 Revision Date: 10/24/2025

Version: 4 - 1 / USA Date of printing: 10/24/2025

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Warning

This product is not listed on the TSCA Inventory. It is to be used as a cosmetic ingredient only. Any other use will subject the user to penalties under the Toxic Substances Control Act and the regulations issued thereunder.

Revision Date : 05/12/2015

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

US / USA