



## **Certificate of Analysis**

Date: January 3, 2024

Product: Bio-Terge AS90

Lot/Batch Number: AS90231018 Retest Date: July 2026

Manufacture Date: July 2023 Commercial Expiry: N/A

PROPERTIES	SPECIFICATIONS	RESULTS
Appearance @ 25°C	Off White to Light Yellow, Free Flowing	PASS
pH [5% in Water]	8.0 – 10.0	9.2
Water %	2.5 MAX	1.7
Active %	85 MIN	90
Sodium Sulfate %	4 – 8	7
Sodium Chloride %	1.5 MAX	1.0
Free Oil %	1.7 MAX	1.0
Colour KLETT [5% in Water]	150 MAX	38

<sup>\*</sup>May crystallize upon exposure to cold temperatures. Warm gently and mix before use.

## **Disclaimer & Caution**

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein, but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agrees that Jurisdiction is limited to the province of Alberta.

<sup>\*</sup>Shelf life is influenced by many conditions of which temperature, exposure to light/air and general good storage are the major factors. Materials stored in adverse conditions will deteriorate much faster. Re-Test dates signifies minimum timeframe that product should remain in good useable conditions if stored as recommended. Expiry date is subjective. Typical indicators of re-test failure would be changes in organic properties such as clarity, colour, sediment, haze, off odour. Such changes may be gradual and slight.