

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: BERRIES & PEARS by BBW

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Windy Point Soap Making Supplies Inc. Company name:

14, 6125-12th Street SE Company address:

Calgary, AB T2H 2K1

587-318-6678

www.windypointsoap.com

Contact:

E-Mail address:

Company phone: 770-334-3906 1.4 Emergency telephone number **Emergency phone:** 770-334-3906

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of Flammable Liquid, Hazard Category 4 danger:

Skin Corrosion / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H227, Combustible liquid. H315. Causes skin irritation.

H317, May cause an allergic skin reaction.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Hazard statements: H227, Combustible liquid.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H411, Toxic to aquatic life with long lasting effects.

Precautionary

P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

statements: P261, Avoid breathing vapour or dust.



P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P302/352, IF ON SKIN: Wash with plenty of soap and water.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P391, Collect spillage.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.





2.3 Other hazards

Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	%	GHS Classification
2-tert-Butylcyclohexyl acetate	88-41-5	7.40%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Aquatic Acute 2- Aquatic Chronic 2;H227-H303-H316-H411
Geranyl acetate	105-87-3	5.00%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 3;H315-H317-H401-H412
d-Limonene	5989-27-5	4.99%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
Linalool	78-70-6	3.00%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317- H319-H402
gamma-Undecalactone	104-67-6	2.80% Skin Irrit. 3-Aquatic Acute 3-Aquatic Chronic 3;H316 H412	
Hexyl acetate	142-92-7	2.00%	Flam. Liq. 3-Skin Irrit. 3-Aquatic Acute 2;H226-H316-H401
Butylated hydroxytoluene	128-37-0	2.00%	Aquatic Acute 1-Aquatic Chronic 1;H410
alpha-Methylbenzyl acetate	93-92-5	1.65%	Flam. Liq. 4-Aquatic Acute 3;H227-H402
Ethyl methylphenylglycidate	77-83-8	1.60%	Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2; H317-H411
Hexyl salicylate	6259-76-3	1.46%	Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 1;H316-H317-H410



alpha-Hexylcinnamaldehyde	101-86-0	1.45%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411
3,7-Dimethyl-1,6-nonadien-3-ol	10339-55-6	1.15%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H316-H317-H319-H402
4-(p-Hydroxyphenyl)-2-butanone	5471-51-2	1.10%	Aquatic Acute 3;H402
alpha-Terpineol acetate	80-26-2	1.00%	Skin Irrit. 3-Aquatic Acute 2;H316-H401
Phenethyl acetate	103-45-7	0.50%	Acute Tox. 5-Eye Dam. 1-Aquatic Acute 3;H303-H318-H402
Nerol	106-25-2	0.50%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H303-H315-H317-H319-H401
2,4-Dimethyl-3-cyclohexen-1- carboxaldehyde	68039-49-6	0.42%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H227-H303-H315-H317-H319-H411
Allyl hexanoate	123-68-2	0.20%	Flam. Liq. 4-Acute Tox. 3-Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 3;H227-H301-H311-H331-H400-H412
Citral	5392-40-5	0.20%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1- Aquatic Acute 2;H313-H315-H317-H319-H401
Allyl (3-methylbutoxy)acetate	67634-00-8	0.16%	Flam. Liq. 4-Acute Tox. 4-Acute Tox. 2-Skin Irrit. 2-Aquatic Acute 2;H227-H302-H315-H330-H401
2-(p-Menth-1-ene-10-yl) cyclopentanone	95962-14-4	0.15%	Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 3;H319- H400-H412
alpha-Terpineol	98-55-5	0.15%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A- Aquatic Acute 2;H227-H303-H315-H319-H401
LILIAL SUB		0.15%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319
Benzyl benzoate	120-51-4	0.14%	Acute Tox. 4-Acute Tox. 5-Aquatic Acute 1-Aquatic Chronic 2;H302-H313-H400-H411
1-(2,6,6-Trimethylcyclohexa-1,3-dienyl)-2-buten-1-one	23696-85-7	0.12%	Acute Tox. 5-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 2-Aquatic Chronic 2;H313-H315-H317-H411
Myrcene (Naturally-Occurring)	123-35-3	0.10%	Flam. Liq. 3-Skin Irrit. 2-Eye Irrit. 2A-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 2;H226-H304-H315-H319- H400-H411
Oxacycloheptadec-10-ene-2-one	28645-51-4	0.03%	Aquatic Acute 1-Aquatic Chronic 1;H410

Substances with workplace exposure limits, not listed above:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable



8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Free flowing liquid without sediment

Odour: Characteristic
Odour threshold: Not determined
pH: Not determined
Melting point / freezing point: Not determined
Initial boiling point / range: Not determined

Flash point: 84 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Not determined Vapour density: 0.9220 - 0.9320Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

9.2 Other information:

Refractive Index @ 20C: 1.4527 - 1.4627

Flash Point (Fahrenheit): 184 °F Calculated VOC: 0.00



Color Range: 1 Very Pale Yellow - 3 Very Pale Yellow

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in UN GHS.

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2

Serious eye damage/irritation: Based on available data the classification criteria are not met.

Respiratory or skin sensitisation: Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.



Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class(es):	Sub Risk:	14.4. Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene, Hexyl salicylate)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene, Hexyl salicylate) MARINE POLLUTANT	9	-	
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene, Hexyl salicylate)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Butylated hydroxytoluene, Hexyl salicylate)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable



Section 15. Regulatory information

Components listed on California's Proposition 65:

Name	CAS	%
Myrcene (Naturally-Occurring)	123-35-3	0.104

Essential Oil Components:

Name	CAS	%
MANDARIN OIL	808-31-9	0.65

Additional formulation properties

Name	CAS	%
Ethyl vanillin	121-32-4	0.07

Section 16. Other information

Concentration % Limits: EH A2=20.02% EH A3=1.99% EH C2=52.07% EH C3=5.07% EH C4=92.

60% SCI 2=76.97% SCI 3=6.10% SS 1=20.00%

Total Fractional Values: EH A2=5.00 EH A3=50.34 EH C2=1.92 EH C3=19.72 EH C4=1.08 SCI

2=1.30 SCI 3=16.39 SS 1=5.00

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 2	Acute Toxicity - Inhalation Category 2
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 3	Acute Toxicity - Inhalation Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 5	Acute Toxicity - Oral Category 5
Acute Tox. 5	Acute Toxicity - Dermal Category 5
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the Aquatic Environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the Aquatic Environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Eye Irrit. 2A	Eye Damage / Irritation Category 2A
Flam. Liq. 3	Flammable Liquid, Hazard Category 3



Flam. Liq. 4	Flammable Liquid, Hazard Category 4	
H226	Flammable liquid and vapour.	
H227	Combustible liquid.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H303	May be harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H311	Toxic in contact with skin.	
H313	May be harmful in contact with skin.	
H315	Causes skin irritation.	
H316	Causes mild skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H401	Toxic to aquatic life.	
H402	Harmful to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical, ventilating and lighting equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P260	Do not breathe vapour or dust.	
P261	Avoid breathing vapour or dust.	
P264	Wash hands and other contacted skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/eye protection/face protection.	
P284	Wear respiratory protection.	
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.	
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P302/352	IF ON SKIN: Wash with plenty of soap and water.	
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower	



do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. P311 Call a POISON CENTRE or doctor/physician if you feel unwell. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P330 Rinse mouth. P331 Do not induce vomiting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P3461 Remove/Take off immediately all contaminated clothing. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Sens. 1 Sensitization - Skin Category 1A	P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P311 Call a POISON CENTRE or doctor/physician. P312 Call a POISON CENTRE or doctor/physician if you feel unwell. P330 Rinse mouth. P331 Do not induce vomitting. P332/313 If skin irritation occurs: Get medical advice/attention. P333/313 If skin irritation or rash occurs: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P337/313 If eye irritation persists: Get medical advice/attention. P3361 Remove/Take off immediately all contaminated clothing. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1 Sensitization - Skin Category 1A	P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do not induce vomiting. P332/313	P310	Immediately call a POISON CENTER or doctor/physician.
Rinse mouth. Do not induce vomiting. If skin irritation occurs: Get medical advice/attention. P332/313	P311	Call a POISON CENTRE or doctor/physician.
Do not induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. P333/313 If eye irritation persists: Get medical advice/attention. P3661 Remove/Take off immediately all contaminated clothing. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1A	P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
If skin irritation occurs: Get medical advice/attention. P333/313	P330	Rinse mouth.
P333/313	P331	Do not induce vomiting.
P337/313 If eye irritation persists: Get medical advice/attention. P361 Remove/Take off immediately all contaminated clothing. P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Sensitization - Skin Category 1 Skin Sens. 1 Sensitization - Skin Category 1A	P332/313	If skin irritation occurs: Get medical advice/attention.
Remove/Take off immediately all contaminated clothing. Pa62 Take off contaminated clothing and wash before reuse. Pa63 Wash contaminated clothing before reuse. Pa70/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. Collect spillage. Pa03/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. Pa03/235 Store in a well-ventilated place. Keep cool. Pa03/235 Store in a well-ventilated place. Keep cool. Pa05 Store locked up. Pa06 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P337/313	If eye irritation persists: Get medical advice/attention.
P363 Wash contaminated clothing before reuse. P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P361	Remove/Take off immediately all contaminated clothing.
P370/378 In case of fire: Use carbon dioxide, dry chemical, foam for extinction. P391 Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P362	Take off contaminated clothing and wash before reuse.
Collect spillage. P403/233/235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P363	Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed. Keep cool. P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235 Store in a well-ventilated place. Keep cool. P405 Store locked up. Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P391	Collect spillage.
P405 Store locked up. P501 Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Dispose of contents/container to approved disposal site, in accordance with local regulations. Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P403/235	Store in a well-ventilated place. Keep cool.
Skin Irrit. 2 Skin Corrosion / Irritation Category 2 Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P405	Store locked up.
Skin Irrit. 3 Skin Corrosion / Irritation Category 3 Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Skin Sens. 1 Sensitization - Skin Category 1 Skin Sens. 1A Sensitization - Skin Category 1A	Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1A Sensitization - Skin Category 1A	Skin Irrit. 3	Skin Corrosion / Irritation Category 3
	Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B Sensitization - Skin Category 1B	Skin Sens. 1A	Sensitization - Skin Category 1A
	Skin Sens. 1B	Sensitization - Skin Category 1B

Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.