

## Safety Data Sheet

### Section 1: Company and Product Information

<b>Product Name:</b>	Black Salt & Cypress Fragrance Oil
<b>INCI Name:</b>	Parfum
<b>Country of Origin:</b>	United States
<b>Product Use:</b>	Cosmetic and personal care applications.
<b>Restrictions on Use:</b>	Repackaged for cosmetic use only.
<b>Supplier:</b>	Windy Point Soap Making Supplies Inc. 14, 6125-12th Street SE Calgary, AB T2H 2K1 587-318-6678 / 877-257-0030
<b>Emergency Phone Number:</b>	(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands +1 813 248-0585 International

### Section 2: Hazard Identification

#### Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

<b>Classification according to GHS:</b>	Flammable Liquids, Category 4	H227 : Combustible liquid
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
<b>Classification OSHA (Provisions 1910.1200 of title 29):</b>	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
	Flammable Liquids, Category 4	H227 : Combustible liquid
<b>Classification Other:</b>	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []	

#### Pictograms:



<b>Signal word:</b>	Danger	
<b>Hazard statements:</b>	H227	Combustible liquid
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H333	May be harmful if inhaled
	H411	Toxic to aquatic life with long lasting effects
<b>Precautionary statements:</b>		
<b>Prevention:</b>	P235	Keep cool
	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace
<b>Response:</b>	P273	Avoid release to the environment
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P362	Take off contaminated clothing and wash before reuse

## Safety Data Sheet

P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use Carbon dioxide (CO <sub>2</sub> ), Dry chemical, or Foam for extinction. Do not use a direct water jet on burning material
P391	Collect Spillage
No data available.	

**Other hazards:**

### **Section 3: Composition / Information on Ingredients**

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

<u>Name</u> <u>CAS</u>	<u>EC</u>	<u>%</u>	<u>GHS Classification</u>
Methyldihydrojasmonate 24851-98-7	246-495-9	30 - 40 %	H402
Tetramethyl Acetyloctahydronaphthalenes 54464-57-2	259-174-3	5 - 10 %	H315; H317; H401; H411
Ethylene brassylate 105-95-3	203-347-8	5 - 10 %	H401
Cedrol methyl ether 19870-74-7	243-384-7	5 - 10 %	H317; H400; H410
Limonene 5989-27-5	227-813-5	2 - 5 %	H226; H304; H315; H317; H400; H412
(ethoxymethoxy)cyclododecane 58567-11-6	261-332-1	1 - 2 %	H315; H317; H401; H411
Linalyl Acetate 115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402
Terpineol acetate 8007-35-0	232-357-5	0.1 - 1.0 %	H316; H401; H411
a-Isomethyl ionone 127-51.5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411
Pinene 80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400; H410

## Safety Data Sheet

Eugenol 97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Hexyl salicylate 6259-76-3	228-408-6	0.1 - 1.0 %	H316; H317; H400; H410
delta-3-Carene 13466-78-9	236-719-3	0.1 - 1.0 %	H226; H303; H304; H315; H317; H332; H401; H411
Ethyl 2,2-dimethylhydrocinnamal 67634-15-5	226-819-2	0.1 - 1.0 %	H315; H317; H400; H411
Linalool 78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402

See Section 16 for full text of GHS classification codes which were not shown in section 2  
Total Hydrocarbon Content (% w/w) = 5.35

### **Section 4: First Aid Measures**

#### **Description of first aid measures**

<b>Inhalation:</b>	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
<b>Eye exposure:</b>	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
<b>Skin exposure:</b>	Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.
<b>Ingestion:</b>	Rinse mouth with water and obtain medical advice.
<b>Most important symptoms and effects, both acute and delayed</b>	No data available. Refer to Section 2 Hazard Statements.
<b>Indication of any immediate medical attention and special treatment needed</b>	Refer to Section 2 Response.

### **Section 5: Fire Fighting Measures**

#### **Extinguishing media**

<b>Suitable:</b>	Carbon dioxide (CO <sub>2</sub> ), Dry chemical, Foam.
<b>Unsuitable:</b>	Do not use a direct water jet on burning material.
<b>Special hazards arising from the substance or mixture:</b>	
<b>During firefighting:</b>	Water may be ineffective.
<b>Advice for firefighters:</b>	Standard procedure for chemical fires.

### **Section 6: Accidental Release Measures**

<b>Personal precautions, protective equipment, and emergency procedures:</b>	Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.
<b>Environmental precautions:</b>	Keep away from drains, soil, and surface and groundwater.

## Safety Data Sheet

**Methods and materials for containment and cleaning up:** Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

### Section 7: Handling and Storage

**Precautions for safe handling:** Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat, or smoke while handling. Respect good personal hygiene.

**Conditions for safe storage, including any incompatibilities:** Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum.

**Specific end use(s):** No information available.

### Section 8: Exposure Control / Personal Protection

**Exposure controls - Personal protective equipment**

**Eye Protection:** Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.

**Respiratory Protection:** Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

**Skin Protection:** Avoid skin contact. Use chemically resistant gloves as needed.

<b>Exposure limits:</b>	Component:	ACGIH	ACGIH	OSHA	OSHA
		TWA ppm	STEL ppm	TWA ppm	STEL ppm
	Pinene	20			
	delta-3-Carene	20			

**Engineering controls:** Use local exhaust as needed.

### Section 9: Physical and Chemical Properties

**Appearance:** Liquid

**Odour:** Conforms to standard

**Colour:** Colourless – Yellow Tint (G0-G1)

**Viscosity:** Liquid

**Freezing point:** Not determined

**Boiling point:** Not determined

**Melting point:** Not determined

**Flashpoint (CCCFP):** 194 F (90.00 C)

**Autoflammability:** Not determined

**Explosive properties:** None expected

**Oxidizing properties:** None expected

**Vapour pressure (mmHg@20C):** 0.0509

**%VOC:** 4.30

**Specific gravity:** 0.9582

**Density (g/mL) @ 25C:** 0.9552

**Refractive index @ 20C:** 1.4610

**Soluble in:** Oil

### Section 10: Stability and Reactivity

**Reactivity conditions:** None.

**Chemical stability:** Stable.

**Possibility of hazardous reactions:** None known.

**Conditions to avoid:** None known.

**Incompatibility:** Avoid contact with strong acids, alkalis, or oxidizing agents.

## Safety Data Sheet

**Hazardous decomposition products:** None known.

### Section 11: Toxicological Information

#### **Toxicological Effects**

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

**Acute toxicity - Oral - (Rat) mg/kg:** Not classified - the classification criteria are not met

**Acute toxicity - Dermal - (Rabbit) mg/kg:** Not classified - the classification criteria are not met

**Acute toxicity - Inhalation - (Rat) mg/L/4hr:** (LD50: 51.6329) May be harmful if inhaled

**Skin corrosion / irritation:** Causes mild skin irritation

**Serious eye damage / irritation:** Not classified - the classification criteria are not met

**Respiratory sensitization:** Not classified - the classification criteria are not met

**Skin sensitization:** May cause an allergic skin reaction

**Germ cell mutagenicity:** Not classified - the classification criteria are not met

**Carcinogenicity:** Not classified - the classification criteria are not met

**Reproductive toxicity:** Not classified - the classification criteria are not met

**Specific target organ toxicity - single exposure:** Not classified - the classification criteria are not met

**Specific target organ toxicity - repeated exposure:** Not classified - the classification criteria are not met

**Aspiration hazard:** Not classified - the classification criteria are not met

### Section 12: Ecological Information

**Acute aquatic toxicity:** Not classified - the classification criteria are not met

**Chronic aquatic toxicity:** Toxic to aquatic life with long lasting effects

**Toxicity Data on soil:** No data available

**Toxicity on other organisms:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**Other adverse effects:** No data available

### Section 13: Disposal Information

**Waste treatment methods:** Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

### Section 14: Transport Information

**Marine pollutant:** Yes. Ingredient of greatest environmental impact: 19870-74-7 : (5 - 10 %) : Cedrol methyl ether

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated - Not Dangerous Goods		
Chemicals NOI				
ADR/RID (International Road/Rail)	9	III		UN3082

## Safety Data Sheet

Environmentally Hazardous Substance, Liquid, n.o.s.			
<b>IATA (Air Cargo)</b>	9	III	UN3082
Environmentally Hazardous Substance, Liquid, n.o.s.			
<b>IMDG (Sea)</b>	9	III	UN3082
Environmentally Hazardous Substance, Liquid, n.o.s.			

### Section 15: Regulatory Information

#### U.S. Federal Regulations

**TSCA (Toxic Substance Control Act):** All components of the substance/mixture are listed or exempt

**40 CFR(EPCRA, SARA, CERCLA and CAA) :** This product contains NO components of concern.

#### U.S. State Regulations

**California Proposition 65 Warning:** This product contains the following components:  
 beta-Myrcene (Natural Source) 123-35-3 204-622-5 0.01-0.1%  
 Methyl Eugenol (Natural Source) 93-15-2 202-223-0 <=18ppm

#### Canadian Regulations

**DSL:** 99.99% of the components are listed or exempt. The following components are NOT on the List:  
 2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl 476332-65-7 0.01-0.1%

### Section 16: Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H302 : Harmful if swallowed
H303 : May be harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H316 : Causes mild skin irritation	H317 : May cause an allergic skin reaction
H319 : Causes serious eye irritation	H320 : Causes eye irritation
H332 : Harmful if inhaled	H400 : Very Toxic to aquatic life
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects

#### Total Fractional Values

(TFV) Risk	(TFV) Risk
(96.84) Acute Toxicity Inhalation, Category 5	(30.33) Aquatic Chronic Toxicity, Category 3
(6.30) Sensitization, Skin, Category 1B	(5.00) Sensitization, Skin, Category 1
(5.00) Sensitization, Skin, Category 1A	(3.02) Aquatic Chronic Toxicity, Category 2
(2.32) Skin Corrosion/Irritation, Category 3	(2.00) Skin Corrosion/Irritation, Category 2

## Safety Data Sheet

### Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.