

1. PRODUCT INFORMATION

| | |
|---------------------|--|
| Product name | : Black Tie Fragrance Oil |
| INCI | : Parfum |
| Country of Origin | : United States |
| Supplier | : Windy Point Soap Making Supplies Inc. |
| Address | : 14, 6125-12 th Street SE, Calgary, AB T2H 2K1 |
| Telephone | : 587-318-6678 |
| Emergency Telephone | : (800) 225-3924 Canada, USA, Puerto Rico |

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS Regulation (EC) No 1272/2008

| | |
|--|---|
| Acute Toxicity Oral, Category 5 | H303: May be harmful if swallowed |
| Acute Toxicity Dermal, Category 5 | H313: May be harmful in contact with skin |
| Skin Corrosion/Irritation, Category 2 | H315: Causes skin irritation |
| Sensitization, Skin, Category 1B | H317: May cause an allergic skin reaction |
| Eye Damage/Eye Irritation, Category 2A | H319: Causes serious eye irritation |
| Acute Toxicity Inhalation, Category 5 | H333: May be harmful if inhaled |
| Aquatic Acute Toxicity, Category 1 | H400: Very Toxic to aquatic life |
| Aquatic Chronic Toxicity, Category 2 | H411: Toxic to aquatic life with long lasting effects |

Classification OSHA (Provisions 1910.1200 of title 29)

| | |
|---------------------------------|---|
| Flammability | Class IIIB Combustible Liquid |
| Acute Dermal/Eye | 11 : May cause skin irritation. |
| | 15 : May cause |
| Acute Inhalation | 23 : May cause respiratory tract irritation. |
| | 25 : Inhalation at high levels may cause: anesthesia |
| Acute Oral | 3 : May be harmful if swallowed. |
| Sensitization/Allergic Response | 31 : May cause allergic skin reaction. |
| Target Organ Effects | 28 : Prolonged or repeated Dermal Exposure may cause damage to: kidneys, skin, testes |

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal Word: Warning

Hazard statements

- H303 May be harmful if swallowed
- H313 May be harmful in contact with skin
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H333 May be harmful if inhaled
- H400 Very Toxic to aquatic life
- H411 Toxic to aquatic life with long lasting effects

Precautionary statements

Prevention

- P264 Wash hands thoroughly after handling
- P272 Contaminated work clothing should not be allowed out of the workplace
- P273 Avoid release to the environment

Response

- P302 + P352 IF ON SKIN: Wash with soap and water
- P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
- P312 Call a POISON CENTER or doctor/physician if you feel unwell
- P333 + P313 If skin irritation or a rash occurs: Get medical advice/attention
- P337 + P313 If eye irritation persists: Get medical advice/attention
- P362 Take off contaminated clothing and wash before reuse
- P363 Wash contaminated clothing before reuse

P391 Collect spillage

Other Hazards

No data available.

3. COMPOSITION / INFORMATION INGREDIENTS

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

| CAS# Ingredient | EC# | Conc. Range | GHS Classification | OSHA Classification |
|---|-----------|-------------|------------------------------|---------------------|
| 120-51-4 Benzyl Benzoate | 204-402-9 | 20 - 30 % | H302; H313; H400; H411 | 28, 3 |
| 54464-57-2 Tetramethyl Acetyloctahydronaphthalenes | 259-174-3 | 5 - 10 % | H315; H317; H400; H410 | 11, 31 |
| 100-51-6 Benzyl Alcohol | 202-859-9 | 5 - 10 % | H302; H313; H319; H332 | 11, 15, 23, 25, 31 |
| 105-95-3 Ethylene brassylate | 203-347-8 | 5 - 10 % | H401 | 11, 15 |
| 101-86-0 Hexyl cinnamaldehyde | 202-983-3 | 2 - 5 % | H303; H316; H317; H400; H411 | 11, 15 |
| 1222-05-5 Hexamethylindanopyran | 214-946-9 | 2 - 5 % | H316; H400; H410 | 11, 15 |
| 139504-68-0 1-(2-Butyl cyclohexyloxy)-2-butanol | 412-300-2 | 2 - 5 % | H320; H401; H411 | |
| 19870-74-7 Cedrol methyl ether | 243-384-7 | 2 - 5 % | H316 | 15 |
| 115-95-7 Linalyl acetate | 204-116-4 | 1 - 2 % | H227; H315; H319; H401; H402 | |

See Section 16 for full text of GHS classification codes

Total Hydrocarbon Content (% w/w) = 0.82

4. FIRST AID MEASURES

Eye contact

Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin contact

Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

Inhalation

Remove from exposure site to fresh air and keep at rest. Obtain medical advice

Ingestion

Rinse mouth with water and obtain medical advice.

Most important symptoms and effects, both acute and delayed

No data available.

Refer to Section 2 "Hazard Statements"

Indication of any immediate medical attention and special treatment needed

Refer to Section 2 "Response"

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable Extinguishing Media:

Do not use a direct water jet on burning material.

Special hazards arising from the substance or mixture

Water may be ineffective.

Advice for firefighters

Standard procedure for chemical fires.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

Environmental precautions

Keep away from drains, soil, and surface and groundwater.

Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

Conditions for safe storage

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid plastic and uncoated metal container. Keep air contact to a minimum.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Control parameters

Exposure limits

Contains no substances with occupational exposure limit values.

Engineering controls

Use local exhaust as needed.

Exposure controls - Personal protective equipment

Eye protection

Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.

Respiratory protection

Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection

Avoid skin contact. Use chemically resistant gloves as needed.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|------------------------------|------------------------------|
| Appearance: | Conforms to standard. |
| Colour: | Conforms to standard. |
| Odour: | Pale yellow to golden yellow |
| Viscosity: | Liquid. |
| Freezing Point: | Not determined |
| Melting Point: | Not determined |
| Boiling Point: | Not determined |
| Flash Point: | >200 (Degrees F) Closed Cup |
| Auto flammability: | Not determined |
| Explosive properties: | None expected. |
| Oxidizing properties: | None expected |
| Vapour Pressure (mmHg@20 C): | 0.0148 |

| | |
|--------------------------|--------|
| %VOC: | 0.8995 |
| Specific Gravity @ 25 C: | 0.9890 |
| Density @ 25 C: | 0.9860 |
| Refractive Index @ 20 C: | 1.5050 |
| Soluble in: | Oil |

10. STABILITY AND REACTIVITY

Reactivity

None.

Chemical stability

Stable.

Possibility of hazardous reactions

None known.

Conditions to avoid

None known.

Incompatible materials

Strong oxidizing agents, strong acids, and alkalis.

Hazardous decomposition products

None known.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

| | |
|--|--|
| Acute toxicity - Oral - (Rat) mg/kg | (LD50: 2,724.75) May be harmful if swallowed |
| Acute toxicity - Dermal - (Rabbit) mg/kg | (LD50: 4,336.57) May be harmful in contact with skin |
| Acute toxicity - Inhalation - (Rat) mg/L/4hr | (LC50: 33.15) May be harmful if inhaled |
| Skin corrosion / irritation | Causes skin irritation |
| Serious eye damage / irritation | Causes serious eye irritation |
| Respiratory sensitization | Not classified - the classification criteria are not met |
| Skin sensitization | May cause an allergic skin reaction |
| Germ cell mutagenicity | Not classified - the classification criteria are not met |
| Carcinogenicity | Not classified - the classification criteria are not met |
| Reproductive toxicity | Not classified - the classification criteria are not met |

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Specific target organ toxicity - repeated exposure

Not classified - the classification criteria are not met

Aspiration hazard

Not classified - the classification criteria are not met

12. ECOLOGICAL INFORMATION

Acute aquatic toxicity

Very Toxic to aquatic life

Chronic aquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil

No data available.

Toxicity on other organisms

No data available.

Persistence and degradability

No data available.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No data available.

13. DISPOSAL CONSIDERATION

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. TRANSPORT INFORMATION

| Regulator | Class | Pack Group | Sub Risk | UN-nr. |
|---|-------------------------------------|-------------------|-----------------|---------------|
| U.S. DOT (Non-Bulk) Chemicals NOI | Not Regulated - Not Dangerous Goods | | | |
| ADR/RID (International Road/Rail) Environmentally Hazardous Substance, Liquid, n.o.s. | 9 | III | | UN3082 |

| | | | |
|-------------------------|---|-----|--------|
| IATA (Air Cargo) | 9 | III | UN3082 |
|-------------------------|---|-----|--------|

Environmentally Hazardous
Substance, Liquid, n.o.s.

| | | | |
|-------------------|---|-----|--------|
| IMDG (Sea) | 9 | III | UN3082 |
|-------------------|---|-----|--------|

Environmentally Hazardous
Substance, Liquid, n.o.s.

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt.

40 CFR(EPCRA, SARA, CERCLA and CAA)

This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (NFS)

Canadian Regulations

DSL / NDSL

100.00% of the components are listed or exempt

16. OTHER INFORMATION

GHS H-Statements referred to under section 3

Total Fractional Values

(TFV) Risk

(1.13) Skin Corrosion/Irritation, Category 2

(1.24) Eye Damage/Eye Irritation, Category 2A

(6.24) Aquatic Chronic Toxicity, Category 2

(TFV) Risk

(7.00) Sensitization, Skin, Category 1B

(1.76) Aquatic Acute Toxicity, Category 1

DISCLAIMER AND CAUTION

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.