

Oak

# Safety Data Sheet

Section 1: Company a	and Product Information
Product Name:	Cedar & White Oak Fragrance Oil
INCI Name:	Parfum
Country of Origin:	United States
Product Use:	Cosmetic and personal care applications.
Restrictions on Use:	Repackaged for cosmetic use only.
Supplier:	Windy Point Soap Making Supplies Inc.
	14, 6125-12th Street SE
	Calgary, AB T2H 2K1
	587-318-6678 / 877-257-0030
Emergency Phone Number:	(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
	+1 813 248-0585 International

### Section 2: Hazard Identification

#### Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed
GHS:	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects
Classification OSHA	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation
(Provisions 1910.1200 of title 29):	Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction
	Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation
Classification Other:	This mixture contains ingredients identit the following: None [X] ACGIH [] IARC	fied as carcinogens, at 0.1% or greater, by C[] NTP[] OSHA[]

Pictograms:



Signal word:	Danger	
Hazard statements:	H303	May be harmful if swallowed
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H319	Causes serious eye irritation
	H333	May be harmful if inhaled
	H411	Toxic to aquatic life with long lasting effects
Precautionary statements:		
Prevention:	P264	Wash hands thoroughly after handling
	P272	Contaminated work clothing should not be allowed out of the workplace
	P273	Avoid release to the environment
Response:	P302 + P352	IF ON SKIN: Wash with soap and water



## Oak

# Safety Data Sheet

P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you
	feel unwell
P305 + P351 +	IF IN EYES: Rinse cautiously with water for several minutes
P338	Remove contact lenses if present and easy to do. continue
	rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
No data available.	· -


#### Other hazards:

#### ino data avallable.

## Section 3: Composition / Information on Ingredients

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

Name <u>CAS</u>	<u>EC</u>	<u>%</u>	<b>GHS Classification</b>
Methyldihydrojasmonate	246-495-9	10 - 20 %	H402
24851-98-7			
Tetramethyl Acetyloctahydronaphthalenes	259-174-3	5 - 10 %	H315; H317; H401; H411
54464-57-2			
lsobutyl Methyl Tetrahydropyranol	405-040-6	2 - 5 %	H319
63500-71-0			
Ethyl trimethylcyclopentene butenol	248-908-8	2 - 5 %	H315; H319; H401; H411
28219-61-6			
Hydroxyisohexyl 3-cyclohexene carboxaldehyde	250-863-4	2 - 5 %	H317; H402
31906-04-4			
Ethylene brassylate	203-347-8	2 - 5 %	H401
105-95-3 203-			
lsocamphenyl cyclohexanol (mixed isomers)	266-100-3	2 - 5 %	H316; H400; H411
66068-84-6			
Methyl atrarate	225-193-0	2 - 5 %	H317; H401





Oak

# Safety Data Sheet

4707-47-5	
Benzyl Benzoate	

Benzyl Benzoate 120-51-4	204-402-9	2 - 5 %	H302; H313; H400; H411
Hydroxycitronellal 107-75-5	203-518-7	2 - 5 %	H317; H319; H402
Clearwood 107-75-5		2 - 5 %	H304; H411
p-Anisyl acetate 450625-49-	203-185-8	1 - 2 %	H317; H402
Hexamethylindanopyran 1222-05-5	214-946-9	1 - 2 %	H316; H400; H410
Linalool 78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402
4-tert-Butylcyclohexyl acetate 32210-23-4	250-954-9	1 - 2 %	H303; H317; H401
Eugenol 97-53-0	202-589-1	0.1 - 1.0 %	H303; H316; H317; H319; H401
Limonene 5989-27-5	227-813-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H412
Beta-Caryophyllene 87-44-5	201-746-1	0.1 - 1.0 %	H304; H317
Trimethyl- propylcyclohexanepropanol	274-892-7	0.1 - 1.0 %	H315; H317; H411

70788-30-6

See Section 16 for full text of GHS classification codes which were not shown in section 2 Total Hydrocarbon Content (% w/w) = 1.40

## Section 4: First Aid Measures

Description of first aid measures		
Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.	
Eye exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.	



## Oak

# Safety Data Sheet

Skin exposure:	Remove contaminated clothes. Wash thoroughly with soap and water. Contact
Induction	physician if irritation persists. Rinse mouth with water and obtain medical advice.
Ingestion:	No data available.
Most important symptoms and effects, both acute and	Refer to Section 2 Hazard Statements.
delayed	
Indication of any immediate	Refer to Section 2 Response.
medical attention and special	
treatment needed	
Section 5: Fire Fightin Extinguishing media	ig Measures
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam.
Unsuitable:	Do not use a direct water jet on burning material.
Special hazards arising from th	
During firefighting:	Water may be ineffective.
Advice for firefighters:	Standard procedure for chemical fires.
	Release Measures
Personal precautions,	Avoid inhalation and contact with skin and eyes. A self-contained breathing
protective equipment, and	apparatus is recommended in case of a major spill.
emergency procedures:	
Environmental precautions: Methods and materials for	Keep away from drains, soil, and surface and groundwater.
	Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Gross spillages should be contained by use
containment and cleaning up:	of sand or inert powder and disposed of according to the local regulations.
Section 7: Handling a	nd Storage
Precautions for safe	Apply according to good manufacturing and industrial hygiene practices with proper
handling:	ventilation. Do not drink, eat, or smoke while handling. Respect good personal
	hydiene
Conditions for safe storage.	hygiene. Store in a cool. drv. and ventilated area away from heat sources and protected from
Conditions for safe storage, including any	Store in a cool, dry, and ventilated area away from heat sources and protected from
including any	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air
	Store in a cool, dry, and ventilated area away from heat sources and protected from
including any incompatibilities: Specific end use(s):	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available.
including any incompatibilities: Specific end use(s): <u>Section 8:</u> Exposure 0	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure C</u> Exposure controls - Personal	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure C</u> Exposure controls - Personal protective equipment	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure C</u> Exposure controls - Personal	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side
including any incompatibilities: Specific end use(s): <u>Section 8:</u> Exposure ( Exposure controls - Personal protective equipment Eye Protection:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure C</u> Exposure controls - Personal protective equipment	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure (</u> Exposure controls - Personal protective equipment Eye Protection:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure (</u> Exposure controls - Personal protective equipment Eye Protection: Respiratory Protection: Skin Protection:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Avoid skin contact. Use chemically resistant gloves as needed.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure C</u> Exposure controls - Personal protective equipment Eye Protection: Respiratory Protection:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure C</u> Exposure controls - Personal protective equipment Eye Protection: Respiratory Protection: Skin Protection: Exposure limits: Engineering controls:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Avoid skin contact. Use chemically resistant gloves as needed. Contains no substances with occupational exposure limit values. Use local exhaust as needed.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure (</u> Exposure controls - Personal protective equipment Eye Protection: Respiratory Protection: Skin Protection: Exposure limits: Engineering controls: <u>Section 9: Physical ar</u>	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Avoid skin contact. Use chemically resistant gloves as needed. Contains no substances with occupational exposure limit values. Use local exhaust as needed.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure (</u> Exposure controls - Personal protective equipment Eye Protection: Respiratory Protection: Skin Protection: Exposure limits: Engineering controls: <u>Section 9: Physical ar</u> Appearance:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Avoid skin contact. Use chemically resistant gloves as needed. Contains no substances with occupational exposure limit values. Use local exhaust as needed.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure (</u> Exposure controls - Personal protective equipment Eye Protection: Respiratory Protection: Skin Protection: Exposure limits: Engineering controls: <u>Section 9: Physical ar</u> Appearance: Odour:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Avoid skin contact. Use chemically resistant gloves as needed. Contains no substances with occupational exposure limit values. Use local exhaust as needed.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure (</u> Exposure controls - Personal protective equipment Eye Protection: Respiratory Protection: Skin Protection: Exposure limits: Engineering controls: <u>Section 9: Physical ar</u> Appearance: Odour: Colour:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Avoid skin contact. Use chemically resistant gloves as needed. Contains no substances with occupational exposure limit values. Use local exhaust as needed.
including any incompatibilities: Specific end use(s): <u>Section 8: Exposure (</u> Exposure controls - Personal protective equipment Eye Protection: Respiratory Protection: Skin Protection: Exposure limits: Engineering controls: <u>Section 9: Physical ar</u> Appearance: Odour:	Store in a cool, dry, and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal containers. Keep air contact to a minimum. No information available. Control / Personal Protection Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure. Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate. Avoid skin contact. Use chemically resistant gloves as needed. Contains no substances with occupational exposure limit values. Use local exhaust as needed.



## Oak

# Safety Data Sheet

Boiling point: Melting point: Flashpoint (CCCFP): Auto flammability: Explosive properties: Oxidizing properties: Vapour pressure (mmHg@20C): %VOC: Specific gravity: Density (g/mL) @ 25C: Refractive index @ 20C:	Not determined Not determined >200 F (93.33 C) Not determined None expected 0.0139 1.54 0.9620 0.9590 1.4720
Soluble in:	Oil

## Section 10: Stability and Reactivity

Reactivity conditions:	None.
Chemical stability:	Stable.
Possibility of hazardous	None known.
reactions:	
Conditions to avoid:	None known.
Incompatibility:	Avoid contact with strong acids, alkalis, or oxidizing agents.
Hazardous decomposition	None known.
products:	

## Section 11: Toxicological Information

Toxicological Effects		
Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula		
Acute toxicity - Oral - (Rat)	(LD50: 4321.3939) May be harmful if swallowed	
mg/kg:		
Acute toxicity - Dermal -	Not classified - the classification criteria are not met	
(Rabbit) mg/kg:		
Acute toxicity - Inhalation -	(LD50: 52.3617) May be harmful if inhaled	
(Rat) mg/L/4hr:		
Skin corrosion / irritation:	Causes skin irritation	
Serious eye damage /	Causes serious eye irritation	
irritation:		
Respiratory sensitization:	Not classified - the classification criteria are not met	
Skin sensitization:	May cause an allergic skin reaction	
Germ cell mutagenicity:	Not classified - the classification criteria are not met	
Carcinogenicity:	Not classified - the classification criteria are not met	
Reproductive toxicity:	Not classified - the classification criteria are not met	
Specific target organ toxicity -	Not classified - the classification criteria are not met	
single exposure:		
Specific target organ toxicity -	Not classified - the classification criteria are not met	
repeated exposure:		
Aspiration hazard:	Not classified - the classification criteria are not met	

### Section 12: Ecological Information

Acute aquatic toxicity:	Not classified - the classification criteria are not met
Chronic aquatic toxicity:	Toxic to aquatic life with long lasting effects
Toxicity Data on soil:	No data available
Toxicity on other organisms:	No data available
Persistence and	No data available
degradability:	



Oak

Safety Data Sheet

Bio accumulative pote Mobility in soil: Other adverse effects:	ntial:	No data available No data available No data available			
Section 13: Disposal Information					
Waste treatment metho	ods:	Do not allow product to reach sewage systems			
		local and national regulations. Send to a licens			
		product should not be allowed to enter drains,			
		contaminate ponds, waterways or ditches with	chemical of used	container.	
Section 14: Tra	nsnor	t Information			
Marine pollutant:		Yes. Ingredient of greatest environmental impact:			
		1222-05-5 : (1 - 2 %) : Hexamethylindanopyran			
Regulator	Class	Pack Group	Sub Risk	UN-nr.	
U.S. DOT (Non-		Not Regulated - Not Dangerous Goods			
Bulk)					
Chemicals NOI					
ADR/RID	9	III		UN3082	
(International					
_Road/Rail)					
Environmentally					
Hazardous					
Substance, Liquid, n.o.s.					
IATA (Air Cargo)	9	III		UN3082	
Environmentally	3	III		0110002	
Hazardous					
Substance, Liquid,					
n.o.s.					
IMDG (Sea)	9	III		UN3082	
Environmentally					
Hazardous					
Substance, Liquid,					
n.o.s.					
		ry Information			
U.S. Federal Regulation TSCA (Toxic Substanc		All components of the substance/mixture are lister	d or evernt		
Control Act):	C	All components of the substance/mixture are listed			
40 CFR(EPCRA, SARA		This product contains the following components:			
CERCLA and CAA) :	,	Hexamethylindanopyran 1222-05-5 214-946-9 1 - 2 %			
U.S. State Regulations		······································			
California Proposition		This product contains the following components:			
Warning:		beta-Myrcene (Natural Source) 123-35-3 204-622-5 <= 90 ppm			
Canadian Regulations					
DSL:	97.81% of the components are listed or exempt. The following components are NOT on				
	the List:				
	Clearwood 1450625-49- 2-5%				
		3-Methyl-5-(2,2,3-trimethyl-3-cyclopenten-1-yl)per	nt-4-en-2-ol 67801	-20-1 267-140-4	

2H-Indeno[4,5b] furan, decahydro-2,2,6,6,7,8,,8-heptamethyl 476332-65-7 0.01-0.1%

0.1-1.0%



## Oak

# Safety Data Sheet

## Section 16: Other Information

GHS H-Statements referred to under section 3 and not listed in section 2 H226 : Flammable liquid and vapour H302 : Harmful if swallowed H313 : May be harmful in contact with skin H317 : May cause an allergic skin reaction H401 : Toxic to aquatic life H410 : Very toxic to aquatic life with long lasting effects **Total Fractional Values** (TFV) Risk (95.49) Acute Toxicity Inhalation, Category 5 (17.77) Aquatic Chronic Toxicity, Category 3 (2.26) Skin Corrosion/Irritation. Category 3 (1.77) Aquatic Chronic Toxicity, Category 2 (1.16) Acute Toxicity Oral, Category 5

- H227 : Combustible liquid
- H304 : May be fatal if swallowed and enters airways
- H316 : Causes mild skin irritation
- H400 : Very Toxic to aquatic life
- H402 : Harmful to aquatic life
- H412 : Harmful to aquatic life with long lasting effects

#### (TFV) Risk

- (30.00) Sensitization, Skin, Category 1A
- (8.60) Sensitization, Skin, Category 1B
- (2.04) Eye Damage/Eye Irritation, Category 2A
- (1.67) Skin Corrosion/Irritation, Category 2
- (1.02) Aquatic Chronic Toxicity, Category 4

### **Disclaimer & Caution**

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.