

Safety Data Sheet

Section 1: Company and Product Information

Product Name: F**king Fabulous (Tom Ford Dupe)

INCI Name: Parfum
Country of Origin: United States

Product Use:

Restrictions on Use:

Supplier:

Cosmetic and personal care applications.

Repackaged for cosmetic use only.

Windy Point Soap Making Supplies Inc.

14, 6125-12th Street SE Calgary, AB T2H 2K1

587-318-6678 / 877-257-0030

Emergency Phone Number: 770-334-3906

Section 2: Hazard Identification

Classification of the substance or mixture

Class and category of danger:

Skin Corrosion / Irritation Category 2
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Acute Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Signal Word: Warning

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Precautionary P261, Avoid breathing vapour or dust.

Statements Prevention: P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention. P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391. Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:





Other Hazards: None.



Safety Data Sheet

Section 3: Composition / Information on Ingredients				
<u>Name</u>	<u>CAS</u>	<u>%</u>	GHS Classification	
Methyl dihydrojasmonate	24851-98-7	22.70%	Aquatic Acute 3;H402	
1-(1,2,3,4,5,6,7,8-Octahydro- 2,3,8,8-tetramethyl-2- naphthalenyl)ethanone	54464-57-2	22.50%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 1;H315-H317-H401-H410	
Ethylene brassylate	105-95-3	6.60%	Aquatic Acute 2;H401	
alpha-Hexylcinnamaldehyde	101-86-0	6.60%	Acute Tox. 5-Skin Irrit. 3-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H303-H316-H317-H400-H411	
3,7-Dimethyl-1,6-nonadien- 3-ol	10339-55-6	4.60%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 3-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H316-H317-H319-H402	
1-(2-tertButyl cyclohexyloxy)-2-butanol	139504-68-0	4.00%	Eye Irrit. 2B-Aquatic Acute 2-Aquatic Chronic 2;H320- H411	
Formaldehyde cyclododecyl ethyl acetal	58567-11-6	4.00%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H315-H317-H411	
3-(5,5,6- Trimethylbicyclo[2.2.1] hept- 2-yl)cyclohexan-1-ol	3407-42-9	3.80%	Skin Irrit. 3-Eye Irrit. 2A-Aquatic Acute 1-Aquatic Chronic 2;H316-H319-H400-H411	
Coumarin	91-64-5	3.74%	Acute Tox. 4-Skin Sens. 1B-Aquatic Acute 3;H302- H317-H402	
6,7-Dihydro-1,1,2,3,3- pentamethyl-4(5H)-indanone	33704-61-9	1.26%	Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2-Aquatic Chronic 2;H303-H315-H317-H319-H411	
Benzyl alcohol	100-51-6	1.00%	Acute Tox. 4-Acute Tox. 5-Eye Irrit. 2A;H302-H313- H319	
Eucalyptol	470-82-6	0.90%	Flam. Liq. 3-Acute Tox. 5-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 3;H226-H303-H317-H320-H402	
6-sec-Butylquinoline	65442-31-1	0.58%	Skin Irrit. 2-Aquatic Acute 2-Aquatic Chronic 2;H315- H411	
4-t-Amylcyclohexanone	16587-71-6	0.52%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2B-Aquatic Acute 2-Aquatic Chronic 2;H303-H313-H315-H320-H411	



Safety Data Sheet

Butylated hydroxytoluene	128-37-0	0.50%	Aquatic Acute 1-Aquatic Chronic 1;H410
dl-Citronellol	106-22-9	0.38%	Acute Tox. 5-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 2;H303-H313-H315-H317-H319-H401
d-Limonene	5989-27-5	0.36%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1- Aquatic Acute 1-Aquatic Chronic 3;H226-H304-H315- H317-H400-H412
Linalyl acetate	115-95-7	0.30%	Flam. Liq. 4-Skin Irrit. 2-Eye Irrit. 2B-Skin Sens. 1B-Aquatic Acute 3;H227-H315-H317-H320-H402
Carvacrol	499-75-2	0.24%	Acute Tox. 4-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B- Aquatic Acute 2;H302-H315-H317-H319-H401
cis-3-Hexenyl methyl carbonate	67633-96-9	0.20%	Flam. Liq. 4-Skin Sens. 1B-Aquatic Acute 2;H227- H317-H401
alpha-Terpineol	98-55-5	0.16%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Aquatic Acute 2;H227-H303-H315-H319-H401
delta-1-(2,6,6-Trimethyl-3- cyclohexen-1-yl)-2-buten-1- one	57378-68-4	0.16%	Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1A-Aquatic Acute 1-Aquatic Chronic 1;H302-H315-H317-H410
beta-Caryophyllene	87-44-5	0.10%	Skin Sens. 1B-Asp. Tox 1-Aquatic Chronic 4;H304- H317-H413
Linalool	78-70-6	0.10%	Flam. Liq. 4-Acute Tox. 5-Skin Irrit. 2-Eye Irrit. 2A-Skin Sens. 1B-Aquatic Acute 3;H227-H303-H315-H317-H319-H402

Substances with workplace exposure limits, not listed above:

Not applicable

Section 4: First Aid Measures

Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention. **Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms

persist.

Skin exposure: Remove contaminated clothes. Wash thoroughly with soap and water. Contact

physician if irritation persists.

Ingestion: Rinse mouth with water and obtain medical advice.

Most important symptoms May be harmful if swallowed.

and effects, both acute and Causes skin irritation.

delayedMay cause an allergic skin reaction.
Causes serious eye irritation.





Safety Data Sheet

Indication of any immediate medical attention and special treatment needed

None expected.

Section 5: Fire Fighting Measures

Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam.

Special hazards arising from In case of fire, may be liberated: Carbon monoxide, Unidentified organic

the substance or mixture: compounds.

During firefighting: Carbon monoxide, Unidentified organic compounds.

Advice for firefighters: In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6: Accidental Release Measures

Personal precautions, Avoid inhalation. Avoid contact with skin and eyes. See protective measures under

protective equipment, and Section 7 and 8. emergency procedures:

Environmental precautions: Keep away from drains, surface and ground water, and soil.

Methods and materials for containment and cleaning up:Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of

according to local regulations.

Section 7: Handling and Storage

Precautions for safeKeep away from heat, sparks, open flames, and hot surfaces. - No smoking. Use

handling: personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate

ventilation Do not eat, drink, or smoke when using this product.

Conditions for safe storage,

including any incompatibilities:

Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

measures against static discharge.

Specific end use(s): Fragrances: Use in accordance with good manufacturing and industrial hygiene

practices.

Section 8: Exposure Control / Personal Protection

Exposure controls - Personal

protective equipment

Eye Protection: Wear protective gloves/eye protection/face protection.

RespiratoryUnder normal conditions of use and where adequate ventilation is available to prevent buildup **Protection**:

of excessive vapour, this material should not require special engineering controls. However,

of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimize exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Skin Protection: Avoid skin contact. Use chemically resistant gloves as needed.

Exposure limits: Not applicable.

Section 9: Physical and Chemical Properties

Appearance: Free flowing liquid without sediment

Odour: Characteristic
Odour threshold: Not determined
pH: Not determined





Safety Data Sheet

Melting point/freezing point: Not determined Initial boiling point/range: Not determined

Flash point: >93 °C

Evaporation rate: Not determined Flammability (solid, gas) Not determined

Upper/lower flammability or

Product does not present an explosion hazard

explosive limits: Vapour pressure: Not determined Vapour density: Not determined Relative density: 0.9750 - 0.9850 Solubilty(ies): Not determined Partition coefficient: n-Not determined

octanol/water:

Auto-ignition temperature: Not determined **Decomposition temerapture:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Oxidizing properties: Not expected Refractive index at 20°C: 1.4794 - 1.4894

Calculated VOC » 0.00

Colour range: 1 Very Pale Yellow - 3 Very Pale Yellow

Section 10: Stability and Reactivity

Reactivity conditions: Presents no significant reactivity hazard, by itself or in contact with water.

Chemical stability: Good stability under normal storage conditions. Possibility of hazardous Not expected under normal conditions of use.

reactions:

Conditions to avoid: Avoid extreme heat.

Incompatibility: Avoid contact with strong acids, alkalis, or oxidizing agents.

Hazardous decomposition Not expected.

products:

Section 11: Toxicological Information

Toxicological Effects

This mixture has not been tested for health effects. The health effects have been calculated using the methods outlined in UN GHS.

This material does not meet the criteria for classification for health hazards under UN GHS Acute toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral: >5000 **Acute Toxicity Dermal:** >5000 **Acute Toxicity Inhalation:** Not available.

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2 Serious eye Eye Damage / Irritation Category 2

damage/irritation:

Respiratory or skin Sensitization - Skin Category 1

sensitization:

Germ cell mutagenicity: Based on available data the classification criteria are not met. Carcinogenicity: Based on available data the classification criteria are not met. Reproductive toxicity: Based on available data the classification criteria are not met. STOT-single exposure: Based on available data the classification criteria are not met. STOT-repeated exposure: Based on available data the classification criteria are not met. **Aspiration hazard:** Based on available data the classification criteria are not met.



Safety Data Sheet

Information about hazardous ingredients in

the mixture:

Refer to Sections 2 and 3 for additional information.

Section 12: Ecological Information

Toxicity: Toxic to aquatic life with long lasting effects.

Persistence and

Not available.

degradability:

Bioaccumulative potential:Not available.Mobility in soil:Not available.Other adverse effects:Not available.

Section 13: Disposal Information

Waste treatment methods: Dispose of in accordance with local regulations. Avoid disposing into drainage

systems and into the environment. Empty containers should be taken to an

approved waste handling site for recycling or disposal.

Section 14: Transport Information

	UN Number:	UN Proper Shipping Name:	Transport Hazard Class(es):	Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-	9	Ш
IMDC	LINIOOO	tetramethyl-2-naphthalenyl)ethanone, alpha-Hexylcinnamaldehyde) ENVIRONMENTALLY HAZARDOUS	0	
IMDG	UN3082	SUBSTANCE, LIQUID, N.O.S. (1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthalenyl)ethanone,	9	III
		alpha-Hexylcinnamaldehyde) MARINE POLLUTANT		
ADR, RID, ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, alpha-Hexylcinnamaldehyde)	9	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1- (1,2,3,4,5,6,7,8-Octahydro-2,3,8,8- tetramethyl-2-naphthalenyl)ethanone, alpha-Hexylcinnamaldehyde)	9	III

Environmental hazards: This is classified as an environmentally hazardous substance under the UN Model

Regulations. This is classified as a Marine Pollutant under the IMDG Code.

Special precautions for None additional.

user:

Transport in bulk Not classified.

according to Annex II of MARPOL73/78 and the

IBC Code:



Safety Data Sheet

Section 15: Regulatory Information

Essential Oil Components:

Name	CAS	%
PATCHOULI OIL MD	50-6210-04-01	1.8
AMYRIS OIL	8015-65-4	0.28
CHAMOMILE OIL ROMAN	8015-92-7	0.04

Additional formulation

properties:

Name	CAS	%
Vanillin	121-33-5	0.12
Ethyl vanillin	121-32-4	0.14

Section 16: Other Information

Concentration % Limits: EH A2=16.39% EH A3=1.61% EH C2=9.95% EH C3=0.99498527% EH C4=58.38%

SCI 2=36.02% SCI 3=3.12% EDI 2A=68.21% SS 1=4.44%

Total Fractional Values: EH A2=6.10 EH A3=62.27 EH C2=10.05 EH C3=100.50 EH C4=1.71 SCI 2=2.78 SCI

3=32.06 EDI 2A=1.47 SS 1=22.50

Disclaimer & Caution

Please refer to all relevant technical information specific to the product, prior to use. The information contained in this document is obtained from current and reliable sources. Windy Point Soap Making Supplies Inc. provides the information contained herein but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. The user of the product is solely responsible for compliance with all laws and regulations applying to the use of the products, including intellectual property rights of third parties. As the ordinary or otherwise use(s) of this product is outside the control of Windy Point Soap Making Supplies Inc., no representation or warranty, expressed or implied, is made as to the effect(s) of such use(s), (including damage or injury), or the results obtained. The liability of Windy Point Soap Making Supplies Inc. is limited to the value of the goods and does not include any consequential loss. Windy Point Soap Making Supplies Inc. shall not be liable for any errors or delays in the content, or for any actions taken in reliance thereon. Windy Point Soap Making Supplies Inc. shall not be responsible for any damages resulting from use of or reliance upon this information. In the event of any dispute, the Customer hereby agree that Jurisdiction is limited to the province of Alberta.